

# Capacity Table

**SAGInoMIYA**

## EXPANSION VALVES SERIES (THERMOSTATIC & CONSTANT PRESSURE EXPANSION VALVES)



### SAGINOMIYA PRODUCT CATALOG

- Thermostatic Expansion Valves
- Constant Pressure Expansion Valves
- Manually Operated Expansion Valves

**SAGInoMIYA**

# Contents

Correction Elements that Influence the Capacity	.....	1
Correction Factor for Supercooling	.....	2
QCX/RCX	.....	3
SCX	.....	12
ATX	.....	22
VPX/WPX	.....	42
AEX	.....	48
CEX	.....	53
CTX	.....	61
HEX	.....	70

Correction Elements that Influence the Capacity

Pressure Drop in High-Pressure Side Liquid Pipe

Pressure drop on high-pressure side deteriorates refrigerating capacity. Pressure drop generated between the condenser and the expansion valve leads to the generation of flush gas, and deteriorates the capacity of the expansion valve. In general, therefore, it is necessary to consider supercooling at about 1 to 3°C.

Pressure Drop Correction Factor of Pipes on Low-Pressure Side

Pressure drop in the distributor and the evaporator cause the imbalance in temperature and deterioration of capacity, and increases the static superheat at the internal equalizer type expansion valve. The correction factors shown here are for cases in which Pressure drop changes occur in the distributor and evaporator.

R134a

Evaporating Temp. (°C)	Pressure Drop (MPa)										
	0	0.025	0.05	0.075	0.1	0.125	0.15	0.175	0.2	0.225	0.25
-60	1.000	0.987	0.973	0.960	0.946	0.932	0.917	0.903	0.888	0.873	0.858
-50	1.000	0.987	0.973	0.959	0.945	0.931	0.916	0.901	0.886	0.871	0.856
-40	1.000	0.986	0.972	0.958	0.944	0.929	0.914	0.899	0.884	0.868	0.852
-30	1.000	0.986	0.971	0.956	0.941	0.926	0.911	0.895	0.879	0.863	0.846
-20	1.000	0.985	0.969	0.954	0.938	0.922	0.905	0.888	0.871	0.854	0.836
-10	1.000	0.983	0.967	0.950	0.932	0.914	0.896	0.878	0.859	0.840	0.820
-5	1.000	0.982	0.965	0.946	0.928	0.909	0.890	0.870	0.850	0.829	0.808
0	1.000	0.981	0.962	0.942	0.922	0.902	0.881	0.860	0.838	0.815	0.792
5	1.000	0.979	0.958	0.937	0.915	0.892	0.869	0.845	0.821	0.796	0.770
10	1.000	0.977	0.953	0.929	0.904	0.879	0.852	0.825	0.797	0.768	0.738

R404A

Evaporating Temp. (°C)	Pressure Drop (MPa)										
	0	0.025	0.05	0.075	0.1	0.125	0.15	0.175	0.2	0.225	0.25
-60	1.000	0.993	0.985	0.978	0.970	0.962	0.955	0.947	0.939	0.931	0.923
-50	1.000	0.992	0.985	0.977	0.969	0.962	0.954	0.946	0.938	0.930	0.922
-40	1.000	0.992	0.984	0.976	0.968	0.960	0.952	0.944	0.936	0.928	0.919
-30	1.000	0.992	0.984	0.975	0.967	0.959	0.950	0.942	0.933	0.924	0.915
-20	1.000	0.991	0.983	0.974	0.965	0.956	0.947	0.937	0.928	0.919	0.909
-10	1.000	0.990	0.981	0.971	0.961	0.951	0.941	0.931	0.921	0.910	0.900
-5	1.000	0.990	0.980	0.969	0.959	0.948	0.937	0.926	0.915	0.904	0.893
0	1.000	0.989	0.978	0.967	0.955	0.944	0.932	0.920	0.908	0.896	0.884
5	1.000	0.988	0.976	0.963	0.951	0.938	0.925	0.912	0.899	0.885	0.872
10	1.000	0.986	0.973	0.959	0.945	0.930	0.916	0.901	0.886	0.870	0.855

R407C

Evaporating Temp. (°C)	Pressure Drop (MPa)										
	0	0.025	0.05	0.075	0.1	0.125	0.15	0.175	0.2	0.225	0.25
-60	1.000	0.992	0.985	0.977	0.969	0.961	0.953	0.945	0.937	0.929	0.921
-50	1.000	0.992	0.984	0.977	0.969	0.961	0.952	0.944	0.936	0.928	0.919
-40	1.000	0.992	0.984	0.976	0.968	0.960	0.951	0.943	0.935	0.926	0.917
-30	1.000	0.992	0.983	0.975	0.967	0.958	0.950	0.941	0.932	0.923	0.914
-20	1.000	0.991	0.983	0.974	0.965	0.956	0.947	0.938	0.929	0.919	0.910
-10	1.000	0.991	0.981	0.972	0.962	0.952	0.943	0.933	0.923	0.913	0.902
-5	1.000	0.990	0.980	0.970	0.960	0.950	0.940	0.929	0.919	0.908	0.897
0	1.000	0.990	0.979	0.968	0.958	0.947	0.936	0.925	0.913	0.902	0.890
5	1.000	0.989	0.977	0.966	0.954	0.942	0.931	0.918	0.906	0.894	0.881
10	1.000	0.988	0.975	0.963	0.950	0.937	0.924	0.910	0.897	0.883	0.869

R410A

Evaporating Temp. (°C)	Pressure Drop (MPa)										
	0	0.025	0.05	0.075	0.1	0.125	0.15	0.175	0.2	0.225	0.25
-60	1.000	0.994	0.989	0.983	0.977	0.972	0.966	0.960	0.954	0.949	0.943
-50	1.000	0.994	0.989	0.983	0.977	0.971	0.965	0.959	0.953	0.948	0.942
-40	1.000	0.994	0.988	0.982	0.976	0.970	0.964	0.958	0.952	0.946	0.940
-30	1.000	0.994	0.988	0.981	0.975	0.969	0.963	0.956	0.950	0.943	0.937
-20	1.000	0.993	0.987	0.980	0.973	0.967	0.960	0.953	0.946	0.939	0.932
-10	1.000	0.993	0.986	0.978	0.971	0.963	0.956	0.948	0.941	0.933	0.925
-5	1.000	0.992	0.985	0.977	0.969	0.961	0.953	0.945	0.937	0.929	0.920
0	1.000	0.992	0.983	0.975	0.966	0.958	0.949	0.940	0.932	0.923	0.914
5	1.000	0.991	0.982	0.972	0.963	0.954	0.944	0.934	0.925	0.915	0.905
10	1.000	0.990	0.979	0.969	0.958	0.948	0.937	0.926	0.915	0.904	0.892

R448A

Evaporating Temp. (°C)	Pressure Drop (MPa)										
	0	0.025	0.05	0.075	0.1	0.125	0.15	0.175	0.2	0.225	0.25
-60	1.000	0.993	0.986	0.978	0.971	0.964	0.956	0.949	0.941	0.934	0.926
-50	1.000	0.993	0.985	0.978	0.971	0.963	0.956	0.948	0.941	0.933	0.925
-40	1.000	0.993	0.985	0.978	0.970	0.962	0.955	0.947	0.939	0.931	0.923
-30	1.000	0.992	0.985	0.977	0.969	0.961	0.953	0.945	0.937	0.928	0.920
-20	1.000	0.992	0.984	0.975	0.967	0.959	0.950	0.942	0.933	0.924	0.916
-10	1.000	0.991	0.982	0.973	0.964	0.955	0.946	0.937	0.927	0.918	0.908
-5	1.000	0.991	0.981	0.972	0.962	0.953	0.943	0.933	0.923	0.913	0.903
0	1.000	0.990	0.980	0.970	0.960	0.950	0.939	0.929	0.918	0.908	0.897
5	1.000	0.989	0.979	0.968	0.957	0.946	0.934	0.923	0.911	0.900	0.888
10	1.000	0.988	0.976	0.965	0.952	0.940	0.928	0.915	0.902	0.889	0.876

R449A

Evaporating Temp. (°C)	Pressure Drop (MPa)										
	0	0.025	0.05	0.075	0.1	0.125	0.15	0.175	0.2	0.225	0.25
-60	1.000	0.993	0.986	0.978	0.971	0.963	0.956	0.948	0.941	0.933	0.925
-50	1.000	0.993	0.985	0.978	0.970	0.963	0.955	0.948	0.940	0.932	0.924
-40	1.000	0.992	0.985	0.977	0.970	0.962	0.954	0.946	0.938	0.930	0.922
-30	1.000	0.992	0.984	0.976	0.969	0.960	0.952	0.944	0.936	0.928	0.919
-20	1.000	0.992	0.984	0.975	0.967	0.958	0.950	0.941	0.932	0.923	0.915
-10	1.000	0.991	0.982	0.973	0.964	0.955	0.945	0.936	0.927	0.917	0.907
-5	1.000	0.991	0.981	0.972	0.962	0.952	0.942	0.933	0.922	0.912	0.902
0	1.000	0.990	0.980	0.970	0.960	0.949	0.939	0.928	0.917	0.906	0.895
5	1.000	0.989	0.978	0.967	0.956	0.945	0.934	0.922	0.910	0.899	0.887
10	1.000	0.988	0.976	0.964	0.952	0.939	0.927	0.914	0.901	0.888	0.875

## Correction Factor for Supercooling

Correction factors shown here indicate changes in capacity depending on the degree of supercooling caused by low-stage side high-pressure solution refrigerant in the two-stage compression-type refrigerating device, and heat exchange attachment device, etc. For devices with a significant degree of supercooling, the figure shown in the capacity table multiplied by the correction factor shown in the table below is the capacity of the expansion valve.

R134a

Condensing Temp (°C)	Sub-cooling ΔT							
	0	10	20	30	40	50	60	70
0	1.00	1.10	1.20	1.30	-	-	-	-
10	1.00	1.11	1.22	1.33	1.45	-	-	-
20	1.00	1.12	1.25	1.37	1.50	1.62	-	-
30	1.00	1.14	1.28	1.42	1.56	1.70	1.85	-
38	1.00	1.15	1.31	1.47	1.63	1.79	1.95	2.11
40	1.00	1.16	1.32	1.48	1.65	1.81	1.98	2.14
50	1.00	1.19	1.38	1.57	1.76	1.96	2.15	2.35
60	1.00	1.23	1.46	1.70	1.93	2.17	2.41	2.65

R404A

Condensing Temp (°C)	Sub-cooling ΔT							
	0	10	20	30	40	50	60	70
0	1.00	1.13	1.26	1.39	-	-	-	-
10	1.00	1.15	1.29	1.44	1.59	-	-	-
20	1.00	1.17	1.34	1.51	1.69	1.86	-	-
30	1.00	1.20	1.41	1.62	1.82	2.03	2.24	-
38	1.00	1.24	1.49	1.73	1.98	2.23	2.48	2.73
40	1.00	1.26	1.51	1.77	2.03	2.29	2.55	2.82
50	1.00	1.35	1.70	2.04	2.39	2.74	3.09	3.45
60	1.00	1.56	2.11	2.65	3.19	3.74	4.28	4.84

R407C

Condensing Temp (°C)	Sub-cooling ΔT							
	0	10	20	30	40	50	60	70
0	1.00	1.10	1.21	1.31	-	-	-	-
10	1.00	1.11	1.23	1.34	1.46	-	-	-
20	1.00	1.13	1.26	1.38	1.51	1.65	-	-
30	1.00	1.15	1.29	1.44	1.59	1.73	1.88	-
38	1.00	1.16	1.33	1.49	1.66	1.83	2.00	2.17
40	1.00	1.17	1.34	1.51	1.68	1.86	2.03	2.21
50	1.00	1.21	1.41	1.62	1.82	2.03	2.24	2.45
60	1.00	1.26	1.53	1.79	2.05	2.31	2.57	2.83

R410A

Condensing Temp (°C)	Sub-cooling ΔT							
	0	10	20	30	40	50	60	70
0	1.00	1.11	1.21	1.32	-	-	-	-
10	1.00	1.12	1.24	1.36	1.48	-	-	-
20	1.00	1.14	1.27	1.41	1.54	1.68	-	-
30	1.00	1.16	1.32	1.47	1.63	1.79	1.94	-
38	1.00	1.18	1.36	1.54	1.72	1.90	2.08	2.27
40	1.00	1.19	1.38	1.57	1.75	1.94	2.13	2.32
50	1.00	1.25	1.48	1.72	1.95	2.18	2.42	2.65
60	1.00	1.36	1.70	2.02	2.34	2.66	2.98	3.29

R448A

Condensing Temp (°C)	Sub-cooling ΔT							
	0	10	20	30	40	50	60	70
0	1.00	1.09	1.18	1.27	-	-	-	-
10	1.00	1.10	1.20	1.30	1.40	-	-	-
20	1.00	1.12	1.23	1.34	1.46	1.57	-	-
30	1.00	1.13	1.27	1.40	1.52	1.65	1.78	-
38	1.00	1.15	1.30	1.45	1.60	1.74	1.88	2.03
40	1.00	1.16	1.32	1.47	1.62	1.77	1.91	2.06
50	1.00	1.20	1.39	1.57	1.76	1.94	2.12	2.29
60	1.00	1.26	1.51	1.75	1.99	2.22	2.45	2.67

R449A

Condensing Temp (°C)	Sub-cooling ΔT							
	0	10	20	30	40	50	60	70
0	1.00	1.09	1.18	1.28	-	-	-	-
10	1.00	1.10	1.21	1.31	1.41	-	-	-
20	1.00	1.12	1.23	1.35	1.46	1.57	-	-
30	1.00	1.14	1.27	1.40	1.53	1.66	1.79	-
38	1.00	1.16	1.31	1.46	1.60	1.75	1.89	2.04
40	1.00	1.16	1.32	1.47	1.63	1.78	1.93	2.07
50	1.00	1.20	1.39	1.58	1.77	1.95	2.13	2.31
60	1.00	1.27	1.52	1.77	2.01	2.25	2.48	2.71

QCX/RCX Capacity table

R410A

Charge type : SA <-45~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
QCX-RCX-	0334BVSA 0334DVSA	10	0.26 {0.90}	0.33 {1.17}	0.36 {1.27}	0.36 {1.28}	0.36 {1.28}
		5	0.32 {1.12}	0.38 {1.33}	0.40 {1.40}	0.40 {1.41}	0.39 {1.38}
		0	0.32 {1.14}	0.37 {1.29}	0.38 {1.33}	0.38 {1.33}	0.36 {1.28}
		-5	0.31 {1.10}	0.34 {1.20}	0.35 {1.22}	0.35 {1.22}	0.33 {1.16}
		-10	0.30 {1.07}	0.32 {1.14}	0.33 {1.15}	0.33 {1.15}	0.31 {1.08}
		-20	0.28 {1.00}	0.29 {1.03}	0.29 {1.03}	0.29 {1.02}	0.27 {0.95}
		-30	0.26 {0.90}	0.26 {0.92}	0.26 {0.90}	0.25 {0.89}	0.24 {0.83}
		-40	0.22 {0.77}	0.22 {0.78}	0.22 {0.76}	0.21 {0.75}	0.20 {0.69}
	-45	0.19 {0.68}	0.19 {0.68}	0.19 {0.67}	0.19 {0.66}	0.17 {0.60}	
	0534BVSA 0534DVSA	10	0.39 {1.36}	0.50 {1.77}	0.55 {1.92}	0.55 {1.94}	0.55 {1.92}
		5	0.48 {1.69}	0.57 {2.01}	0.60 {2.12}	0.61 {2.13}	0.59 {2.08}
		0	0.49 {1.71}	0.55 {1.93}	0.57 {2.00}	0.57 {2.01}	0.55 {1.93}
		-5	0.47 {1.64}	0.51 {1.79}	0.52 {1.83}	0.52 {1.83}	0.49 {1.74}
		-10	0.46 {1.60}	0.48 {1.70}	0.49 {1.72}	0.49 {1.72}	0.46 {1.62}
		-20	0.42 {1.49}	0.44 {1.54}	0.44 {1.53}	0.43 {1.52}	0.40 {1.42}
		-30	0.38 {1.33}	0.39 {1.36}	0.38 {1.34}	0.38 {1.33}	0.35 {1.23}
		-40	0.32 {1.14}	0.33 {1.15}	0.32 {1.12}	0.32 {1.11}	0.29 {1.02}
	-45	0.28 {1.00}	0.29 {1.01}	0.28 {0.98}	0.28 {0.97}	0.25 {0.89}	
	0934BVSA 0934DVSA	10	0.65 {2.27}	0.84 {2.94}	0.91 {3.20}	0.92 {3.23}	0.91 {3.21}
		5	0.80 {2.82}	0.95 {3.35}	1.01 {3.54}	1.01 {3.56}	0.99 {3.47}
		0	0.81 {2.85}	0.92 {3.22}	0.95 {3.34}	0.95 {3.34}	0.92 {3.22}
		-5	0.78 {2.73}	0.85 {2.98}	0.86 {3.04}	0.86 {3.04}	0.82 {2.89}
		-10	0.75 {2.64}	0.80 {2.82}	0.81 {2.85}	0.81 {2.84}	0.76 {2.68}
		-20	0.70 {2.45}	0.72 {2.54}	0.72 {2.53}	0.71 {2.51}	0.67 {2.34}
		-30	0.62 {2.19}	0.63 {2.23}	0.63 {2.20}	0.62 {2.18}	0.57 {2.01}
		-40	0.53 {1.87}	0.53 {1.88}	0.52 {1.84}	0.52 {1.82}	0.47 {1.67}
	-45	0.47 {1.64}	0.47 {1.65}	0.46 {1.61}	0.45 {1.59}	0.42 {1.46}	
	1434BVSA 1434DVSA	10	1.02 {3.58}	1.32 {4.64}	1.43 {5.04}	1.45 {5.09}	1.44 {5.06}
		5	1.26 {4.44}	1.50 {5.28}	1.59 {5.58}	1.59 {5.60}	1.56 {5.47}
		0	1.28 {4.51}	1.45 {5.09}	1.50 {5.27}	1.50 {5.27}	1.44 {5.08}
		-5	1.23 {4.32}	1.34 {4.72}	1.37 {4.82}	1.37 {4.81}	1.30 {4.58}
		-10	1.19 {4.19}	1.27 {4.48}	1.29 {4.52}	1.28 {4.51}	1.21 {4.26}
		-20	1.11 {3.90}	1.15 {4.04}	1.14 {4.02}	1.14 {4.00}	1.06 {3.73}
		-30	1.00 {3.50}	1.02 {3.57}	1.00 {3.51}	1.00 {3.48}	0.92 {3.22}
		-40	0.85 {2.98}	0.86 {3.01}	0.84 {2.95}	0.83 {2.92}	0.76 {2.68}
	-45	0.75 {2.62}	0.75 {2.64}	0.73 {2.58}	0.73 {2.55}	0.67 {2.34}	
	1734BVSA 1734DVSA	10	1.28 {4.51}	1.66 {5.85}	1.81 {6.35}	1.82 {6.41}	1.81 {6.37}
		5	1.59 {5.59}	1.89 {6.64}	1.99 {7.01}	2.00 {7.05}	1.96 {6.88}
		0	1.62 {5.68}	1.82 {6.41}	1.89 {6.64}	1.89 {6.65}	1.82 {6.40}
		-5	1.55 {5.45}	1.69 {5.95}	1.73 {6.08}	1.73 {6.07}	1.65 {5.79}
		-10	1.51 {5.30}	1.61 {5.66}	1.62 {5.71}	1.62 {5.69}	1.53 {5.38}
		-20	1.40 {4.94}	1.46 {5.12}	1.45 {5.09}	1.44 {5.06}	1.34 {4.72}
		-30	1.26 {4.43}	1.29 {4.52}	1.27 {4.45}	1.25 {4.41}	1.16 {4.08}
		-40	1.08 {3.79}	1.09 {3.82}	1.06 {3.74}	1.05 {3.70}	0.97 {3.40}
	-45	0.95 {3.33}	0.95 {3.35}	0.93 {3.28}	0.92 {3.24}	0.84 {2.97}	
2634BVSA 2634DVSA	10	1.93 {6.78}	2.50 {8.80}	2.72 {9.56}	2.74 {9.65}	2.73 {9.59}	
	5	2.39 {8.42}	2.84 {10.0}	3.01 {10.6}	3.01 {10.6}	2.96 {10.4}	
	0	2.43 {8.54}	2.74 {9.63}	2.84 {9.98}	2.84 {9.99}	2.74 {9.63}	
	-5	2.32 {8.17}	2.54 {8.93}	2.59 {9.12}	2.59 {9.10}	2.47 {8.68}	
	-10	2.26 {7.94}	2.41 {8.47}	2.43 {8.56}	2.43 {8.53}	2.29 {8.06}	
	-20	2.10 {7.38}	2.18 {7.65}	2.16 {7.61}	2.15 {7.56}	2.07 {7.05}	
	-30	1.88 {6.61}	1.92 {6.74}	1.89 {6.64}	1.87 {6.58}	1.73 {6.08}	
	-40	1.60 {5.64}	1.62 {5.69}	1.58 {5.57}	1.57 {5.51}	1.44 {5.06}	
-45	1.41 {4.95}	1.42 {4.98}	1.38 {4.87}	1.37 {4.82}	1.26 {4.42}		
3534BVSA 3534DVSA	10	2.57 {9.04}	3.33 {11.7}	3.61 {12.7}	3.67 {12.9}	3.64 {12.8}	
	5	3.19 {11.2}	3.78 {13.3}	4.01 {14.1}	4.01 {14.1}	3.92 {13.8}	
	0	3.24 {11.4}	3.64 {12.8}	3.78 {13.3}	3.78 {13.3}	3.64 {12.8}	
	-5	3.10 {10.9}	3.38 {11.9}	3.44 {12.1}	3.44 {12.1}	3.30 {11.6}	
	-10	3.01 {10.6}	3.21 {11.3}	3.24 {11.4}	3.24 {11.4}	3.04 {10.7}	
	-20	2.79 {9.82}	2.90 {10.2}	2.87 {10.1}	2.87 {10.1}	2.67 {9.38}	
	-30	2.50 {8.80}	2.55 {8.97}	2.51 {8.83}	2.49 {8.75}	2.30 {8.09}	
	-40	2.13 {7.50}	2.15 {7.57}	2.11 {7.41}	2.08 {7.33}	1.91 {6.73}	
-45	1.87 {6.59}	1.89 {6.63}	1.84 {6.48}	1.82 {6.41}	1.67 {5.87}		
5234BVSA 5234DVSA	10	3.84 {13.5}	5.01 {17.6}	5.43 {19.1}	5.49 {19.3}	5.43 {19.1}	
	5	4.78 {16.8}	5.69 {20.0}	6.00 {21.1}	6.03 {21.2}	5.89 {20.7}	
	0	4.83 {17.0}	5.46 {19.2}	5.66 {19.9}	5.66 {19.9}	5.46 {19.2}	
	-5	4.64 {16.3}	5.06 {17.8}	5.18 {18.2}	5.15 {18.1}	4.92 {17.3}	
	-10	4.49 {15.8}	4.81 {16.9}	4.83 {17.0}	4.83 {17.0}	4.55 {16.0}	
	-20	4.15 {14.6}	4.32 {15.2}	4.29 {15.1}	4.27 {15.0}	3.98 {14.0}	
	-30	3.73 {13.1}	3.81 {13.4}	3.75 {13.2}	3.70 {13.0}	3.41 {12.0}	
	-40	3.19 {11.2}	3.21 {11.3}	3.13 {11.0}	3.10 {10.9}	2.84 {10.0}	
-45	2.78 {9.79}	2.80 {9.85}	2.74 {9.63}	2.71 {9.53}	2.48 {8.73}		

R410A

Charge type : C &lt;-40~-10℃&gt;

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (℃)					
			20	30	38	40	50	
QCX- RCX-	0334BVC	-10	0.32 {1.14}	0.35 {1.22}	0.35 {1.23}	0.35 {1.23}	0.33 {1.16}	
		-20	0.32 {1.14}	0.34 {1.18}	0.34 {1.18}	0.33 {1.17}	0.31 {1.09}	
	0334DVC	-30	0.30 {1.06}	0.31 {1.08}	0.30 {1.07}	0.30 {1.06}	0.28 {0.98}	
		-40	0.26 {0.91}	0.26 {0.92}	0.26 {0.90}	0.25 {0.89}	0.23 {0.82}	
	0534BVC	-10	0.49 {1.71}	0.52 {1.83}	0.53 {1.85}	0.52 {1.84}	0.49 {1.74}	
		-20	0.49 {1.71}	0.50 {1.77}	0.50 {1.76}	0.50 {1.75}	0.46 {1.63}	
		0534DVC	-30	0.45 {1.58}	0.46 {1.61}	0.45 {1.59}	0.45 {1.58}	0.42 {1.46}
			-40	0.38 {1.35}	0.39 {1.37}	0.38 {1.34}	0.38 {1.32}	0.34 {1.21}
	0934BVC	-10	0.81 {2.84}	0.86 {3.03}	0.87 {3.06}	0.87 {3.05}	0.82 {2.88}	
		-20	0.80 {2.82}	0.83 {2.93}	0.83 {2.91}	0.82 {2.89}	0.77 {2.70}	
		0934DVC	-30	0.74 {2.61}	0.76 {2.66}	0.75 {2.62}	0.74 {2.60}	0.68 {2.40}
			-40	0.63 {2.23}	0.64 {2.25}	0.63 {2.20}	0.62 {2.18}	0.57 {2.00}
	1434BVC	-10	1.28 {4.50}	1.37 {4.80}	1.38 {4.85}	1.37 {4.83}	1.30 {4.57}	
		-20	1.27 {4.48}	1.32 {4.65}	1.31 {4.62}	1.31 {4.59}	1.22 {4.28}	
		1434DVC	-30	1.18 {4.16}	1.21 {4.24}	1.19 {4.17}	1.18 {4.14}	1.09 {3.82}
			-40	1.01 {3.55}	1.02 {3.58}	1.00 {3.51}	0.99 {3.47}	0.91 {3.19}
	1734BVC	-10	1.62 {5.68}	1.72 {6.06}	1.74 {6.12}	1.73 {6.10}	1.64 {5.77}	
		-20	1.61 {5.67}	1.67 {5.88}	1.66 {5.84}	1.65 {5.81}	1.54 {5.41}	
		1734DVC	-30	1.50 {5.26}	1.52 {5.36}	1.50 {5.28}	1.49 {5.23}	1.37 {4.83}
			-40	1.28 {4.50}	1.29 {4.54}	1.27 {4.45}	1.25 {4.40}	1.15 {4.04}
	2634BVC	-10	2.42 {8.52}	2.59 {9.09}	2.61 {9.18}	2.60 {9.15}	2.46 {8.64}	
		-20	2.41 {8.49}	2.50 {8.80}	2.49 {8.75}	2.47 {8.69}	2.30 {8.10}	
		2634DVC	-30	2.24 {7.86}	2.28 {8.01}	2.24 {7.89}	2.22 {7.82}	2.06 {7.23}
			-40	1.91 {6.72}	1.93 {6.77}	1.89 {6.63}	1.87 {6.57}	1.71 {6.03}
	3534BVC	-10	3.21 {11.3}	3.44 {12.1}	3.47 {12.2}	3.47 {12.2}	3.27 {11.5}	
		-20	3.21 {11.3}	3.33 {11.7}	3.30 {11.6}	3.30 {11.6}	3.07 {10.8}	
		3534DVC	-30	2.99 {10.5}	3.04 {10.7}	2.99 {10.5}	2.96 {10.4}	2.74 {9.62}
			-40	2.54 {8.93}	2.56 {9.01}	2.51 {8.82}	2.48 {8.73}	2.28 {8.02}
	5234BVC	-10	4.83 {17.0}	5.15 {18.1}	5.20 {18.3}	5.18 {18.2}	4.89 {17.2}	
		-20	4.81 {16.9}	4.98 {17.5}	4.95 {17.4}	4.92 {17.3}	4.58 {16.1}	
		5234DVC	-30	4.44 {15.6}	4.52 {15.9}	4.46 {15.7}	4.41 {15.5}	4.07 {14.3}
			-40	3.78 {13.3}	3.81 {13.4}	3.73 {13.1}	3.70 {13.0}	3.38 {11.9}

R410A

Charge type : SL &lt;-60~-30℃&gt;

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
QCX- RCX-	0334BVSL 0334DVSL	-30	0.20 {0.71}	0.21 {0.73}	0.20 {0.71}	0.20 {0.71}	0.19 {0.65}
		-35	0.21 {0.75}	0.22 {0.76}	0.21 {0.75}	0.21 {0.74}	0.19 {0.68}
		-40	0.21 {0.74}	0.21 {0.74}	0.21 {0.73}	0.20 {0.72}	0.19 {0.66}
		-45	0.19 {0.67}	0.19 {0.67}	0.19 {0.65}	0.18 {0.65}	0.17 {0.59}
		-50	0.16 {0.56}	0.16 {0.57}	0.16 {0.55}	0.16 {0.55}	0.14 {0.50}
		-55	0.13 {0.47}	0.13 {0.47}	0.13 {0.46}	0.13 {0.46}	0.12 {0.42}
	0534BVSL 0534DVSL	-60	0.13 {0.47}	0.13 {0.47}	0.13 {0.46}	0.13 {0.46}	0.12 {0.42}
		-30	0.30 {1.04}	0.30 {1.06}	0.30 {1.05}	0.30 {1.04}	0.27 {0.96}
		-35	0.31 {1.10}	0.32 {1.12}	0.31 {1.10}	0.31 {1.09}	0.28 {1.00}
		-40	0.31 {1.08}	0.31 {1.09}	0.30 {1.07}	0.30 {1.06}	0.28 {0.97}
		-45	0.28 {0.97}	0.28 {0.98}	0.27 {0.96}	0.27 {0.95}	0.25 {0.87}
		-50	0.23 {0.82}	0.23 {0.83}	0.23 {0.81}	0.23 {0.80}	0.21 {0.73}
	0934BVSL 0934DVSL	-55	0.20 {0.69}	0.20 {0.69}	0.19 {0.67}	0.19 {0.67}	0.17 {0.61}
		-60	0.19 {0.68}	0.20 {0.69}	0.19 {0.67}	0.19 {0.66}	0.17 {0.61}
		-30	0.49 {1.71}	0.49 {1.74}	0.49 {1.71}	0.48 {1.70}	0.45 {1.57}
		-35	0.51 {1.81}	0.52 {1.83}	0.51 {1.80}	0.51 {1.78}	0.47 {1.64}
		-40	0.50 {1.77}	0.51 {1.78}	0.50 {1.74}	0.49 {1.73}	0.45 {1.58}
		-45	0.45 {1.59}	0.46 {1.60}	0.45 {1.57}	0.44 {1.55}	0.40 {1.42}
	1434BVSL 1434DVSL	-50	0.38 {1.34}	0.38 {1.35}	0.37 {1.31}	0.37 {1.30}	0.34 {1.19}
		-55	0.32 {1.12}	0.32 {1.12}	0.31 {1.10}	0.31 {1.08}	0.28 {0.99}
		-60	0.32 {1.11}	0.32 {1.12}	0.31 {1.09}	0.31 {1.08}	0.28 {0.99}
		-30	0.78 {2.76}	0.80 {2.81}	0.79 {2.77}	0.78 {2.74}	0.72 {2.53}
		-35	0.83 {2.92}	0.84 {2.95}	0.82 {2.90}	0.82 {2.87}	0.75 {2.64}
		-40	0.81 {2.85}	0.82 {2.88}	0.80 {2.82}	0.79 {2.79}	0.73 {2.56}
	1734BVSL 1734DVSL	-45	0.73 {2.58}	0.74 {2.59}	0.72 {2.53}	0.71 {2.50}	0.65 {2.29}
		-50	0.62 {2.17}	0.62 {2.18}	0.61 {2.13}	0.60 {2.11}	0.55 {1.93}
		-55	0.52 {1.82}	0.52 {1.82}	0.51 {1.78}	0.50 {1.76}	0.46 {1.61}
		-60	0.51 {1.81}	0.52 {1.81}	0.50 {1.77}	0.50 {1.75}	0.46 {1.60}
		-30	0.99 {3.48}	1.01 {3.55}	0.99 {3.50}	0.99 {3.47}	0.91 {3.20}
		-35	1.05 {3.68}	1.06 {3.73}	1.04 {3.67}	1.03 {3.63}	0.95 {3.34}
	2634BVSL 2634DVSL	-40	1.02 {3.60}	1.03 {3.64}	1.01 {3.56}	1.00 {3.53}	0.92 {3.24}
		-45	0.93 {3.26}	0.93 {3.28}	0.91 {3.20}	0.90 {3.17}	0.83 {2.90}
		-50	0.78 {2.75}	0.79 {2.76}	0.77 {2.70}	0.76 {2.67}	0.69 {2.44}
		-55	0.65 {2.30}	0.66 {2.31}	0.64 {2.25}	0.63 {2.23}	0.58 {2.04}
		-60	0.65 {2.29}	0.65 {2.30}	0.64 {2.24}	0.63 {2.22}	0.58 {2.03}
		-30	1.51 {5.30}	1.54 {5.41}	1.51 {5.33}	1.50 {5.28}	1.39 {4.88}
	3534BVSL 3534DVSL	-35	1.59 {5.61}	1.62 {5.68}	1.59 {5.58}	1.57 {5.53}	1.45 {5.09}
		-40	1.56 {5.49}	1.57 {5.54}	1.54 {5.42}	1.53 {5.37}	1.40 {4.93}
		-45	1.41 {4.95}	1.42 {4.98}	1.38 {4.87}	1.37 {4.82}	1.25 {4.41}
		-50	1.19 {4.18}	1.19 {4.19}	1.16 {4.09}	1.15 {4.05}	1.05 {3.70}
		-55	0.99 {3.49}	1.00 {3.50}	0.97 {3.42}	0.96 {3.38}	0.88 {3.09}
		-60	0.99 {3.47}	0.99 {3.48}	0.97 {3.40}	0.96 {3.36}	0.88 {3.08}
5234BVSL 5234DVSL	-30	2.03 {7.14}	2.07 {7.28}	2.04 {7.17}	2.02 {7.11}	1.87 {6.57}	
	-35	2.15 {7.55}	2.18 {7.65}	2.14 {7.52}	2.12 {7.44}	1.95 {6.85}	
	-40	2.10 {7.39}	2.12 {7.45}	2.08 {7.30}	2.05 {7.23}	1.89 {6.63}	
	-45	1.90 {6.67}	1.91 {6.71}	1.86 {6.56}	1.84 {6.49}	1.69 {5.94}	
	-50	1.60 {5.63}	1.61 {5.65}	1.57 {5.51}	1.55 {5.45}	1.42 {4.99}	
	-55	1.34 {4.70}	1.34 {4.71}	1.31 {4.60}	1.29 {4.55}	1.18 {4.16}	
5234BVSL 5234DVSL	-60	1.33 {4.67}	1.33 {4.69}	1.30 {4.58}	1.29 {4.53}	1.18 {4.14}	
	-30	2.78 {9.77}	2.83 {9.95}	2.79 {9.81}	2.76 {9.72}	2.55 {8.98}	
	-35	2.94 {10.3}	2.98 {10.5}	2.92 {10.3}	2.90 {10.2}	2.67 {9.37}	
	-40	2.87 {10.1}	2.90 {10.2}	2.84 {9.98}	2.81 {9.88}	2.58 {9.07}	
	-45	2.59 {9.11}	2.61 {9.17}	2.55 {8.96}	2.52 {8.86}	2.31 {8.12}	
	-50	2.18 {7.68}	2.19 {7.71}	2.14 {7.52}	2.12 {7.44}	1.94 {6.81}	
		-55	1.82 {6.41}	1.83 {6.43}	1.78 {6.27}	1.76 {6.20}	1.61 {5.67}
		-60	1.81 {6.37}	1.82 {6.39}	1.77 {6.24}	1.76 {6.17}	1.61 {5.65}

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
QCX- RCX-	0334BC1SA 0334DC1SA	10	0.19 {0.67}	0.25 {0.88}	0.27 {0.96}	0.28 {0.97}	0.28 {1.00}
		5	0.25 {0.88}	0.30 {1.04}	0.32 {1.11}	0.32 {1.12}	0.32 {1.12}
		0	0.25 {0.87}	0.28 {0.99}	0.30 {1.04}	0.30 {1.05}	0.30 {1.04}
		-5	0.26 {0.92}	0.29 {1.01}	0.29 {1.03}	0.30 {1.04}	0.29 {1.01}
		-10	0.25 {0.87}	0.27 {0.94}	0.27 {0.96}	0.27 {0.96}	0.26 {0.93}
		-20	0.23 {0.81}	0.24 {0.85}	0.24 {0.85}	0.24 {0.85}	0.23 {0.81}
		-30	0.20 {0.69}	0.20 {0.71}	0.20 {0.70}	0.20 {0.70}	0.19 {0.66}
	-40	0.15 {0.54}	0.16 {0.55}	0.15 {0.54}	0.15 {0.54}	0.15 {0.51}	
	0434BC1SA 0434DC1SA	10	0.28 {1.00}	0.37 {1.31}	0.41 {1.44}	0.42 {1.47}	0.43 {1.50}
		5	0.37 {1.31}	0.44 {1.56}	0.47 {1.66}	0.48 {1.68}	0.48 {1.68}
		0	0.37 {1.31}	0.42 {1.49}	0.45 {1.57}	0.45 {1.58}	0.44 {1.56}
		-5	0.39 {1.38}	0.43 {1.51}	0.44 {1.55}	0.44 {1.55}	0.43 {1.51}
		-10	0.37 {1.31}	0.40 {1.41}	0.41 {1.44}	0.41 {1.44}	0.40 {1.40}
		-20	0.34 {1.21}	0.36 {1.27}	0.36 {1.27}	0.36 {1.27}	0.34 {1.21}
		-30	0.29 {1.02}	0.30 {1.05}	0.30 {1.04}	0.30 {1.04}	0.28 {0.98}
	-40	0.22 {0.79}	0.23 {0.81}	0.23 {0.80}	0.22 {0.79}	0.21 {0.75}	
	0734BC1SA 0734DC1SA	10	0.47 {1.66}	0.62 {2.19}	0.69 {2.41}	0.69 {2.44}	0.71 {2.49}
		5	0.62 {2.19}	0.74 {2.61}	0.79 {2.77}	0.80 {2.80}	0.80 {2.80}
		0	0.62 {2.19}	0.71 {2.49}	0.75 {2.62}	0.75 {2.63}	0.74 {2.60}
		-5	0.66 {2.31}	0.72 {2.52}	0.74 {2.59}	0.74 {2.59}	0.72 {2.52}
		-10	0.62 {2.18}	0.67 {2.35}	0.68 {2.40}	0.68 {2.40}	0.66 {2.32}
		-20	0.57 {2.01}	0.60 {2.10}	0.60 {2.11}	0.60 {2.11}	0.57 {2.01}
		-30	0.48 {1.68}	0.49 {1.73}	0.49 {1.72}	0.49 {1.72}	0.46 {1.62}
	-40	0.37 {1.30}	0.38 {1.33}	0.38 {1.32}	0.37 {1.31}	0.35 {1.23}	
	1234BC1SA 1234DC1SA	10	0.75 {2.64}	0.99 {3.47}	1.10 {3.86}	1.11 {3.91}	1.12 {3.95}
		5	0.99 {3.48}	1.17 {4.13}	1.26 {4.44}	1.27 {4.48}	1.26 {4.44}
		0	0.98 {3.46}	1.12 {3.95}	1.18 {4.14}	1.18 {4.16}	1.17 {4.12}
		-5	1.04 {3.66}	1.13 {3.99}	1.18 {4.14}	1.18 {4.14}	1.14 {4.00}
		-10	0.98 {3.46}	1.06 {3.73}	1.08 {3.81}	1.08 {3.81}	1.05 {3.69}
		-20	0.91 {3.19}	0.95 {3.34}	0.96 {3.36}	0.95 {3.35}	0.91 {3.20}
		-30	0.77 {2.69}	0.79 {2.77}	0.78 {2.75}	0.78 {2.74}	0.74 {2.59}
	-40	0.59 {2.09}	0.61 {2.13}	0.60 {2.11}	0.60 {2.10}	0.56 {1.97}	
	1534BC1SA 1534DC1SA	10	0.95 {3.33}	1.24 {4.37}	1.37 {4.82}	1.39 {4.88}	1.42 {4.99}
		5	1.25 {4.39}	1.48 {5.20}	1.58 {5.55}	1.59 {5.59}	1.60 {5.61}
		0	1.24 {4.36}	1.42 {4.98}	1.48 {5.22}	1.49 {5.25}	1.48 {5.19}
		-5	1.31 {4.62}	1.43 {5.03}	1.47 {5.17}	1.47 {5.18}	1.44 {5.05}
		-10	1.24 {4.37}	1.34 {4.71}	1.37 {4.81}	1.37 {4.81}	1.33 {4.66}
		-20	1.15 {4.04}	1.20 {4.23}	1.21 {4.25}	1.21 {4.24}	1.15 {4.05}
		-30	0.97 {3.41}	1.00 {3.51}	0.99 {3.49}	0.99 {3.47}	0.93 {3.28}
	-40	0.76 {2.66}	0.77 {2.71}	0.76 {2.68}	0.76 {2.66}	0.71 {2.50}	
	2234BC1SA 2234DC1SA	10	1.42 {4.99}	1.87 {6.56}	2.06 {7.23}	2.08 {7.33}	2.13 {7.49}
		5	1.87 {6.58}	2.22 {7.81}	2.37 {8.32}	2.39 {8.39}	2.39 {8.40}
0		1.86 {6.55}	2.12 {7.47}	2.23 {7.84}	2.24 {7.88}	2.22 {7.79}	
-5		1.97 {6.92}	2.15 {7.55}	2.21 {7.76}	2.21 {7.77}	2.15 {7.57}	
-10		1.86 {6.54}	2.00 {7.05}	2.05 {7.21}	2.05 {7.21}	1.99 {6.98}	
-20		1.72 {6.04}	1.80 {6.32}	1.81 {6.36}	1.80 {6.34}	1.72 {6.05}	
-30		1.44 {5.08}	1.49 {5.23}	1.48 {5.20}	1.47 {5.18}	1.39 {4.89}	
-40	1.12 {3.95}	1.14 {4.02}	1.13 {3.98}	1.13 {3.96}	1.06 {3.71}		
2934BC1SA 2934DC1SA	10	1.89 {6.65}	2.49 {8.76}	2.74 {9.62}	2.77 {9.75}	2.84 {10.0}	
	5	2.49 {8.77}	2.96 {10.4}	3.16 {11.1}	3.19 {11.2}	3.19 {11.2}	
	0	2.49 {8.74}	2.84 {10.0}	2.99 {10.5}	2.99 {10.5}	2.96 {10.4}	
	-5	2.62 {9.23}	2.87 {10.1}	2.93 {10.3}	2.96 {10.4}	2.87 {10.1}	
	-10	2.48 {8.72}	2.68 {9.41}	2.73 {9.61}	2.73 {9.61}	2.65 {9.31}	
	-20	2.29 {8.05}	2.40 {8.43}	2.41 {8.47}	2.40 {8.45}	2.30 {8.07}	
	-30	1.93 {6.77}	1.98 {6.97}	1.97 {6.94}	1.96 {6.90}	1.85 {6.52}	
-40	1.50 {5.26}	1.52 {5.36}	1.51 {5.30}	1.50 {5.27}	1.41 {4.95}		
4334BC1SA 4334DC1SA	10	2.84 {10.0}	3.73 {13.1}	4.10 {14.4}	4.18 {14.7}	4.27 {15.0}	
	5	3.73 {13.1}	4.44 {15.6}	4.72 {16.6}	4.78 {16.8}	4.78 {16.8}	
	0	3.73 {13.1}	4.27 {15.0}	4.46 {15.7}	4.49 {15.8}	4.44 {15.6}	
	-5	3.92 {13.8}	4.29 {15.1}	4.41 {15.5}	4.41 {15.5}	4.29 {15.1}	
	-10	3.73 {13.1}	4.01 {14.1}	4.10 {14.4}	4.10 {14.4}	3.98 {14.0}	
	-20	3.44 {12.1}	3.58 {12.6}	3.61 {12.7}	3.58 {12.6}	3.44 {12.1}	
	-30	2.87 {10.1}	2.96 {10.4}	2.96 {10.4}	2.93 {10.3}	2.77 {9.74}	
-40	2.23 {7.84}	2.27 {7.99}	2.25 {7.91}	2.24 {7.86}	2.10 {7.38}		



Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
QCX- RCX-	0334BC1C 0334DC1C	0	0.24 {0.84}	0.27 {0.96}	0.29 {1.01}	0.29 {1.01}	0.28 {1.00}
		-5	0.26 {0.93}	0.29 {1.01}	0.29 {1.03}	0.29 {1.03}	0.29 {1.01}
		-10	0.25 {0.89}	0.27 {0.96}	0.28 {0.98}	0.28 {0.98}	0.27 {0.95}
		-15	0.25 {0.88}	0.27 {0.94}	0.27 {0.95}	0.27 {0.94}	0.26 {0.91}
		-20	0.24 {0.85}	0.25 {0.89}	0.25 {0.89}	0.26 {0.90}	0.24 {0.85}
		-25	0.23 {0.80}	0.23 {0.82}	0.24 {0.83}	0.23 {0.82}	0.22 {0.78}
		-30	0.21 {0.73}	0.21 {0.75}	0.21 {0.74}	0.21 {0.74}	0.20 {0.70}
		-35	0.18 {0.64}	0.19 {0.66}	0.19 {0.66}	0.19 {0.66}	0.17 {0.61}
	-40	0.16 {0.57}	0.16 {0.57}	0.16 {0.57}	0.16 {0.57}	0.15 {0.53}	
	0434BC1C 0434DC1C	0	0.36 {1.26}	0.41 {1.44}	0.43 {1.51}	0.43 {1.52}	0.43 {1.50}
		-5	0.39 {1.38}	0.43 {1.51}	0.44 {1.55}	0.44 {1.55}	0.43 {1.51}
		-10	0.38 {1.34}	0.41 {1.45}	0.42 {1.48}	0.42 {1.48}	0.41 {1.43}
		-15	0.38 {1.32}	0.40 {1.40}	0.40 {1.42}	0.40 {1.42}	0.39 {1.36}
		-20	0.36 {1.27}	0.38 {1.33}	0.38 {1.34}	0.38 {1.33}	0.36 {1.27}
		-25	0.34 {1.18}	0.35 {1.23}	0.35 {1.23}	0.35 {1.22}	0.33 {1.16}
		-30	0.31 {1.08}	0.32 {1.11}	0.31 {1.10}	0.31 {1.10}	0.30 {1.04}
		-35	0.27 {0.96}	0.28 {0.99}	0.28 {0.97}	0.28 {0.97}	0.26 {0.92}
	-40	0.24 {0.83}	0.24 {0.85}	0.24 {0.84}	0.24 {0.83}	0.22 {0.79}	
	0734BC1C 0734DC1C	0	0.60 {2.10}	0.68 {2.40}	0.71 {2.51}	0.72 {2.53}	0.71 {2.50}
		-5	0.66 {2.31}	0.72 {2.52}	0.73 {2.58}	0.74 {2.59}	0.72 {2.52}
		-10	0.63 {2.23}	0.69 {2.41}	0.70 {2.46}	0.70 {2.46}	0.68 {2.38}
		-15	0.63 {2.20}	0.66 {2.33}	0.67 {2.35}	0.67 {2.35}	0.64 {2.26}
		-20	0.60 {2.10}	0.63 {2.20}	0.63 {2.21}	0.63 {2.21}	0.60 {2.11}
		-25	0.56 {1.96}	0.58 {2.04}	0.58 {2.03}	0.58 {2.03}	0.55 {1.92}
		-30	0.51 {1.79}	0.52 {1.84}	0.52 {1.83}	0.52 {1.82}	0.49 {1.72}
		-35	0.45 {1.58}	0.46 {1.62}	0.46 {1.61}	0.46 {1.60}	0.43 {1.50}
	-40	0.39 {1.37}	0.40 {1.40}	0.39 {1.38}	0.39 {1.37}	0.37 {1.29}	
	1234BC1C 1234DC1C	0	0.96 {3.36}	1.09 {3.84}	1.14 {4.02}	1.15 {4.04}	1.13 {3.99}
		-5	1.05 {3.69}	1.15 {4.03}	1.18 {4.14}	1.18 {4.14}	1.15 {4.03}
		-10	1.01 {3.54}	1.09 {3.82}	1.11 {3.90}	1.11 {3.90}	1.07 {3.78}
		-15	0.99 {3.49}	1.05 {3.69}	1.07 {3.75}	1.06 {3.74}	1.02 {3.59}
		-20	0.95 {3.35}	1.00 {3.50}	1.00 {3.52}	1.00 {3.51}	0.95 {3.35}
		-25	0.89 {3.12}	0.92 {3.24}	0.92 {3.24}	0.92 {3.23}	0.87 {3.07}
		-30	0.81 {2.85}	0.83 {2.93}	0.83 {2.92}	0.83 {2.91}	0.78 {2.75}
		-35	0.72 {2.53}	0.74 {2.60}	0.73 {2.58}	0.73 {2.55}	0.69 {2.41}
	-40	0.63 {2.20}	0.63 {2.23}	0.63 {2.21}	0.62 {2.19}	0.59 {2.07}	
	1534BC1C 1534DC1C	0	1.19 {4.20}	1.37 {4.80}	1.43 {5.02}	1.44 {5.05}	1.42 {4.99}
		-5	1.31 {4.61}	1.43 {5.03}	1.47 {5.17}	1.47 {5.18}	1.44 {5.05}
		-10	1.27 {4.47}	1.37 {4.82}	1.40 {4.92}	1.40 {4.92}	1.36 {4.77}
		-15	1.25 {4.41}	1.33 {4.67}	1.35 {4.73}	1.35 {4.73}	1.29 {4.54}
		-20	1.20 {4.23}	1.26 {4.43}	1.27 {4.45}	1.26 {4.44}	1.21 {4.24}
		-25	1.13 {3.96}	1.17 {4.10}	1.17 {4.10}	1.16 {4.09}	1.10 {3.88}
		-30	1.03 {3.61}	1.06 {3.72}	1.05 {3.70}	1.05 {3.68}	0.99 {3.48}
		-35	0.91 {3.21}	0.94 {3.29}	0.93 {3.26}	0.92 {3.25}	0.87 {3.06}
	-40	0.79 {2.78}	0.81 {2.84}	0.80 {2.81}	0.79 {2.79}	0.75 {2.62}	
	2234BC1C 2234DC1C	0	1.79 {6.30}	2.04 {7.19}	2.14 {7.54}	2.16 {7.58}	2.13 {7.50}
		-5	1.97 {6.92}	2.15 {7.55}	2.21 {7.76}	2.21 {7.77}	2.15 {7.57}
		-10	1.91 {6.70}	2.05 {7.22}	2.10 {7.38}	2.10 {7.38}	2.03 {7.15}
-15		1.88 {6.60}	1.99 {7.00}	2.01 {7.08}	2.01 {7.07}	1.93 {6.80}	
-20		1.80 {6.33}	1.88 {6.62}	1.89 {6.66}	1.89 {6.64}	1.80 {6.34}	
-25		1.68 {5.91}	1.74 {6.12}	1.74 {6.13}	1.73 {6.10}	1.65 {5.79}	
-30		1.53 {5.39}	1.58 {5.54}	1.57 {5.51}	1.56 {5.48}	1.48 {5.19}	
-35		1.36 {4.79}	1.39 {4.90}	1.38 {4.86}	1.37 {4.83}	1.29 {4.55}	
-40	1.18 {4.15}	1.20 {4.22}	1.19 {4.18}	1.18 {4.15}	1.11 {3.90}		
2934BC1C 2934DC1C	0	2.39 {8.40}	2.73 {9.59}	2.87 {10.1}	2.87 {10.1}	2.84 {9.98}	
	-5	2.62 {9.23}	2.87 {10.1}	2.93 {10.3}	2.93 {10.3}	2.87 {10.1}	
	-10	2.54 {8.94}	2.73 {9.61}	2.79 {9.81}	2.80 {9.83}	2.71 {9.53}	
	-15	2.50 {8.80}	2.64 {9.30}	2.68 {9.42}	2.68 {9.43}	2.58 {9.06}	
	-20	2.40 {8.44}	2.51 {8.83}	2.53 {8.88}	2.52 {8.85}	2.40 {8.45}	
	-25	2.24 {7.88}	2.32 {8.17}	2.32 {8.17}	2.31 {8.14}	2.20 {7.72}	
	-30	2.04 {7.18}	2.10 {7.38}	2.09 {7.35}	2.08 {7.32}	1.97 {6.91}	
	-35	1.81 {6.37}	1.85 {6.52}	1.84 {6.47}	1.83 {6.44}	1.72 {6.06}	
-40	1.57 {5.52}	1.60 {5.62}	1.58 {5.57}	1.57 {5.53}	1.48 {5.20}		
4334BC1C 4334DC1C	0	3.58 {12.6}	4.10 {14.4}	4.29 {15.1}	4.32 {15.2}	4.27 {15.0}	
	-5	3.92 {13.8}	4.29 {15.1}	4.41 {15.5}	4.41 {15.5}	4.29 {15.1}	
	-10	3.81 {13.4}	4.12 {14.5}	4.18 {14.7}	4.21 {14.8}	4.07 {14.3}	
	-15	3.75 {13.2}	3.98 {14.0}	4.01 {14.1}	4.01 {14.1}	3.87 {13.6}	
	-20	3.58 {12.6}	3.75 {13.2}	3.78 {13.3}	3.78 {13.3}	3.61 {12.7}	
	-25	3.36 {11.8}	3.47 {12.2}	3.47 {12.2}	3.44 {12.1}	3.27 {11.5}	
	-30	3.04 {10.7}	3.16 {11.1}	3.13 {11.0}	3.10 {10.9}	2.96 {10.4}	
	-35	2.70 {9.48}	2.78 {9.76}	2.75 {9.66}	2.72 {9.58}	2.58 {9.07}	
-40	2.34 {8.24}	2.39 {8.39}	2.36 {8.31}	2.35 {8.25}	2.20 {7.75}		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
QCX- RCX-	0334BC1SL 0334DC1SL	-25	0.14 {0.48}	0.14 {0.50}	0.14 {0.49}	0.14 {0.49}	0.13 {0.46}
		-30	0.20 {0.69}	0.20 {0.71}	0.20 {0.70}	0.20 {0.69}	0.18 {0.65}
		-35	0.18 {0.62}	0.18 {0.62}	0.18 {0.62}	0.17 {0.61}	0.16 {0.57}
		-40	0.15 {0.54}	0.16 {0.55}	0.15 {0.54}	0.15 {0.53}	0.14 {0.50}
		-45	0.13 {0.47}	0.13 {0.47}	0.13 {0.47}	0.13 {0.47}	0.12 {0.43}
		-50	0.12 {0.42}	0.12 {0.42}	0.12 {0.41}	0.12 {0.41}	0.11 {0.37}
	0434BC1SL 0434DC1SL	-55	0.10 {0.36}	0.11 {0.37}	0.10 {0.36}	0.10 {0.36}	0.09 {0.33}
		-60	0.09 {0.33}	0.09 {0.33}	0.09 {0.32}	0.09 {0.32}	0.09 {0.30}
		-25	0.20 {0.70}	0.21 {0.73}	0.20 {0.72}	0.20 {0.71}	0.19 {0.67}
		-30	0.29 {1.02}	0.30 {1.04}	0.29 {1.03}	0.29 {1.03}	0.27 {0.96}
		-35	0.26 {0.90}	0.26 {0.91}	0.26 {0.90}	0.25 {0.89}	0.24 {0.84}
		-40	0.22 {0.79}	0.23 {0.80}	0.22 {0.79}	0.22 {0.78}	0.21 {0.73}
	0734BC1SL 0734DC1SL	-45	0.20 {0.69}	0.20 {0.70}	0.20 {0.69}	0.19 {0.68}	0.18 {0.63}
		-50	0.17 {0.61}	0.17 {0.61}	0.17 {0.60}	0.17 {0.59}	0.16 {0.55}
		-55	0.15 {0.54}	0.15 {0.53}	0.15 {0.52}	0.15 {0.53}	0.14 {0.48}
		-60	0.13 {0.47}	0.13 {0.47}	0.13 {0.47}	0.13 {0.46}	0.12 {0.43}
		-25	0.32 {1.14}	0.34 {1.18}	0.34 {1.18}	0.33 {1.17}	0.31 {1.10}
		-30	0.47 {1.67}	0.49 {1.71}	0.48 {1.70}	0.47 {1.67}	0.45 {1.57}
	1234BC1SL 1234DC1SL	-35	0.42 {1.47}	0.43 {1.50}	0.42 {1.48}	0.42 {1.47}	0.39 {1.37}
		-40	0.37 {1.30}	0.37 {1.30}	0.37 {1.29}	0.36 {1.27}	0.34 {1.18}
		-45	0.32 {1.13}	0.32 {1.14}	0.32 {1.12}	0.32 {1.11}	0.29 {1.03}
		-50	0.28 {0.99}	0.28 {1.00}	0.28 {0.98}	0.28 {0.97}	0.25 {0.89}
		-55	0.25 {0.87}	0.25 {0.88}	0.24 {0.86}	0.24 {0.85}	0.22 {0.78}
		-60	0.22 {0.76}	0.22 {0.77}	0.22 {0.76}	0.21 {0.75}	0.20 {0.69}
	1534BC1SL 1534DC1SL	-25	0.53 {1.86}	0.54 {1.91}	0.54 {1.91}	0.54 {1.89}	0.51 {1.78}
		-30	0.77 {2.69}	0.78 {2.75}	0.78 {2.73}	0.77 {2.70}	0.72 {2.53}
		-35	0.68 {2.38}	0.69 {2.42}	0.68 {2.39}	0.67 {2.37}	0.63 {2.20}
		-40	0.59 {2.09}	0.60 {2.12}	0.59 {2.08}	0.59 {2.06}	0.55 {1.92}
		-45	0.52 {1.83}	0.52 {1.84}	0.52 {1.82}	0.51 {1.80}	0.47 {1.67}
		-50	0.46 {1.60}	0.46 {1.61}	0.45 {1.59}	0.45 {1.57}	0.41 {1.45}
	2234BC1SL 2234DC1SL	-55	0.40 {1.41}	0.40 {1.42}	0.40 {1.40}	0.39 {1.38}	0.36 {1.27}
		-60	0.35 {1.24}	0.36 {1.25}	0.35 {1.24}	0.35 {1.22}	0.32 {1.13}
		-25	0.67 {2.35}	0.69 {2.42}	0.69 {2.41}	0.68 {2.40}	0.64 {2.25}
		-30	0.96 {3.39}	0.99 {3.47}	0.98 {3.44}	0.97 {3.41}	0.91 {3.19}
		-35	0.85 {3.00}	0.87 {3.06}	0.86 {3.02}	0.85 {2.99}	0.79 {2.79}
		-40	0.75 {2.64}	0.76 {2.67}	0.75 {2.64}	0.74 {2.60}	0.69 {2.42}
	2934BC1SL 2934DC1SL	-45	0.66 {2.32}	0.67 {2.34}	0.65 {2.30}	0.65 {2.27}	0.60 {2.11}
		-50	0.58 {2.03}	0.58 {2.05}	0.57 {2.01}	0.56 {1.98}	0.52 {1.83}
		-55	0.51 {1.79}	0.51 {1.80}	0.50 {1.77}	0.50 {1.75}	0.46 {1.62}
		-60	0.45 {1.57}	0.45 {1.59}	0.44 {1.56}	0.44 {1.55}	0.41 {1.43}
		-25	1.02 {3.57}	1.05 {3.68}	1.04 {3.66}	1.04 {3.64}	0.97 {3.42}
		-30	1.47 {5.18}	1.50 {5.29}	1.49 {5.25}	1.48 {5.20}	1.38 {4.87}
	4334BC1SL 4334DC1SL	-35	1.30 {4.58}	1.32 {4.65}	1.31 {4.59}	1.29 {4.55}	1.21 {4.25}
		-40	1.14 {4.02}	1.16 {4.07}	1.14 {4.01}	1.13 {3.96}	1.05 {3.69}
		-45	1.00 {3.52}	1.01 {3.55}	0.99 {3.49}	0.98 {3.45}	0.91 {3.20}
		-50	0.87 {3.07}	0.88 {3.10}	0.86 {3.04}	0.86 {3.01}	0.79 {2.78}
		-55	0.77 {2.71}	0.78 {2.73}	0.76 {2.68}	0.75 {2.65}	0.70 {2.45}
		-60	0.68 {2.38}	0.69 {2.41}	0.67 {2.37}	0.67 {2.34}	0.62 {2.17}
4334BC1SL 4334DC1SL	-25	1.37 {4.80}	1.41 {4.95}	1.40 {4.94}	1.39 {4.90}	1.31 {4.61}	
	-30	1.98 {6.97}	2.03 {7.13}	2.01 {7.08}	1.99 {7.01}	1.86 {6.55}	
	-35	1.75 {6.16}	1.78 {6.27}	1.76 {6.19}	1.74 {6.13}	1.62 {5.71}	
	-40	1.54 {5.41}	1.56 {5.47}	1.54 {5.40}	1.52 {5.34}	1.41 {4.97}	
	-45	1.35 {4.73}	1.36 {4.78}	1.34 {4.71}	1.33 {4.66}	1.23 {4.31}	
	-50	1.18 {4.14}	1.19 {4.17}	1.17 {4.10}	1.15 {4.05}	1.06 {3.74}	
4334BC1SL 4334DC1SL	-55	1.04 {3.64}	1.05 {3.68}	1.03 {3.61}	1.02 {3.57}	0.94 {3.30}	
	-60	0.91 {3.21}	0.92 {3.24}	0.91 {3.19}	0.90 {3.16}	0.83 {2.92}	
	-25	1.86 {6.55}	1.92 {6.76}	1.92 {6.74}	1.90 {6.68}	1.79 {6.30}	
	-30	2.70 {9.50}	2.76 {9.72}	2.75 {9.68}	2.72 {9.56}	2.55 {8.98}	
	-35	2.40 {8.43}	2.44 {8.57}	2.41 {8.47}	2.38 {8.38}	2.22 {7.82}	
	-40	2.10 {7.39}	2.13 {7.48}	2.10 {7.38}	2.08 {7.30}	1.93 {6.79}	
4334BC1SL 4334DC1SL	-45	1.84 {6.47}	1.86 {6.54}	1.83 {6.43}	1.81 {6.35}	1.68 {5.89}	
	-50	1.61 {5.65}	1.62 {5.69}	1.59 {5.59}	1.57 {5.53}	1.45 {5.11}	
	-55	1.41 {4.96}	1.42 {5.00}	1.40 {4.92}	1.38 {4.86}	1.28 {4.49}	
	-60	1.25 {4.38}	1.25 {4.41}	1.24 {4.35}	1.22 {4.30}	1.13 {3.97}	

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
QCX- RCX-	0334BC1SA 0334DC1SA	10	0.19 {0.66}	0.25 {0.87}	0.27 {0.95}	0.27 {0.96}	0.28 {0.98}
		5	0.24 {0.84}	0.29 {1.01}	0.30 {1.07}	0.31 {1.08}	0.31 {1.08}
		0	0.24 {0.86}	0.28 {0.98}	0.29 {1.03}	0.29 {1.03}	0.29 {1.02}
		-5	0.25 {0.87}	0.27 {0.96}	0.28 {0.99}	0.28 {0.99}	0.28 {0.97}
		-10	0.24 {0.86}	0.26 {0.93}	0.27 {0.95}	0.27 {0.95}	0.26 {0.92}
		-20	0.23 {0.80}	0.24 {0.84}	0.24 {0.84}	0.24 {0.84}	0.23 {0.80}
		-30	0.19 {0.68}	0.20 {0.70}	0.20 {0.69}	0.20 {0.69}	0.18 {0.65}
	-40	0.15 {0.53}	0.15 {0.54}	0.15 {0.53}	0.15 {0.53}	0.14 {0.49}	
	0434BC1SA 0434DC1SA	10	0.28 {0.99}	0.37 {1.30}	0.40 {1.42}	0.41 {1.45}	0.42 {1.47}
		5	0.36 {1.25}	0.43 {1.51}	0.46 {1.61}	0.46 {1.62}	0.46 {1.62}
		0	0.37 {1.30}	0.42 {1.48}	0.44 {1.55}	0.44 {1.55}	0.44 {1.53}
		-5	0.37 {1.31}	0.41 {1.44}	0.42 {1.49}	0.42 {1.49}	0.42 {1.46}
		-10	0.37 {1.29}	0.40 {1.39}	0.40 {1.42}	0.40 {1.42}	0.39 {1.37}
		-20	0.34 {1.20}	0.36 {1.25}	0.36 {1.26}	0.36 {1.25}	0.34 {1.19}
		-30	0.29 {1.01}	0.29 {1.03}	0.29 {1.03}	0.29 {1.02}	0.27 {0.96}
	-40	0.22 {0.78}	0.23 {0.80}	0.22 {0.79}	0.22 {0.78}	0.21 {0.73}	
	0734BC1SA 0734DC1SA	10	0.47 {1.65}	0.61 {2.16}	0.67 {2.37}	0.69 {2.41}	0.70 {2.46}
		5	0.60 {2.10}	0.72 {2.52}	0.76 {2.68}	0.77 {2.70}	0.77 {2.71}
		0	0.61 {2.16}	0.70 {2.46}	0.73 {2.58}	0.74 {2.59}	0.73 {2.56}
		-5	0.62 {2.18}	0.68 {2.40}	0.71 {2.48}	0.71 {2.48}	0.69 {2.43}
		-10	0.61 {2.15}	0.66 {2.32}	0.67 {2.37}	0.67 {2.36}	0.65 {2.29}
		-20	0.56 {1.98}	0.59 {2.07}	0.59 {2.08}	0.59 {2.07}	0.56 {1.98}
		-30	0.47 {1.66}	0.49 {1.71}	0.48 {1.70}	0.48 {1.69}	0.45 {1.59}
	-40	0.37 {1.29}	0.37 {1.31}	0.37 {1.29}	0.36 {1.28}	0.34 {1.20}	
	1234BC1SA 1234DC1SA	10	0.74 {2.61}	0.98 {3.43}	1.08 {3.81}	1.09 {3.85}	1.11 {3.89}
		5	0.94 {3.32}	1.13 {3.99}	1.22 {4.30}	1.23 {4.33}	1.22 {4.29}
		0	0.97 {3.42}	1.11 {3.90}	1.16 {4.09}	1.17 {4.10}	1.15 {4.05}
		-5	0.98 {3.46}	1.08 {3.81}	1.13 {3.97}	1.13 {3.98}	1.09 {3.85}
		-10	0.97 {3.42}	1.05 {3.68}	1.07 {3.75}	1.07 {3.75}	1.03 {3.63}
		-20	0.90 {3.16}	0.94 {3.30}	0.94 {3.31}	0.94 {3.30}	0.90 {3.15}
		-30	0.76 {2.66}	0.78 {2.73}	0.77 {2.71}	0.77 {2.69}	0.72 {2.54}
	-40	0.59 {2.06}	0.60 {2.10}	0.59 {2.07}	0.59 {2.06}	0.55 {1.93}	
	1534BC1SA 1534DC1SA	10	0.94 {3.29}	1.23 {4.32}	1.35 {4.76}	1.37 {4.82}	1.40 {4.92}
		5	1.19 {4.19}	1.43 {5.02}	1.53 {5.37}	1.54 {5.41}	1.54 {5.43}
		0	1.23 {4.31}	1.40 {4.92}	1.46 {5.15}	1.47 {5.17}	1.45 {5.11}
		-5	1.24 {4.36}	1.37 {4.81}	1.41 {4.96}	1.41 {4.97}	1.38 {4.85}
		-10	1.23 {4.32}	1.32 {4.65}	1.35 {4.74}	1.35 {4.74}	1.30 {4.58}
		-20	1.13 {3.99}	1.19 {4.17}	1.19 {4.19}	1.19 {4.17}	1.13 {3.98}
		-30	0.96 {3.37}	0.98 {3.46}	0.98 {3.44}	0.97 {3.42}	0.92 {3.22}
	-40	0.75 {2.62}	0.76 {2.66}	0.75 {2.63}	0.74 {2.61}	0.70 {2.45}	
	2234BC1SA 2234DC1SA	10	1.40 {4.94}	1.84 {6.48}	2.03 {7.13}	2.05 {7.22}	2.10 {7.37}
		5	1.79 {6.29}	2.14 {7.54}	2.29 {8.05}	2.31 {8.11}	2.31 {8.13}
0		1.84 {6.48}	2.10 {7.38}	2.20 {7.73}	2.21 {7.77}	2.18 {7.67}	
-5		1.86 {6.55}	2.05 {7.21}	2.12 {7.44}	2.12 {7.45}	2.07 {7.28}	
-10		1.84 {6.47}	1.98 {6.96}	2.02 {7.10}	2.02 {7.10}	1.95 {6.87}	
-20		1.70 {5.97}	1.77 {6.24}	1.78 {6.26}	1.77 {6.24}	1.69 {5.95}	
-30		1.43 {5.02}	1.46 {5.15}	1.46 {5.12}	1.45 {5.09}	1.37 {4.80}	
-40	1.11 {3.89}	1.13 {3.96}	1.11 {3.91}	1.10 {3.88}	1.04 {3.64}		
2934BC1SA 2934DC1SA	10	1.87 {6.59}	2.46 {8.65}	2.70 {9.50}	2.73 {9.61}	2.79 {9.82}	
	5	2.38 {8.38}	2.87 {10.1}	3.04 {10.7}	3.07 {10.8}	3.07 {10.8}	
	0	2.46 {8.64}	2.80 {9.84}	2.93 {10.3}	2.96 {10.4}	2.90 {10.2}	
	-5	2.48 {8.73}	2.74 {9.62}	2.82 {9.93}	2.83 {9.94}	2.76 {9.71}	
	-10	2.45 {8.62}	2.64 {9.28}	2.69 {9.47}	2.69 {9.46}	2.60 {9.15}	
	-20	2.26 {7.96}	2.36 {8.31}	2.37 {8.35}	2.36 {8.31}	2.26 {7.93}	
	-30	1.90 {6.69}	1.95 {6.86}	1.94 {6.83}	1.93 {6.78}	1.82 {6.40}	
-40	1.48 {5.19}	1.50 {5.27}	1.48 {5.21}	1.47 {5.17}	1.38 {4.85}		
4334BC1SA 4334DC1SA	10	2.80 {9.85}	3.70 {13.0}	4.04 {14.2}	4.12 {14.5}	4.18 {14.7}	
	5	3.55 {12.5}	4.29 {15.1}	4.58 {16.1}	4.61 {16.2}	4.61 {16.2}	
	0	3.70 {13.0}	4.21 {14.8}	4.41 {15.5}	4.44 {15.6}	4.38 {15.4}	
	-5	3.73 {13.1}	4.10 {14.4}	4.24 {14.9}	4.24 {14.9}	4.15 {14.6}	
	-10	3.67 {12.9}	3.95 {13.9}	4.04 {14.2}	4.04 {14.2}	3.90 {13.7}	
	-20	3.38 {11.9}	3.53 {12.4}	3.55 {12.5}	3.53 {12.4}	3.38 {11.9}	
	-30	2.84 {10.0}	2.93 {10.3}	2.90 {10.2}	2.87 {10.1}	2.72 {9.56}	
-40	2.20 {7.74}	2.24 {7.86}	2.21 {7.77}	2.19 {7.71}	2.06 {7.23}		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
QCX- RCX-	0334BC1C 0334DC1C	0	0.24 {0.83}	0.27 {0.95}	0.28 {0.99}	0.28 {1.00}	0.28 {0.98}
		-5	0.25 {0.88}	0.27 {0.96}	0.28 {0.99}	0.28 {0.99}	0.28 {0.97}
		-10	0.25 {0.88}	0.27 {0.95}	0.28 {0.97}	0.28 {0.97}	0.27 {0.94}
		-15	0.25 {0.87}	0.26 {0.93}	0.27 {0.94}	0.26 {0.93}	0.26 {0.90}
		-20	0.24 {0.84}	0.25 {0.88}	0.25 {0.88}	0.25 {0.88}	0.24 {0.84}
		-25	0.22 {0.79}	0.23 {0.81}	0.23 {0.81}	0.23 {0.81}	0.22 {0.77}
		-30	0.20 {0.72}	0.21 {0.74}	0.21 {0.73}	0.21 {0.73}	0.20 {0.69}
		-35	0.18 {0.64}	0.18 {0.65}	0.18 {0.65}	0.18 {0.64}	0.17 {0.60}
	-40	0.16 {0.56}	0.16 {0.56}	0.16 {0.56}	0.16 {0.56}	0.15 {0.52}	
	0434BC1C 0434DC1C	0	0.35 {1.24}	0.40 {1.42}	0.42 {1.49}	0.43 {1.50}	0.42 {1.48}
		-5	0.37 {1.31}	0.41 {1.44}	0.42 {1.49}	0.42 {1.49}	0.41 {1.45}
		-10	0.38 {1.33}	0.41 {1.43}	0.42 {1.46}	0.42 {1.46}	0.40 {1.41}
		-15	0.37 {1.31}	0.39 {1.38}	0.40 {1.40}	0.40 {1.40}	0.38 {1.34}
		-20	0.36 {1.25}	0.37 {1.31}	0.38 {1.32}	0.37 {1.30}	0.36 {1.25}
		-25	0.33 {1.17}	0.34 {1.21}	0.34 {1.21}	0.34 {1.20}	0.32 {1.14}
		-30	0.30 {1.07}	0.31 {1.09}	0.31 {1.09}	0.31 {1.08}	0.29 {1.02}
		-35	0.27 {0.95}	0.28 {0.97}	0.27 {0.96}	0.27 {0.95}	0.26 {0.90}
	-40	0.23 {0.82}	0.24 {0.83}	0.23 {0.82}	0.23 {0.82}	0.22 {0.77}	
	0734BC1C 0734DC1C	0	0.59 {2.08}	0.67 {2.37}	0.71 {2.48}	0.71 {2.49}	0.70 {2.46}
		-5	0.62 {2.18}	0.69 {2.41}	0.71 {2.48}	0.71 {2.48}	0.69 {2.42}
		-10	0.63 {2.21}	0.68 {2.38}	0.69 {2.43}	0.69 {2.42}	0.67 {2.34}
		-15	0.62 {2.18}	0.65 {2.30}	0.66 {2.32}	0.66 {2.32}	0.63 {2.23}
		-20	0.59 {2.08}	0.62 {2.17}	0.62 {2.18}	0.62 {2.18}	0.59 {2.07}
		-25	0.55 {1.94}	0.57 {2.01}	0.57 {2.00}	0.57 {1.99}	0.54 {1.89}
		-30	0.50 {1.76}	0.51 {1.81}	0.51 {1.80}	0.51 {1.79}	0.48 {1.69}
		-35	0.44 {1.56}	0.46 {1.60}	0.45 {1.58}	0.45 {1.57}	0.42 {1.47}
	-40	0.38 {1.35}	0.39 {1.37}	0.39 {1.36}	0.38 {1.35}	0.36 {1.26}	
	1234BC1C 1234DC1C	0	0.94 {3.32}	1.08 {3.79}	1.13 {3.97}	1.13 {3.98}	1.12 {3.93}
		-5	0.99 {3.49}	1.09 {3.85}	1.13 {3.97}	1.13 {3.98}	1.10 {3.88}
		-10	1.00 {3.50}	1.07 {3.77}	1.09 {3.84}	1.09 {3.84}	1.06 {3.71}
		-15	0.98 {3.45}	1.04 {3.64}	1.05 {3.70}	1.05 {3.68}	1.00 {3.53}
		-20	0.94 {3.31}	0.98 {3.45}	0.99 {3.47}	0.98 {3.45}	0.94 {3.29}
		-25	0.88 {3.09}	0.91 {3.19}	0.91 {3.19}	0.90 {3.18}	0.86 {3.01}
		-30	0.80 {2.81}	0.82 {2.89}	0.82 {2.88}	0.81 {2.86}	0.77 {2.70}
		-35	0.71 {2.50}	0.73 {2.56}	0.72 {2.53}	0.71 {2.51}	0.67 {2.36}
	-40	0.62 {2.17}	0.63 {2.20}	0.62 {2.17}	0.61 {2.15}	0.57 {2.02}	
	1534BC1C 1534DC1C	0	1.18 {4.16}	1.35 {4.74}	1.41 {4.96}	1.42 {4.98}	1.40 {4.91}
		-5	1.24 {4.36}	1.37 {4.80}	1.41 {4.96}	1.41 {4.97}	1.38 {4.86}
		-10	1.26 {4.42}	1.35 {4.76}	1.38 {4.85}	1.38 {4.85}	1.33 {4.69}
		-15	1.24 {4.36}	1.31 {4.61}	1.33 {4.66}	1.32 {4.65}	1.27 {4.46}
		-20	1.19 {4.18}	1.24 {4.37}	1.25 {4.38}	1.24 {4.37}	1.18 {4.16}
		-25	1.11 {3.91}	1.15 {4.04}	1.15 {4.04}	1.14 {4.02}	1.08 {3.81}
		-30	1.01 {3.56}	1.04 {3.66}	1.04 {3.64}	1.03 {3.62}	0.97 {3.42}
		-35	0.90 {3.17}	0.92 {3.24}	0.91 {3.21}	0.91 {3.19}	0.85 {3.00}
	-40	0.78 {2.75}	0.79 {2.79}	0.78 {2.76}	0.78 {2.73}	0.73 {2.56}	
	2234BC1C 2234DC1C	0	1.77 {6.23}	2.02 {7.10}	2.12 {7.44}	2.12 {7.47}	2.10 {7.38}
		-5	1.86 {6.54}	2.05 {7.21}	2.12 {7.44}	2.12 {7.46}	2.07 {7.28}
		-10	1.89 {6.63}	2.03 {7.13}	2.07 {7.27}	2.07 {7.27}	2.00 {7.03}
-15		1.86 {6.53}	1.96 {6.90}	1.99 {6.98}	1.98 {6.96}	1.90 {6.69}	
-20		1.78 {6.25}	1.86 {6.53}	1.87 {6.56}	1.86 {6.54}	1.77 {6.23}	
-25		1.66 {5.84}	1.72 {6.04}	1.71 {6.03}	1.71 {6.00}	1.62 {5.69}	
-30		1.51 {5.32}	1.55 {5.46}	1.54 {5.43}	1.53 {5.39}	1.45 {5.10}	
-35		1.35 {4.73}	1.37 {4.82}	1.36 {4.78}	1.35 {4.75}	1.27 {4.46}	
-40	1.16 {4.09}	1.18 {4.15}	1.17 {4.10}	1.16 {4.07}	1.09 {3.82}		
2934BC1C 2934DC1C	0	2.36 {8.31}	2.69 {9.47}	2.83 {9.95}	2.84 {10.0}	2.80 {9.83}	
	-5	2.48 {8.73}	2.74 {9.63}	2.82 {9.91}	2.82 {9.92}	2.76 {9.69}	
	-10	2.51 {8.84}	2.70 {9.48}	2.75 {9.67}	2.75 {9.68}	2.66 {9.37}	
	-15	2.47 {8.70}	2.61 {9.18}	2.64 {9.28}	2.64 {9.29}	2.53 {8.91}	
	-20	2.37 {8.34}	2.48 {8.71}	2.49 {8.75}	2.48 {8.71}	2.36 {8.30}	
	-25	2.22 {7.79}	2.29 {8.05}	2.29 {8.04}	2.28 {8.00}	2.16 {7.58}	
	-30	2.02 {7.09}	2.07 {7.27}	2.06 {7.23}	2.04 {7.19}	1.93 {6.78}	
	-35	1.79 {6.29}	1.83 {6.42}	1.81 {6.37}	1.80 {6.32}	1.69 {5.94}	
-40	1.55 {5.44}	1.57 {5.53}	1.56 {5.47}	1.54 {5.43}	1.45 {5.09}		
4334BC1C 4334DC1C	0	3.55 {12.5}	4.04 {14.2}	4.24 {14.9}	4.27 {15.0}	4.21 {14.8}	
	-5	3.73 {13.1}	4.10 {14.4}	4.24 {14.9}	4.24 {14.9}	4.12 {14.5}	
	-10	3.78 {13.3}	4.07 {14.3}	4.12 {14.5}	4.15 {14.6}	4.01 {14.1}	
	-15	3.73 {13.1}	3.92 {13.8}	3.95 {13.9}	3.95 {13.9}	3.81 {13.4}	
	-20	3.55 {12.5}	3.70 {13.0}	3.73 {13.1}	3.70 {13.0}	3.55 {12.5}	
	-25	3.33 {11.7}	3.41 {12.0}	3.41 {12.0}	3.38 {11.9}	3.21 {11.3}	
	-30	3.01 {10.6}	3.10 {10.9}	3.10 {10.9}	3.07 {10.8}	2.90 {10.2}	
	-35	2.66 {9.36}	2.73 {9.61}	2.70 {9.50}	2.68 {9.41}	2.53 {8.89}	
-40	2.31 {8.12}	2.35 {8.26}	2.32 {8.16}	2.30 {8.10}	2.16 {7.59}		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
QCX- RCX-	0334BC1SL 0334DC1SL	-25	0.13 {0.47}	0.14 {0.49}	0.14 {0.48}	0.14 {0.49}	0.13 {0.46}
		-30	0.19 {0.68}	0.20 {0.70}	0.20 {0.69}	0.19 {0.68}	0.18 {0.64}
		-35	0.17 {0.61}	0.17 {0.61}	0.17 {0.61}	0.17 {0.60}	0.16 {0.55}
		-40	0.15 {0.53}	0.15 {0.54}	0.15 {0.53}	0.15 {0.52}	0.14 {0.49}
		-45	0.13 {0.47}	0.13 {0.47}	0.13 {0.46}	0.13 {0.46}	0.12 {0.42}
		-50	0.12 {0.41}	0.12 {0.41}	0.12 {0.41}	0.11 {0.40}	0.11 {0.37}
	0434BC1SL 0434DC1SL	-55	0.10 {0.36}	0.10 {0.36}	0.10 {0.36}	0.10 {0.35}	0.09 {0.33}
		-60	0.09 {0.32}	0.09 {0.32}	0.09 {0.31}	0.09 {0.31}	0.08 {0.29}
		-25	0.20 {0.70}	0.20 {0.72}	0.20 {0.71}	0.20 {0.70}	0.19 {0.66}
		-30	0.28 {1.00}	0.29 {1.02}	0.29 {1.01}	0.29 {1.01}	0.27 {0.94}
		-35	0.25 {0.89}	0.26 {0.90}	0.25 {0.89}	0.25 {0.88}	0.23 {0.82}
		-40	0.22 {0.78}	0.22 {0.79}	0.22 {0.77}	0.22 {0.77}	0.20 {0.71}
	0734BC1SL 0734DC1SL	-45	0.19 {0.68}	0.20 {0.69}	0.19 {0.68}	0.19 {0.67}	0.18 {0.62}
		-50	0.17 {0.60}	0.17 {0.60}	0.17 {0.59}	0.16 {0.58}	0.15 {0.54}
		-55	0.15 {0.53}	0.15 {0.52}	0.15 {0.51}	0.15 {0.51}	0.13 {0.47}
		-60	0.13 {0.46}	0.13 {0.46}	0.13 {0.45}	0.13 {0.45}	0.12 {0.42}
		-25	0.32 {1.13}	0.33 {1.16}	0.33 {1.16}	0.33 {1.15}	0.31 {1.08}
		-30	0.47 {1.65}	0.48 {1.68}	0.47 {1.67}	0.47 {1.65}	0.44 {1.54}
	1234BC1SL 1234DC1SL	-35	0.41 {1.45}	0.42 {1.48}	0.41 {1.45}	0.41 {1.44}	0.38 {1.34}
		-40	0.36 {1.28}	0.36 {1.28}	0.36 {1.27}	0.36 {1.25}	0.33 {1.16}
		-45	0.32 {1.11}	0.32 {1.12}	0.31 {1.10}	0.31 {1.09}	0.29 {1.01}
		-50	0.28 {0.97}	0.28 {0.98}	0.27 {0.96}	0.27 {0.95}	0.25 {0.87}
		-55	0.24 {0.85}	0.24 {0.86}	0.24 {0.84}	0.24 {0.83}	0.22 {0.77}
		-60	0.21 {0.75}	0.21 {0.75}	0.21 {0.74}	0.21 {0.73}	0.19 {0.67}
	1534BC1SL 1534DC1SL	-25	0.52 {1.83}	0.54 {1.89}	0.53 {1.88}	0.53 {1.86}	0.50 {1.75}
		-30	0.76 {2.66}	0.77 {2.71}	0.76 {2.68}	0.76 {2.66}	0.71 {2.48}
		-35	0.67 {2.35}	0.68 {2.38}	0.67 {2.35}	0.66 {2.33}	0.61 {2.16}
		-40	0.59 {2.06}	0.59 {2.08}	0.58 {2.05}	0.58 {2.03}	0.53 {1.88}
		-45	0.51 {1.80}	0.51 {1.81}	0.51 {1.79}	0.50 {1.77}	0.46 {1.63}
		-50	0.45 {1.58}	0.45 {1.58}	0.44 {1.56}	0.44 {1.54}	0.40 {1.42}
	2234BC1SL 2234DC1SL	-55	0.39 {1.38}	0.40 {1.39}	0.39 {1.37}	0.38 {1.35}	0.36 {1.25}
		-60	0.35 {1.22}	0.35 {1.23}	0.34 {1.21}	0.34 {1.19}	0.31 {1.10}
		-25	0.66 {2.32}	0.68 {2.39}	0.67 {2.37}	0.67 {2.36}	0.63 {2.21}
		-30	0.95 {3.35}	0.97 {3.42}	0.96 {3.38}	0.95 {3.35}	0.89 {3.14}
		-35	0.84 {2.97}	0.86 {3.01}	0.84 {2.97}	0.84 {2.94}	0.78 {2.73}
		-40	0.74 {2.60}	0.75 {2.63}	0.74 {2.59}	0.73 {2.56}	0.67 {2.37}
	2934BC1SL 2934DC1SL	-45	0.65 {2.29}	0.65 {2.30}	0.64 {2.26}	0.63 {2.23}	0.59 {2.06}
		-50	0.57 {2.00}	0.57 {2.01}	0.56 {1.97}	0.55 {1.95}	0.51 {1.80}
		-55	0.50 {1.75}	0.50 {1.76}	0.49 {1.73}	0.49 {1.71}	0.45 {1.58}
		-60	0.44 {1.54}	0.44 {1.55}	0.43 {1.52}	0.43 {1.51}	0.40 {1.39}
		-25	1.00 {3.52}	1.03 {3.63}	1.03 {3.61}	1.02 {3.58}	0.96 {3.36}
		-30	1.45 {5.11}	1.48 {5.22}	1.47 {5.17}	1.45 {5.11}	1.36 {4.78}
4334BC1SL 4334DC1SL	-35	1.29 {4.52}	1.30 {4.58}	1.29 {4.52}	1.27 {4.47}	1.18 {4.16}	
	-40	1.13 {3.96}	1.14 {4.00}	1.12 {3.94}	1.11 {3.89}	1.03 {3.61}	
	-45	0.99 {3.47}	0.99 {3.49}	0.98 {3.43}	0.96 {3.39}	0.89 {3.14}	
	-50	0.86 {3.02}	0.86 {3.04}	0.85 {2.99}	0.84 {2.95}	0.78 {2.73}	
	-55	0.76 {2.66}	0.76 {2.67}	0.75 {2.62}	0.74 {2.59}	0.68 {2.39}	
	-60	0.66 {2.33}	0.67 {2.35}	0.66 {2.31}	0.65 {2.28}	0.60 {2.11}	
4334BC1SL 4334DC1SL	-25	1.35 {4.75}	1.39 {4.88}	1.38 {4.86}	1.37 {4.82}	1.29 {4.52}	
	-30	1.96 {6.89}	2.00 {7.02}	1.98 {6.97}	1.96 {6.89}	1.83 {6.43}	
	-35	1.73 {6.08}	1.75 {6.17}	1.73 {6.09}	1.71 {6.02}	1.59 {5.60}	
	-40	1.52 {5.34}	1.53 {5.39}	1.51 {5.31}	1.49 {5.24}	1.38 {4.86}	
	-45	1.33 {4.67}	1.34 {4.71}	1.32 {4.63}	1.30 {4.57}	1.20 {4.22}	
	-50	1.16 {4.08}	1.17 {4.10}	1.15 {4.03}	1.13 {3.98}	1.04 {3.67}	
4334BC1SL 4334DC1SL	-55	1.02 {3.58}	1.02 {3.60}	1.01 {3.54}	0.99 {3.49}	0.92 {3.23}	
	-60	0.89 {3.14}	0.90 {3.17}	0.88 {3.11}	0.88 {3.08}	0.81 {2.84}	
	-25	1.84 {6.48}	1.90 {6.67}	1.89 {6.64}	1.87 {6.58}	1.76 {6.18}	
	-30	2.67 {9.38}	2.72 {9.58}	2.71 {9.53}	2.67 {9.40}	2.51 {8.81}	
	-35	2.37 {8.32}	2.40 {8.44}	2.37 {8.33}	2.34 {8.23}	2.18 {7.67}	
	-40	2.07 {7.29}	2.09 {7.36}	2.06 {7.25}	2.04 {7.16}	1.89 {6.65}	
4334BC1SL 4334DC1SL	-45	1.81 {6.37}	1.83 {6.43}	1.80 {6.32}	1.77 {6.24}	1.64 {5.77}	
	-50	1.58 {5.56}	1.59 {5.59}	1.56 {5.49}	1.54 {5.43}	1.42 {5.01}	
	-55	1.38 {4.87}	1.39 {4.90}	1.37 {4.81}	1.35 {4.75}	1.25 {4.39}	
	-60	1.22 {4.28}	1.23 {4.31}	1.21 {4.24}	1.19 {4.19}	1.10 {3.87}	

# SCX Capacity table

R134a

Charge type : C <-30~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
SCX-	0545BMC 0545DMC	10	3.24 {11.4}	4.35 {15.3}	4.92 {17.3}	5.01 {17.6}	5.32 {18.7}
		5	3.64 {12.8}	4.46 {15.7}	4.86 {17.1}	4.95 {17.4}	5.15 {18.1}
		0	3.84 {13.5}	4.49 {15.8}	4.81 {16.9}	4.86 {17.1}	5.01 {17.6}
		-5	4.01 {14.1}	4.52 {15.9}	4.75 {16.7}	4.81 {16.9}	4.86 {17.1}
		-10	3.98 {14.0}	4.38 {15.4}	4.58 {16.1}	4.61 {16.2}	4.64 {16.3}
		-20	3.73 {13.1}	3.98 {14.0}	4.10 {14.4}	4.12 {14.5}	4.10 {14.4}
	0745BMC 0745DMC	10	4.52 {15.9}	6.06 {21.3}	6.83 {24.0}	6.97 {24.5}	7.37 {25.9}
		5	5.06 {17.8}	6.20 {21.8}	6.77 {23.8}	6.88 {24.2}	7.17 {25.2}
		0	5.35 {18.8}	6.26 {22.0}	6.68 {23.5}	6.77 {23.8}	6.97 {24.5}
		-5	5.55 {19.5}	6.29 {22.1}	6.63 {23.3}	6.68 {23.5}	6.77 {23.8}
		-10	5.55 {19.5}	6.11 {21.5}	6.37 {22.4}	6.43 {22.6}	6.46 {22.7}
		-20	5.18 {18.2}	5.55 {19.5}	5.72 {20.1}	5.72 {20.1}	5.69 {20.0}
	0857DMC 0871DMC	10	4.12 {14.5}	4.38 {15.4}	4.44 {15.6}	4.46 {15.7}	4.38 {15.4}
		5	5.66 {19.9}	7.62 {26.8}	8.56 {30.1}	8.73 {30.7}	9.27 {32.6}
		0	6.34 {22.3}	7.79 {27.4}	8.53 {30.0}	8.65 {30.4}	9.02 {31.7}
		-5	6.74 {23.7}	7.85 {27.6}	8.42 {29.6}	8.50 {29.9}	8.73 {30.7}
		-10	7.00 {24.6}	7.88 {27.7}	8.33 {29.3}	8.39 {29.5}	8.53 {30.0}
		-20	6.97 {24.5}	7.68 {27.0}	8.02 {28.2}	8.08 {28.4}	8.11 {28.5}
	1057DMC 1071DMC	10	6.51 {22.9}	6.97 {24.5}	7.17 {25.2}	7.20 {25.3}	7.14 {25.1}
		5	5.20 {18.3}	5.49 {19.3}	5.60 {19.7}	5.60 {19.7}	5.52 {19.4}
		0	6.80 {23.9}	9.13 {32.1}	10.3 {36.1}	10.5 {36.9}	11.1 {39.1}
		5	7.62 {26.8}	9.36 {32.9}	10.2 {35.9}	10.4 {36.5}	10.8 {38.0}
		0	8.08 {28.4}	9.41 {33.1}	10.1 {35.5}	10.2 {35.9}	10.5 {36.8}
		-5	8.36 {29.4}	9.47 {33.3}	9.98 {35.1}	10.1 {35.4}	10.2 {35.9}
	1257DMC 1271DMC	10	8.33 {29.3}	9.21 {32.4}	9.61 {33.8}	9.67 {34.0}	9.73 {34.2}
		5	8.36 {29.4}	8.36 {29.4}	8.62 {30.3}	8.62 {30.3}	8.56 {30.1}
		0	7.79 {27.4}	8.36 {29.4}	8.62 {30.3}	8.62 {30.3}	8.56 {30.1}
		-5	6.23 {21.9}	6.57 {23.1}	6.71 {23.6}	6.71 {23.6}	6.60 {23.2}
		-10	8.05 {28.3}	10.8 {38.1}	12.2 {42.8}	12.4 {43.7}	13.2 {46.3}
		-20	9.02 {31.7}	11.1 {38.9}	12.1 {42.5}	12.3 {43.2}	12.8 {45.0}
1257DMC 1271DMC	0	9.56 {33.6}	11.2 {39.2}	11.9 {42.0}	12.1 {42.5}	12.4 {43.6}	
	-5	9.93 {34.9}	11.2 {39.4}	11.8 {41.5}	11.9 {41.9}	12.1 {42.5}	
	-10	9.87 {34.7}	10.9 {38.3}	11.4 {40.0}	11.4 {40.2}	11.5 {40.5}	
	-20	9.24 {32.5}	9.90 {34.8}	10.2 {35.8}	10.2 {35.9}	10.2 {35.7}	
	-30	7.37 {25.9}	7.79 {27.4}	7.93 {27.9}	7.93 {27.9}	7.82 {27.5}	

R404A

Charge type : SA &lt;-40~10℃&gt;

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0445BUSA 0445DUSA	10	2.66 {9.34}	3.36 {11.8}	3.53 {12.4}	3.53 {12.4}	3.27 {11.5}
		5	3.64 {12.8}	4.21 {14.8}	4.29 {15.1}	4.27 {15.0}	3.87 {13.6}
		0	3.64 {12.8}	3.98 {14.0}	3.98 {14.0}	3.95 {13.9}	3.53 {12.4}
		-5	3.53 {12.4}	3.73 {13.1}	3.64 {12.8}	3.61 {12.7}	3.16 {11.1}
		-10	3.30 {11.6}	3.41 {12.0}	3.30 {11.6}	3.24 {11.4}	2.82 {9.92}
		-20	2.79 {9.82}	2.78 {9.79}	2.64 {9.30}	2.59 {9.10}	2.19 {7.69}
		-30	2.25 {7.91}	2.19 {7.71}	2.05 {7.21}	2.00 {7.03}	1.65 {5.81}
	-40	1.75 {6.16}	1.68 {5.92}	1.55 {5.46}	1.51 {5.31}	1.22 {4.28}	
	0545BUSA 0545DUSA	10	3.70 {13.0}	4.66 {16.4}	4.92 {17.3}	4.92 {17.3}	4.55 {16.0}
		5	5.06 {17.8}	5.83 {20.5}	5.94 {20.9}	5.92 {20.8}	5.37 {18.9}
		0	5.06 {17.8}	5.55 {19.5}	5.55 {19.5}	5.49 {19.3}	4.89 {17.2}
		-5	4.89 {17.2}	5.18 {18.2}	5.09 {17.9}	5.01 {17.6}	4.41 {15.5}
		-10	4.61 {16.2}	4.75 {16.7}	4.61 {16.2}	4.52 {15.9}	3.92 {13.8}
		-20	3.90 {13.7}	3.87 {13.6}	3.70 {13.0}	3.61 {12.7}	3.04 {10.7}
		-30	3.13 {11.0}	3.04 {10.7}	2.84 {10.0}	2.79 {9.80}	2.30 {8.09}
	-40	2.44 {8.59}	2.34 {8.24}	2.16 {7.61}	2.10 {7.39}	1.69 {5.96}	
	0657DUSA 0671DUSA	10	4.64 {16.3}	5.86 {20.6}	6.17 {21.7}	6.17 {21.7}	5.72 {20.1}
		5	6.34 {22.3}	7.34 {25.8}	7.48 {26.3}	7.42 {26.1}	6.77 {23.8}
		0	6.37 {22.4}	6.97 {24.5}	6.97 {24.5}	6.88 {24.2}	6.14 {21.6}
		-5	6.14 {21.6}	6.48 {22.8}	6.37 {22.4}	6.29 {22.1}	5.52 {19.4}
		-10	5.80 {20.4}	5.97 {21.0}	5.80 {20.4}	5.69 {20.0}	4.95 {17.4}
		-20	4.89 {17.2}	4.86 {17.1}	4.64 {16.3}	4.52 {15.9}	3.84 {13.5}
		-30	3.92 {13.8}	3.84 {13.5}	3.58 {12.6}	3.50 {12.3}	2.90 {10.2}
	-40	3.07 {10.8}	2.96 {10.4}	2.72 {9.58}	2.64 {9.30}	2.13 {7.50}	
	0857DUSA 0871DUSA	10	5.55 {19.5}	7.02 {24.7}	7.39 {26.0}	7.39 {26.0}	6.88 {24.2}
		5	7.59 {26.7}	8.79 {30.9}	8.96 {31.5}	8.93 {31.4}	8.11 {28.5}
		0	7.62 {26.8}	8.36 {29.4}	8.33 {29.3}	8.25 {29.0}	7.37 {25.9}
		-5	7.37 {25.9}	7.79 {27.4}	7.65 {26.9}	7.54 {26.5}	6.63 {23.3}
		-10	6.94 {24.4}	7.17 {25.2}	6.94 {24.4}	6.83 {24.0}	5.92 {20.8}
		-20	5.86 {20.6}	5.86 {20.6}	5.55 {19.5}	5.43 {19.1}	4.58 {16.1}
		-30	4.72 {16.6}	4.61 {16.2}	4.32 {15.2}	4.21 {14.8}	3.47 {12.2}
	-40	3.67 {12.9}	3.53 {12.4}	3.27 {11.5}	3.19 {11.2}	2.56 {8.99}	
	0957DUSA 0971DUSA	10	6.60 {23.2}	8.33 {29.3}	8.79 {30.9}	8.76 {30.8}	8.13 {28.6}
		5	9.02 {31.7}	10.4 {36.6}	10.6 {37.4}	10.6 {37.1}	9.58 {33.7}
		0	9.02 {31.7}	9.90 {34.8}	9.87 {34.7}	9.78 {34.4}	8.73 {30.7}
		-5	8.73 {30.7}	9.21 {32.4}	9.07 {31.9}	8.93 {31.4}	7.85 {27.6}
		-10	8.22 {28.9}	8.47 {29.8}	8.22 {28.9}	8.08 {28.4}	7.00 {24.6}
		-20	6.94 {24.4}	6.91 {24.3}	6.57 {23.1}	6.43 {22.6}	5.43 {19.1}
		-30	5.57 {19.6}	5.46 {19.2}	5.09 {17.9}	4.98 {17.5}	4.10 {14.4}
	-40	4.35 {15.3}	4.18 {14.7}	3.87 {13.6}	3.75 {13.2}	3.01 {10.6}	

R404A

Charge type : C &lt;-40~0℃&gt;

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0445BUC 0445DUC	0	3.36 {11.8}	3.67 {12.9}	3.67 {12.9}	3.64 {12.8}	3.24 {11.4}
		-5	3.53 {12.4}	3.73 {13.1}	3.64 {12.8}	3.61 {12.7}	3.16 {11.1}
		-10	3.55 {12.5}	3.67 {12.9}	3.55 {12.5}	3.50 {12.3}	3.01 {10.6}
		-20	3.27 {11.5}	3.27 {11.5}	3.10 {10.9}	3.04 {10.7}	2.57 {9.02}
		-30	2.69 {9.45}	2.62 {9.21}	2.45 {8.62}	2.39 {8.40}	1.97 {6.94}
		-40	1.95 {6.87}	1.88 {6.60}	1.73 {6.09}	1.68 {5.92}	1.36 {4.77}
		0	4.66 {16.4}	5.12 {18.0}	5.09 {17.9}	5.06 {17.8}	4.49 {15.8}
	0545BUC 0545DUC	-5	4.89 {17.2}	5.18 {18.2}	5.09 {17.9}	5.01 {17.6}	4.41 {15.5}
		-10	4.95 {17.4}	5.09 {17.9}	4.95 {17.4}	4.86 {17.1}	4.21 {14.8}
		-20	4.55 {16.0}	4.55 {16.0}	4.32 {15.2}	4.24 {14.9}	3.55 {12.5}
		-30	3.75 {13.2}	3.64 {12.8}	3.41 {12.0}	3.33 {11.7}	2.75 {9.66}
		-40	2.72 {9.57}	2.61 {9.19}	2.41 {8.49}	2.35 {8.25}	1.89 {6.65}
		0	5.86 {20.6}	6.43 {22.6}	6.40 {22.5}	6.34 {22.3}	5.66 {19.9}
		-5	6.14 {21.6}	6.48 {22.8}	6.37 {22.4}	6.29 {22.1}	5.52 {19.4}
	0657DUC 0671DUC	-10	6.20 {21.8}	6.40 {22.5}	6.20 {21.8}	6.11 {21.5}	5.29 {18.6}
		-20	5.72 {20.1}	5.72 {20.1}	5.43 {19.1}	5.32 {18.7}	4.49 {15.8}
		-30	4.69 {16.5}	4.58 {16.1}	4.29 {15.1}	4.18 {14.7}	3.44 {12.1}
		-40	3.41 {12.0}	3.30 {11.6}	3.04 {10.7}	2.96 {10.4}	2.38 {8.36}
		0	7.02 {24.7}	7.71 {27.1}	7.68 {27.0}	7.59 {26.7}	6.80 {23.9}
		-5	7.37 {25.9}	7.79 {27.4}	7.65 {26.9}	7.54 {26.5}	6.63 {23.3}
		-10	7.45 {26.2}	7.68 {27.0}	7.45 {26.2}	7.31 {25.7}	6.34 {22.3}
	0857DUC 0871DUC	-20	6.85 {24.1}	6.85 {24.1}	6.51 {22.9}	6.37 {22.4}	5.37 {18.9}
		-30	5.63 {19.8}	5.49 {19.3}	5.15 {18.1}	5.01 {17.6}	4.15 {14.6}
		-40	4.10 {14.4}	3.95 {13.9}	3.64 {12.8}	3.53 {12.4}	2.84 {10.0}
		0	8.30 {29.2}	9.10 {32.0}	9.10 {32.0}	9.02 {31.7}	8.05 {28.3}
		-5	8.73 {30.7}	9.21 {32.4}	9.07 {31.9}	8.93 {31.4}	7.85 {27.6}
		-10	8.82 {31.0}	9.07 {31.9}	8.82 {31.0}	8.67 {30.5}	7.51 {26.4}
		-20	8.13 {28.6}	8.11 {28.5}	7.71 {27.1}	7.54 {26.5}	6.37 {22.4}
	0957DUC 0971DUC	-30	6.68 {23.5}	6.51 {22.9}	6.09 {21.4}	5.94 {20.9}	4.89 {17.2}
		-40	4.86 {17.1}	4.66 {16.4}	4.29 {15.1}	4.18 {14.7}	3.38 {11.9}

R404A

Charge type : SL <-60~-25℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
SCX-	0445BUSL 0445DUSL	-25	1.56 {5.47}	1.53 {5.39}	1.44 {5.08}	1.41 {4.96}	1.18 {4.14}
		-30	2.10 {7.39}	2.05 {7.21}	1.92 {6.74}	1.87 {6.57}	1.54 {5.43}
		-40	1.57 {5.53}	1.51 {5.31}	1.40 {4.91}	1.36 {4.77}	1.09 {3.84}
		-50	1.15 {4.03}	1.09 {3.82}	0.99 {3.49}	0.96 {3.38}	0.76 {2.66}
		-60	0.82 {2.88}	0.77 {2.72}	0.70 {2.47}	0.68 {2.38}	0.52 {1.83}
	0545BUSL 0545DUSL	-25	2.17 {7.62}	2.13 {7.50}	2.01 {7.07}	1.96 {6.90}	1.64 {5.77}
		-30	2.93 {10.3}	2.84 {10.0}	2.67 {9.39}	2.61 {9.16}	2.15 {7.56}
		-40	2.19 {7.71}	2.10 {7.40}	1.95 {6.84}	1.89 {6.64}	1.52 {5.35}
		-50	1.60 {5.61}	1.52 {5.33}	1.38 {4.87}	1.34 {4.72}	1.06 {3.71}
		-60	1.14 {4.02}	1.08 {3.79}	0.98 {3.44}	0.94 {3.32}	0.73 {2.55}
	0657DUSL 0671DUSL	-25	2.72 {9.58}	2.68 {9.43}	2.53 {8.89}	2.47 {8.68}	2.06 {7.25}
		-30	3.67 {12.9}	3.58 {12.6}	3.36 {11.8}	3.27 {11.5}	2.70 {9.51}
		-40	2.76 {9.70}	2.65 {9.31}	2.45 {8.60}	2.37 {8.35}	1.92 {6.74}
		-50	2.01 {7.06}	1.91 {6.71}	1.74 {6.13}	1.69 {5.93}	1.33 {4.67}
		-60	1.44 {5.06}	1.36 {4.77}	1.23 {4.33}	1.19 {4.18}	0.91 {3.20}
	0857DUSL 0871DUSL	-25	3.27 {11.5}	3.21 {11.3}	3.04 {10.7}	2.96 {10.4}	2.47 {8.70}
		-30	4.41 {15.5}	4.29 {15.1}	4.04 {14.2}	3.92 {13.8}	3.24 {11.4}
		-40	3.30 {11.6}	3.19 {11.2}	2.93 {10.3}	2.84 {10.0}	2.30 {8.08}
		-50	2.41 {8.47}	2.29 {8.04}	2.09 {7.35}	2.02 {7.11}	1.59 {5.60}
		-60	1.73 {6.07}	1.63 {5.73}	1.48 {5.19}	1.42 {5.01}	1.09 {3.84}
	0957DUSL 0971DUSL	-25	3.87 {13.6}	3.81 {13.4}	3.58 {12.6}	3.50 {12.3}	2.93 {10.3}
		-30	5.23 {18.4}	5.09 {17.9}	4.75 {16.7}	4.64 {16.3}	3.84 {13.5}
		-40	3.90 {13.7}	3.75 {13.2}	3.47 {12.2}	3.36 {11.8}	2.72 {9.55}
		-50	2.84 {10.0}	2.70 {9.50}	2.47 {8.68}	2.39 {8.41}	1.88 {6.62}
-60		2.04 {7.17}	1.92 {6.76}	1.74 {6.13}	1.68 {5.92}	1.29 {4.54}	

R407C

Charge type : SA <-40~-10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
SCX-	0645BHSA 0645DHSA	10	4.07 {14.3}	5.40 {19.0}	6.03 {21.2}	6.11 {21.5}	6.40 {22.5}
		5	5.20 {18.3}	6.31 {22.2}	6.85 {24.1}	6.91 {24.3}	7.08 {24.9}
		0	5.23 {18.4}	6.06 {21.3}	6.43 {22.6}	6.46 {22.7}	6.54 {23.0}
		-5	5.09 {17.9}	5.69 {20.0}	5.94 {20.9}	5.97 {21.0}	6.00 {21.1}
		-10	4.83 {17.0}	5.29 {18.6}	5.46 {19.2}	5.49 {19.3}	5.43 {19.1}
		-20	4.15 {14.6}	4.41 {15.5}	4.49 {15.8}	4.49 {15.8}	4.41 {15.5}
		-30	3.44 {12.1}	3.58 {12.6}	3.61 {12.7}	3.61 {12.7}	3.50 {12.3}
		-40	2.75 {9.66}	2.84 {10.0}	2.84 {10.0}	2.84 {10.0}	2.76 {9.69}
	0845BHSA 0845DHSA	10	5.66 {19.9}	7.51 {26.4}	8.36 {29.4}	8.50 {29.9}	8.87 {31.2}
		5	7.25 {25.5}	8.79 {30.9}	9.50 {33.4}	9.61 {33.8}	9.84 {34.6}
		0	7.28 {25.6}	8.42 {29.6}	8.93 {31.4}	8.99 {31.6}	9.10 {32.0}
		-5	7.11 {25.0}	7.93 {27.9}	8.28 {29.1}	8.33 {29.3}	8.33 {29.3}
		-10	6.74 {23.7}	7.34 {25.8}	7.59 {26.7}	7.62 {26.8}	7.56 {26.6}
		-20	5.80 {20.4}	6.14 {21.6}	6.26 {22.0}	6.26 {22.0}	6.14 {21.6}
		-30	4.78 {16.8}	4.98 {17.5}	5.03 {17.7}	5.01 {17.6}	4.86 {17.1}
		-40	3.84 {13.5}	3.95 {13.9}	3.98 {14.0}	3.95 {13.9}	3.84 {13.5}
	1057DHSA 1071DHSA	10	7.11 {25.0}	9.44 {33.2}	10.5 {37.0}	10.7 {37.6}	11.2 {39.2}
		5	9.10 {32.0}	11.0 {38.8}	11.9 {42.0}	12.1 {42.5}	12.4 {43.5}
		0	9.16 {32.2}	10.6 {37.2}	11.2 {39.4}	11.3 {39.7}	11.4 {40.2}
		-5	8.93 {31.4}	9.95 {35.0}	10.4 {36.6}	10.5 {36.8}	10.5 {36.8}
		-10	8.47 {29.8}	9.24 {32.5}	9.56 {33.6}	9.58 {33.7}	9.50 {33.4}
		-20	7.28 {25.6}	7.74 {27.2}	7.88 {27.7}	7.88 {27.7}	7.71 {27.1}
		-30	6.00 {21.1}	6.26 {22.0}	6.31 {22.2}	6.31 {22.2}	6.14 {21.6}
		-40	4.81 {16.9}	4.98 {17.5}	5.01 {17.6}	4.98 {17.5}	4.83 {17.0}
	1257DHSA 1271DHSA	10	8.53 {30.0}	11.3 {39.8}	12.6 {44.3}	12.8 {45.0}	13.4 {47.0}
		5	10.9 {38.3}	13.2 {46.5}	14.3 {50.4}	14.5 {50.9}	14.9 {52.2}
		0	11.0 {38.6}	12.7 {44.6}	13.5 {47.3}	13.6 {47.7}	13.7 {48.2}
		-5	10.7 {37.6}	11.9 {42.0}	12.5 {43.9}	12.5 {44.1}	12.5 {44.1}
		-10	10.2 {35.7}	11.1 {39.0}	11.5 {40.3}	11.5 {40.4}	11.4 {40.1}
		-20	8.73 {30.7}	9.27 {32.6}	9.44 {33.2}	9.44 {33.2}	9.24 {32.5}
		-30	7.20 {25.3}	7.51 {26.4}	7.59 {26.7}	7.56 {26.6}	7.34 {25.8}
		-40	5.77 {20.3}	5.97 {21.0}	6.00 {21.1}	5.97 {21.0}	5.77 {20.3}
	1457DHSA 1471DHSA	10	10.1 {35.5}	13.4 {47.2}	14.9 {52.5}	15.2 {53.4}	15.8 {55.7}
		5	12.9 {45.4}	15.7 {55.1}	17.0 {59.7}	17.2 {60.3}	17.6 {61.8}
		0	13.0 {45.7}	15.0 {52.8}	15.9 {56.0}	16.0 {56.4}	16.2 {57.1}
		-5	12.7 {44.5}	14.1 {49.7}	14.8 {52.0}	14.9 {52.2}	14.9 {52.2}
		-10	12.0 {42.3}	13.1 {46.1}	13.6 {47.7}	13.6 {47.8}	13.5 {47.4}
		-20	10.4 {36.4}	11.0 {38.5}	11.2 {39.3}	11.2 {39.2}	10.9 {38.4}
		-30	8.50 {29.9}	8.87 {31.2}	8.96 {31.5}	8.96 {31.5}	8.70 {30.6}
		-40	6.83 {24.0}	7.05 {24.8}	7.08 {24.9}	7.08 {24.9}	6.83 {24.0}



R407C

Charge type : C <-40~0℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
SCX-	0645BHC 0645DHC	0	4.86 {17.1}	5.60 {19.7}	5.94 {20.9}	6.00 {21.1}	6.06 {21.3}
		-5	5.09 {17.9}	5.69 {20.0}	5.94 {20.9}	5.97 {21.0}	6.00 {21.1}
		-10	5.18 {18.2}	5.63 {19.8}	5.83 {20.5}	5.83 {20.5}	5.80 {20.4}
		-20	4.86 {17.1}	5.15 {18.1}	5.26 {18.5}	5.23 {18.4}	5.15 {18.1}
		-30	4.12 {14.5}	4.29 {15.1}	4.35 {15.3}	4.32 {15.2}	4.21 {14.8}
	0845BHC 0845DHC	-40	3.16 {11.1}	3.27 {11.5}	3.30 {11.6}	3.27 {11.5}	3.16 {11.1}
		0	6.77 {23.8}	7.79 {27.4}	8.28 {29.1}	8.33 {29.3}	8.45 {29.7}
		-5	7.11 {25.0}	7.93 {27.9}	8.28 {29.1}	8.33 {29.3}	8.33 {29.3}
		-10	7.20 {25.3}	7.85 {27.6}	8.11 {28.5}	8.13 {28.6}	8.08 {28.4}
		-20	6.77 {23.8}	7.17 {25.2}	7.31 {25.7}	7.31 {25.7}	7.14 {25.1}
	1057DHC 1071DHC	-30	5.74 {20.2}	5.97 {21.0}	6.06 {21.3}	6.03 {21.2}	5.86 {20.6}
		-40	4.41 {15.5}	4.55 {16.0}	4.58 {16.1}	4.58 {16.1}	4.41 {15.5}
		0	8.50 {29.9}	9.81 {34.5}	10.4 {36.6}	10.5 {36.9}	10.6 {37.3}
		-5	8.93 {31.4}	9.95 {35.0}	10.4 {36.6}	10.5 {36.8}	10.5 {36.8}
		-10	9.04 {31.8}	9.84 {34.6}	10.2 {35.8}	10.2 {35.9}	10.1 {35.6}
	1257DHC 1271DHC	-20	8.50 {29.9}	9.02 {31.7}	9.19 {32.3}	9.19 {32.3}	8.99 {31.6}
		-30	7.22 {25.4}	7.54 {26.5}	7.59 {26.7}	7.59 {26.7}	7.37 {25.9}
		-40	5.55 {19.5}	5.72 {20.1}	5.74 {20.2}	5.74 {20.2}	5.55 {19.5}
		0	10.2 {35.8}	11.8 {41.3}	12.5 {43.9}	12.6 {44.2}	12.7 {44.7}
		-5	10.7 {37.6}	11.9 {42.0}	12.5 {43.9}	12.5 {44.1}	12.5 {44.1}
	1457DHC 1471DHC	-10	10.8 {38.1}	11.8 {41.5}	12.2 {43.0}	12.3 {43.1}	12.1 {42.7}
		-20	10.2 {35.8}	10.8 {38.0}	11.0 {38.7}	11.0 {38.7}	10.8 {37.9}
		-30	8.65 {30.4}	9.02 {31.7}	9.10 {32.0}	9.10 {32.0}	8.84 {31.1}
		-40	6.65 {23.4}	6.88 {24.2}	6.91 {24.3}	6.88 {24.2}	6.65 {23.4}
		0	12.1 {42.4}	13.9 {48.9}	14.8 {51.9}	14.9 {52.3}	15.0 {52.9}
		-5	12.7 {44.5}	14.1 {49.7}	14.8 {52.0}	14.9 {52.2}	14.9 {52.2}
		-10	12.8 {45.1}	14.0 {49.2}	14.5 {50.8}	14.5 {51.0}	14.4 {50.6}
		-20	12.1 {42.4}	12.8 {44.9}	13.0 {45.8}	13.0 {45.8}	12.7 {44.8}
-30		10.2 {36.0}	10.7 {37.5}	10.8 {37.9}	10.8 {37.8}	10.4 {36.7}	
-40		7.85 {27.6}	8.11 {28.5}	8.16 {28.7}	8.13 {28.6}	7.88 {27.7}	

R410A

Charge type : SA <-45~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
SCX-	0645BVSA 0645DVSA	10	4.78 {16.8}	6.23 {21.9}	6.74 {23.7}	6.83 {24.0}	6.77 {23.8}
		5	5.97 {21.0}	7.08 {24.9}	7.48 {26.3}	7.54 {26.5}	7.34 {25.8}
		0	6.00 {21.1}	6.80 {23.9}	7.02 {24.7}	7.02 {24.7}	6.77 {23.8}
		-5	5.72 {20.1}	6.26 {22.0}	6.37 {22.4}	6.37 {22.4}	6.06 {21.3}
		-10	5.52 {19.4}	5.92 {20.8}	5.97 {21.0}	5.94 {20.9}	5.60 {19.7}
		-20	5.12 {18.0}	5.29 {18.6}	5.26 {18.5}	5.23 {18.4}	4.89 {17.2}
		-30	4.55 {16.0}	4.64 {16.3}	4.58 {16.1}	4.52 {15.9}	4.18 {14.7}
		-40	3.87 {13.6}	3.90 {13.7}	3.81 {13.4}	3.78 {13.3}	3.47 {12.2}
	0945BVSA 0945DVSA	10	6.65 {23.4}	8.65 {30.4}	9.38 {33.0}	9.47 {33.3}	9.41 {33.1}
		5	8.30 {29.2}	9.84 {34.6}	10.4 {36.6}	10.5 {36.8}	10.2 {35.9}
		0	8.36 {29.4}	9.44 {33.2}	9.78 {34.4}	9.78 {34.4}	9.44 {33.2}
		-5	7.96 {28.0}	8.70 {30.6}	8.87 {31.2}	8.87 {31.2}	8.45 {29.7}
		-10	7.71 {27.1}	8.22 {28.9}	8.30 {29.2}	8.28 {29.1}	7.82 {27.5}
		-20	7.11 {25.0}	7.37 {25.9}	7.34 {25.8}	7.28 {25.6}	6.80 {23.9}
		-30	6.34 {22.3}	6.46 {22.7}	6.37 {22.4}	6.31 {22.2}	5.83 {20.5}
		-40	5.37 {18.9}	5.43 {19.1}	5.32 {18.7}	5.26 {18.5}	4.83 {17.0}
	1157DVSA 1171DVSA	10	8.36 {29.4}	10.9 {38.2}	11.8 {41.5}	11.9 {41.9}	11.8 {41.6}
		5	10.4 {36.6}	12.4 {43.5}	13.1 {46.0}	13.1 {46.2}	12.8 {45.1}
		0	10.5 {36.9}	11.9 {41.7}	12.3 {43.2}	12.3 {43.2}	11.8 {41.6}
		-5	9.98 {35.1}	10.9 {38.4}	11.2 {39.2}	11.1 {39.1}	10.6 {37.3}
		-10	9.67 {34.0}	10.3 {36.3}	10.4 {36.7}	10.4 {36.5}	9.81 {34.5}
		-20	8.93 {31.4}	9.27 {32.6}	9.21 {32.4}	9.16 {32.2}	8.53 {30.0}
		-30	7.96 {28.0}	8.13 {28.6}	7.99 {28.1}	7.93 {27.9}	7.34 {25.8}
		-40	6.77 {23.8}	6.83 {24.0}	6.68 {23.5}	6.63 {23.3}	6.06 {21.3}
	1357DVSA 1371DVSA	10	10.0 {35.3}	13.0 {45.8}	14.1 {49.7}	14.3 {50.2}	14.2 {49.9}
		5	12.5 {43.9}	14.9 {52.2}	15.7 {55.1}	15.8 {55.4}	15.4 {54.1}
		0	12.6 {44.3}	14.2 {50.0}	14.7 {51.8}	14.7 {51.8}	14.2 {49.9}
		-5	12.0 {42.1}	13.1 {46.0}	13.4 {47.0}	13.3 {46.9}	12.7 {44.7}
		-10	11.6 {40.8}	12.4 {43.5}	12.5 {44.0}	12.5 {43.8}	11.8 {41.4}
		-20	10.7 {37.7}	11.1 {39.1}	11.1 {38.9}	11.0 {38.6}	10.2 {36.0}
		-30	9.56 {33.6}	9.75 {34.3}	9.58 {33.7}	9.50 {33.4}	8.79 {30.9}
		-40	8.11 {28.5}	8.19 {28.8}	8.02 {28.2}	7.93 {27.9}	7.28 {25.6}
	1657DVSA 1671DVSA	10	11.9 {41.8}	15.4 {54.2}	16.8 {58.9}	16.9 {59.5}	16.8 {59.1}
		5	14.8 {52.0}	17.6 {61.8}	18.6 {65.3}	18.7 {65.6}	18.2 {64.1}
		0	14.9 {52.4}	16.8 {59.2}	17.4 {61.3}	17.5 {61.4}	16.8 {59.1}
		-5	14.2 {49.9}	15.5 {54.5}	15.8 {55.6}	15.8 {55.6}	15.1 {53.0}
		-10	13.7 {48.2}	14.7 {51.5}	14.8 {52.0}	14.7 {51.8}	13.9 {49.0}
		-20	12.7 {44.6}	13.1 {46.2}	13.1 {46.0}	13.0 {45.7}	12.1 {42.6}
		-30	11.3 {39.8}	11.5 {40.5}	11.4 {39.9}	11.3 {39.6}	10.4 {36.5}
		-40	9.58 {33.7}	9.67 {34.0}	9.47 {33.3}	9.38 {33.0}	8.62 {30.3}
	-45	8.39 {29.5}	8.45 {29.7}	8.25 {29.0}	8.16 {28.7}	7.48 {26.3}	

R410A

Charge type : C <-40~-10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
SCX-	0645BVC 0645DVC	-10	5.94 {20.9}	6.34 {22.3}	6.43 {22.6}	6.40 {22.5}	6.03 {21.2}
		-20	6.54 {23.0}	6.77 {23.8}	6.74 {23.7}	6.68 {23.5}	6.23 {21.9}
		-30	5.46 {19.2}	5.55 {19.5}	5.46 {19.2}	5.43 {19.1}	5.01 {17.6}
		-40	4.64 {16.3}	4.66 {16.4}	4.58 {16.1}	4.52 {15.9}	4.15 {14.6}
	0945BVC 0945DVC	-10	8.28 {29.1}	8.84 {31.1}	8.93 {31.4}	8.90 {31.3}	8.42 {29.6}
		-20	9.10 {32.0}	9.41 {33.1}	9.38 {33.0}	9.30 {32.7}	8.67 {30.5}
		-30	7.59 {26.7}	7.74 {27.2}	7.62 {26.8}	7.54 {26.5}	6.97 {24.5}
		-40	6.43 {22.6}	6.48 {22.8}	6.37 {22.4}	6.29 {22.1}	5.77 {20.3}
	1157DVC 1171DVC	-10	10.4 {36.6}	11.1 {39.1}	11.2 {39.5}	11.2 {39.3}	10.6 {37.1}
		-20	11.4 {40.2}	11.8 {41.6}	11.8 {41.4}	11.7 {41.1}	10.9 {38.4}
		-30	9.53 {33.5}	9.73 {34.2}	9.56 {33.6}	9.47 {33.3}	8.76 {30.8}
		-40	8.11 {28.5}	8.16 {28.7}	7.99 {28.1}	7.91 {27.8}	7.25 {25.5}
	1357DVC 1371DVC	-10	12.5 {43.9}	13.3 {46.8}	13.5 {47.3}	13.4 {47.1}	12.7 {44.5}
		-20	13.7 {48.2}	14.2 {49.9}	14.1 {49.7}	14.0 {49.3}	13.1 {46.0}
		-30	11.4 {40.2}	11.7 {41.0}	11.5 {40.3}	11.4 {40.0}	10.5 {36.9}
		-40	9.70 {34.1}	9.78 {34.4}	9.58 {33.7}	9.50 {33.4}	8.70 {30.6}
	1657DVC 1671DVC	-10	14.8 {51.9}	15.8 {55.5}	15.9 {56.0}	15.9 {55.8}	15.0 {52.7}
		-20	16.2 {57.0}	16.8 {59.1}	16.7 {58.8}	16.6 {58.4}	15.5 {54.4}
		-30	13.5 {47.5}	13.8 {48.5}	13.6 {47.7}	13.5 {47.3}	12.4 {43.7}
		-40	11.5 {40.4}	11.6 {40.7}	11.4 {39.9}	11.2 {39.5}	10.3 {36.2}

R410A

Charge type : SL <-60~-30℃>

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0645BVSL 0645DVSL	-30	3.57 {12.6}	3.64 {12.8}	3.59 {12.6}	3.56 {12.5}	3.28 {11.6}
		-35	3.78 {13.3}	3.83 {13.5}	3.76 {13.2}	3.73 {13.1}	3.43 {12.1}
		-40	3.70 {13.0}	3.73 {13.1}	3.65 {12.8}	3.61 {12.7}	3.32 {11.7}
		-45	3.33 {11.7}	3.35 {11.8}	3.27 {11.5}	3.24 {11.4}	2.97 {10.4}
		-50	2.80 {9.83}	2.81 {9.87}	2.74 {9.64}	2.71 {9.53}	2.48 {8.72}
		-55	2.33 {8.19}	2.34 {8.21}	2.28 {8.02}	2.25 {7.93}	2.06 {7.25}
	0945BVSL 0945DVSL	-60	2.32 {8.14}	2.32 {8.17}	2.27 {7.98}	2.24 {7.89}	2.05 {7.22}
		-30	4.98 {17.5}	5.07 {17.8}	5.00 {17.6}	4.95 {17.4}	4.58 {16.1}
		-35	5.27 {18.5}	5.34 {18.8}	5.24 {18.4}	5.19 {18.3}	4.78 {16.8}
		-40	5.15 {18.1}	5.19 {18.3}	5.09 {17.9}	5.04 {17.7}	4.62 {16.3}
		-45	4.64 {16.3}	4.66 {16.4}	4.56 {16.0}	4.51 {15.9}	4.13 {14.5}
		-50	3.90 {13.7}	3.91 {13.8}	3.82 {13.4}	3.78 {13.3}	3.46 {12.2}
	1157DVSL 1171DVSL	-55	3.25 {11.4}	3.26 {11.5}	3.18 {11.2}	3.14 {11.1}	2.87 {10.1}
		-60	3.23 {11.4}	3.24 {11.4}	3.16 {11.1}	3.13 {11.0}	2.86 {10.1}
		-30	6.26 {22.0}	6.38 {22.4}	6.28 {22.1}	6.23 {21.9}	5.75 {20.2}
		-35	6.63 {23.3}	6.71 {23.6}	6.59 {23.2}	6.53 {23.0}	6.01 {21.1}
		-40	6.47 {22.8}	6.53 {23.0}	6.40 {22.5}	6.33 {22.3}	5.81 {20.4}
		-45	5.83 {20.5}	5.87 {20.6}	5.73 {20.2}	5.67 {19.9}	5.20 {18.3}
	1357DVSL 1371DVSL	-50	4.90 {17.2}	4.92 {17.3}	4.80 {16.9}	4.75 {16.7}	4.35 {15.3}
		-55	4.08 {14.4}	4.10 {14.4}	4.00 {14.1}	3.95 {13.9}	3.61 {12.7}
		-60	4.06 {14.3}	4.07 {14.3}	3.98 {14.0}	3.93 {13.8}	3.60 {12.7}
		-30	7.51 {26.4}	7.65 {26.9}	7.54 {26.5}	7.47 {26.3}	6.90 {24.3}
		-35	7.94 {27.9}	8.05 {28.3}	7.90 {27.8}	7.83 {27.5}	7.21 {25.3}
		-40	7.76 {27.3}	7.83 {27.5}	7.67 {27.0}	7.59 {26.7}	6.97 {24.5}
	1657DVSL 1671DVSL	-45	6.99 {24.6}	7.03 {24.7}	6.87 {24.2}	6.80 {23.9}	6.23 {21.9}
		-50	5.88 {20.7}	5.90 {20.8}	5.76 {20.3}	5.70 {20.0}	5.21 {18.3}
		-55	4.90 {17.2}	4.91 {17.3}	4.79 {16.9}	4.74 {16.7}	4.33 {15.2}
		-60	4.87 {17.1}	4.89 {17.2}	4.77 {16.8}	4.72 {16.6}	4.32 {15.2}
		-30	8.87 {31.2}	9.04 {31.8}	8.91 {31.3}	8.83 {31.1}	8.16 {28.7}
		-35	9.39 {33.0}	9.52 {33.5}	9.35 {32.9}	9.26 {32.6}	8.52 {30.0}
		-40	9.18 {32.3}	9.26 {32.6}	9.07 {31.9}	8.98 {31.6}	8.24 {29.0}
		-45	8.27 {29.1}	8.32 {29.2}	8.13 {28.6}	8.04 {28.3}	7.37 {25.9}
		-50	6.95 {24.4}	6.97 {24.5}	6.81 {23.9}	6.73 {23.7}	6.16 {21.7}
		-55	5.79 {20.3}	5.80 {20.4}	5.66 {19.9}	5.60 {19.7}	5.12 {18.0}
		-60	5.75 {20.2}	5.77 {20.3}	5.64 {19.8}	5.58 {19.6}	5.10 {17.9}
		-60	5.75 {20.2}	5.77 {20.3}	5.64 {19.8}	5.58 {19.6}	5.10 {17.9}

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0545BC1SA 0545DC1SA	10	3.70 {13.0}	4.86 {17.1}	5.35 {18.8}	5.46 {19.2}	5.55 {19.5}
		5	4.92 {17.3}	5.83 {20.5}	6.20 {21.8}	6.26 {22.0}	6.26 {22.0}
		0	4.78 {16.8}	5.43 {19.1}	5.72 {20.1}	5.74 {20.2}	5.69 {20.0}
		-5	4.83 {17.0}	5.29 {18.6}	5.43 {19.1}	5.43 {19.1}	5.32 {18.7}
		-10	4.38 {15.4}	4.72 {16.6}	4.83 {17.0}	4.83 {17.0}	4.69 {16.5}
		-15	4.10 {14.4}	4.35 {15.3}	4.41 {15.5}	4.41 {15.5}	4.24 {14.9}
		-20	3.78 {13.3}	3.92 {13.8}	3.98 {14.0}	3.95 {13.9}	3.78 {13.3}
		-25	3.44 {12.1}	3.55 {12.5}	3.55 {12.5}	3.53 {12.4}	3.38 {11.9}
		-30	3.07 {10.8}	3.19 {11.2}	3.16 {11.1}	3.16 {11.1}	2.96 {10.4}
		-35	2.78 {9.77}	2.83 {9.94}	2.80 {9.84}	2.80 {9.84}	2.63 {9.24}
	-40	2.46 {8.65}	2.51 {8.82}	2.49 {8.74}	2.47 {8.68}	2.32 {8.15}	
	0745BC1SA 0745DC1SA	10	5.15 {18.1}	6.77 {23.8}	7.45 {26.2}	7.56 {26.6}	7.74 {27.2}
		5	6.83 {24.0}	8.08 {28.4}	8.62 {30.3}	8.70 {30.6}	8.70 {30.6}
		0	6.63 {23.3}	7.56 {26.6}	7.93 {27.9}	7.96 {28.0}	7.88 {27.7}
		-5	6.74 {23.7}	7.37 {25.9}	7.56 {26.6}	7.56 {26.6}	7.37 {25.9}
		-10	6.11 {21.5}	6.57 {23.1}	6.71 {23.6}	6.71 {23.6}	6.51 {22.9}
		-15	5.72 {20.1}	6.03 {21.2}	6.14 {21.6}	6.11 {21.5}	5.89 {20.7}
		-20	5.23 {18.4}	5.49 {19.3}	5.52 {19.4}	5.49 {19.3}	5.26 {18.5}
		-25	4.78 {16.8}	4.95 {17.4}	4.95 {17.4}	4.92 {17.3}	4.66 {16.4}
		-30	4.29 {15.1}	4.44 {15.6}	4.41 {15.5}	4.38 {15.4}	4.15 {14.6}
		-35	3.87 {13.6}	3.95 {13.9}	3.92 {13.8}	3.90 {13.7}	3.64 {12.8}
	-40	3.41 {12.0}	3.50 {12.3}	3.44 {12.1}	3.44 {12.1}	3.24 {11.4}	
	0957DC1SA 0971DC1SA	10	6.46 {22.7}	8.50 {29.9}	9.36 {32.9}	9.50 {33.4}	9.70 {34.1}
		5	8.56 {30.1}	10.2 {35.8}	10.8 {38.1}	11.0 {38.5}	10.9 {38.4}
		0	8.33 {29.3}	9.50 {33.4}	9.95 {35.0}	10.0 {35.2}	9.90 {34.8}
		-5	8.47 {29.8}	9.24 {32.5}	9.50 {33.4}	9.50 {33.4}	9.27 {32.6}
		-10	7.68 {27.0}	8.28 {29.1}	8.45 {29.7}	8.47 {29.8}	8.19 {28.8}
		-15	7.17 {25.2}	7.59 {26.7}	7.71 {27.1}	7.68 {27.0}	7.39 {26.0}
		-20	6.60 {23.2}	6.91 {24.3}	6.94 {24.4}	6.94 {24.4}	6.60 {23.2}
		-25	6.00 {21.1}	6.20 {21.8}	6.23 {21.9}	6.20 {21.8}	5.89 {20.7}
		-30	5.40 {19.0}	5.57 {19.6}	5.55 {19.5}	5.52 {19.4}	5.20 {18.3}
		-35	4.86 {17.1}	4.95 {17.4}	4.92 {17.3}	4.89 {17.2}	4.61 {16.2}
	-40	4.29 {15.1}	4.38 {15.4}	4.35 {15.3}	4.32 {15.2}	4.07 {14.3}	
	1157DC1SA 1171DC1SA	10	7.74 {27.2}	10.2 {35.9}	11.2 {39.5}	11.4 {40.1}	11.6 {40.9}
		5	10.3 {36.1}	12.2 {42.8}	13.0 {45.7}	13.1 {46.1}	13.1 {46.2}
		0	9.95 {35.0}	11.4 {40.1}	11.9 {42.0}	12.0 {42.2}	11.9 {41.7}
-5		10.2 {35.8}	11.1 {38.9}	11.4 {40.0}	11.4 {40.1}	11.1 {39.1}	
-10		9.21 {32.4}	9.93 {34.9}	10.1 {35.6}	10.2 {35.7}	9.81 {34.5}	
-15		8.59 {30.2}	9.10 {32.0}	9.21 {32.4}	9.21 {32.4}	8.84 {31.1}	
-20		7.91 {27.8}	8.28 {29.1}	8.30 {29.2}	8.30 {29.2}	7.91 {27.8}	
-25		7.20 {25.3}	7.45 {26.2}	7.48 {26.3}	7.42 {26.1}	7.05 {24.8}	
-30		6.48 {22.8}	6.65 {23.4}	6.65 {23.4}	6.60 {23.2}	6.26 {22.0}	
-35		5.83 {20.5}	5.94 {20.9}	5.89 {20.7}	5.89 {20.7}	5.52 {19.4}	
-40	5.18 {18.2}	5.29 {18.6}	5.23 {18.4}	5.18 {18.2}	4.89 {17.2}		
1357DC1SA 1371DC1SA	10	9.19 {32.3}	12.1 {42.4}	13.3 {46.8}	13.5 {47.4}	13.8 {48.5}	
	5	12.2 {42.8}	14.5 {50.8}	15.4 {54.1}	15.5 {54.6}	15.5 {54.6}	
	0	11.8 {41.5}	13.5 {47.4}	14.2 {49.8}	14.2 {50.0}	14.1 {49.5}	
	-5	12.0 {42.3}	13.1 {46.1}	13.5 {47.4}	13.5 {47.5}	13.2 {46.3}	
	-10	10.9 {38.3}	11.8 {41.3}	12.0 {42.2}	12.0 {42.2}	11.6 {40.9}	
	-15	10.2 {35.8}	10.8 {37.9}	10.9 {38.4}	10.9 {38.4}	10.5 {36.8}	
	-20	9.36 {32.9}	9.78 {34.4}	9.87 {34.7}	9.81 {34.5}	9.36 {32.9}	
	-25	8.50 {29.9}	8.82 {31.0}	8.82 {31.0}	8.79 {30.9}	8.33 {29.3}	
	-30	7.68 {27.0}	7.91 {27.8}	7.85 {27.6}	7.82 {27.5}	7.39 {26.0}	
	-35	6.88 {24.2}	7.02 {24.7}	6.97 {24.5}	6.94 {24.4}	6.51 {22.9}	
-40	6.11 {21.5}	6.23 {21.9}	6.17 {21.7}	6.14 {21.6}	5.74 {20.2}		

R448A

Charge type : C &lt;-40~0℃&gt;

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0545BC1C 0545DC1C	0	4.41 {15.5}	5.03 {17.7}	5.29 {18.6}	5.29 {18.6}	5.26 {18.5}
		-5	4.83 {17.0}	5.29 {18.6}	5.43 {19.1}	5.43 {19.1}	5.32 {18.7}
		-10	4.69 {16.5}	5.03 {17.7}	5.18 {18.2}	5.15 {18.1}	5.01 {17.6}
		-20	4.41 {15.5}	4.58 {16.1}	4.61 {16.2}	4.61 {16.2}	4.41 {15.5}
		-30	3.73 {13.1}	3.84 {13.5}	3.81 {13.4}	3.78 {13.3}	3.58 {12.6}
	0745BC1C 0745DC1C	-40	2.83 {9.94}	2.90 {10.2}	2.87 {10.1}	2.84 {10.0}	2.66 {9.37}
		0	6.14 {21.6}	7.00 {24.6}	7.34 {25.8}	7.39 {26.0}	7.31 {25.7}
		-5	6.74 {23.7}	7.37 {25.9}	7.56 {26.6}	7.56 {26.6}	7.37 {25.9}
		-10	6.51 {22.9}	7.02 {24.7}	7.20 {25.3}	7.17 {25.2}	6.97 {24.5}
		-20	6.11 {21.5}	6.40 {22.5}	6.46 {22.7}	6.43 {22.6}	6.11 {21.5}
	0957DC1C 0971DC1C	-30	5.18 {18.2}	5.32 {18.7}	5.29 {18.6}	5.26 {18.5}	4.98 {17.5}
		-40	3.95 {13.9}	4.04 {14.2}	3.98 {14.0}	3.95 {13.9}	3.73 {13.1}
		0	7.71 {27.1}	8.79 {30.9}	9.21 {32.4}	9.30 {32.7}	9.19 {32.3}
		-5	8.47 {29.8}	9.24 {32.5}	9.50 {33.4}	9.50 {33.4}	9.27 {32.6}
		-10	8.19 {28.8}	8.84 {31.1}	9.02 {31.7}	9.02 {31.7}	8.73 {30.7}
	1157DC1C 1171DC1C	-20	7.68 {27.0}	8.05 {28.3}	8.08 {28.4}	8.08 {28.4}	7.71 {27.1}
		-30	6.51 {22.9}	6.68 {23.5}	6.65 {23.4}	6.63 {23.3}	6.26 {22.0}
		-40	4.95 {17.4}	5.06 {17.8}	5.01 {17.6}	4.98 {17.5}	4.66 {16.4}
		0	9.24 {32.5}	10.6 {37.1}	11.1 {39.0}	11.1 {39.1}	11.0 {38.7}
		-5	10.2 {35.8}	11.1 {38.9}	11.4 {40.0}	11.4 {40.1}	11.1 {39.1}
	1357DC1C 1371DC1C	-10	9.81 {34.5}	10.6 {37.2}	10.8 {38.0}	10.8 {38.0}	10.5 {36.8}
		-20	9.24 {32.5}	9.67 {34.0}	9.70 {34.1}	9.67 {34.0}	9.24 {32.5}
		-30	7.79 {27.4}	8.02 {28.2}	7.99 {28.1}	7.93 {27.9}	7.51 {26.4}
		-40	5.94 {20.9}	6.06 {21.3}	6.00 {21.1}	5.83 {20.5}	5.60 {19.7}
		0	11.0 {38.5}	12.5 {44.0}	13.1 {46.1}	13.2 {46.3}	13.0 {45.8}
		-5	12.0 {42.3}	13.1 {46.1}	13.5 {47.4}	13.5 {47.5}	13.2 {46.3}
		-10	11.6 {40.9}	12.5 {44.0}	12.8 {45.0}	12.8 {45.0}	12.4 {43.6}
		-20	10.9 {38.4}	11.4 {40.2}	11.5 {40.3}	11.5 {40.3}	11.0 {38.5}
-30		9.21 {32.4}	9.50 {33.4}	9.44 {33.2}	9.41 {33.1}	8.90 {31.3}	
-40		7.02 {24.7}	7.17 {25.2}	7.05 {24.8}	7.05 {24.8}	6.63 {23.3}	

R448A

Charge type : SL &lt;-60~-25℃&gt;

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0545BC1SL 0545DC1SL	-25	1.93 {6.77}	1.99 {6.98}	1.98 {6.96}	1.96 {6.90}	1.85 {6.50}
		-30	2.84 {10.0}	2.90 {10.2}	2.90 {10.2}	2.87 {10.1}	2.68 {9.42}
		-35	2.51 {8.81}	2.55 {8.96}	2.52 {8.85}	2.49 {8.76}	2.32 {8.17}
		-40	2.19 {7.70}	2.22 {7.79}	2.19 {7.69}	2.16 {7.59}	2.01 {7.06}
		-45	1.91 {6.71}	1.93 {6.78}	1.90 {6.67}	1.88 {6.60}	1.74 {6.11}
		-50	1.66 {5.84}	1.68 {5.89}	1.64 {5.78}	1.62 {5.71}	1.50 {5.29}
	0745BC1SL 0745DC1SL	-55	1.46 {5.13}	1.47 {5.16}	1.44 {5.08}	1.43 {5.02}	1.32 {4.64}
		-60	1.28 {4.50}	1.29 {4.54}	1.27 {4.47}	1.26 {4.42}	1.16 {4.09}
		-25	2.68 {9.44}	2.77 {9.73}	2.76 {9.70}	2.74 {9.62}	2.58 {9.06}
		-30	3.95 {13.9}	4.07 {14.3}	4.01 {14.1}	3.98 {14.0}	3.73 {13.1}
		-35	3.50 {12.3}	3.55 {12.5}	3.50 {12.3}	3.47 {12.2}	3.24 {11.4}
		-40	3.04 {10.7}	3.10 {10.9}	3.04 {10.7}	3.01 {10.6}	2.80 {9.84}
	0957DC1SL 0971DC1SL	-45	2.66 {9.35}	2.69 {9.45}	2.64 {9.29}	2.61 {9.19}	2.42 {8.51}
		-50	2.31 {8.14}	2.33 {8.20}	2.29 {8.06}	2.26 {7.96}	2.10 {7.37}
		-55	2.03 {7.14}	2.05 {7.20}	2.01 {7.08}	1.99 {6.99}	1.84 {6.46}
		-60	1.79 {6.28}	1.80 {6.34}	1.77 {6.23}	1.75 {6.16}	1.62 {5.70}
		-25	3.38 {11.9}	3.47 {12.2}	3.47 {12.2}	3.44 {12.1}	3.24 {11.4}
		-30	4.98 {17.5}	5.09 {17.9}	5.06 {17.8}	5.01 {17.6}	4.69 {16.5}
	1157DC1SL 1171DC1SL	-35	4.38 {15.4}	4.46 {15.7}	4.41 {15.5}	4.38 {15.4}	4.07 {14.3}
		-40	3.84 {13.5}	3.90 {13.7}	3.84 {13.5}	3.78 {13.3}	3.53 {12.4}
		-45	3.36 {11.8}	3.38 {11.9}	3.33 {11.7}	3.30 {11.6}	3.04 {10.7}
		-50	2.90 {10.2}	2.93 {10.3}	2.87 {10.1}	2.84 {10.0}	2.64 {9.27}
		-55	2.55 {8.98}	2.58 {9.06}	2.53 {8.90}	2.50 {8.80}	2.31 {8.13}
		-60	2.24 {7.89}	2.27 {7.97}	2.23 {7.85}	2.21 {7.76}	2.04 {7.17}
	1357DC1SL 1371DC1SL	-25	4.04 {14.2}	4.18 {14.7}	4.15 {14.6}	4.12 {14.5}	3.90 {13.7}
		-30	5.97 {21.0}	6.11 {21.5}	6.06 {21.3}	6.00 {21.1}	5.63 {19.8}
		-35	5.26 {18.5}	5.35 {18.8}	5.29 {18.6}	5.23 {18.4}	4.89 {17.2}
		-40	4.61 {16.2}	4.66 {16.4}	4.58 {16.1}	4.55 {16.0}	4.24 {14.9}
		-45	4.01 {14.1}	4.04 {14.2}	3.98 {14.0}	3.95 {13.9}	3.64 {12.8}
		-50	3.50 {12.3}	3.53 {12.4}	3.47 {12.2}	3.41 {12.0}	3.16 {11.1}
		-55	3.07 {10.8}	3.10 {10.9}	3.04 {10.7}	3.01 {10.6}	2.77 {9.75}
		-60	2.69 {9.47}	2.72 {9.55}	2.68 {9.41}	2.64 {9.29}	2.45 {8.60}
		-25	4.78 {16.8}	4.92 {17.3}	4.92 {17.3}	4.86 {17.1}	4.58 {16.1}
		-30	7.08 {24.9}	7.22 {25.4}	7.17 {25.2}	7.11 {25.0}	6.65 {23.4}
		-35	6.23 {21.9}	6.31 {22.2}	6.26 {22.0}	6.20 {21.8}	5.77 {20.3}
		-40	5.43 {19.1}	5.52 {19.4}	5.43 {19.1}	5.37 {18.9}	5.01 {17.6}
	-45	4.75 {16.7}	4.78 {16.8}	4.72 {16.6}	4.66 {16.4}	4.32 {15.2}	
	-50	4.12 {14.5}	4.15 {14.6}	4.10 {14.4}	4.04 {14.2}	3.73 {13.1}	
	-55	3.61 {12.7}	3.64 {12.8}	3.58 {12.6}	3.55 {12.5}	3.27 {11.5}	
	-60	3.19 {11.2}	3.21 {11.3}	3.16 {11.1}	3.13 {11.0}	2.90 {10.2}	

R449A

Charge type : SA &lt;-40~10℃&gt;

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0545BC1SA 0545DC1SA	10	3.67 {12.9}	4.81 {16.9}	5.29 {18.6}	5.37 {18.9}	5.49 {19.3}
		5	4.69 {16.5}	5.63 {19.8}	6.00 {21.1}	6.06 {21.3}	6.06 {21.3}
		0	4.72 {16.6}	5.35 {18.8}	5.63 {19.8}	5.66 {19.9}	5.60 {19.7}
		-5	4.58 {16.1}	5.06 {17.8}	5.20 {18.3}	5.20 {18.3}	5.09 {17.9}
		-10	4.35 {15.3}	4.66 {16.4}	4.75 {16.7}	4.78 {16.8}	4.61 {16.2}
		-15	4.07 {14.3}	4.29 {15.1}	4.35 {15.3}	4.32 {15.2}	4.15 {14.6}
		-20	3.73 {13.1}	3.87 {13.6}	3.92 {13.8}	3.90 {13.7}	3.70 {13.0}
		-25	3.38 {11.9}	3.50 {12.3}	3.50 {12.3}	3.47 {12.2}	3.30 {11.6}
		-30	3.04 {10.7}	3.13 {11.0}	3.10 {10.9}	3.10 {10.9}	2.93 {10.3}
		-35	2.74 {9.64}	2.78 {9.79}	2.75 {9.68}	2.75 {9.67}	2.58 {9.06}
	-40	2.43 {8.53}	2.47 {8.68}	2.44 {8.58}	2.42 {8.52}	2.27 {7.98}	
	0745BC1SA 0745DC1SA	10	5.09 {17.9}	6.68 {23.5}	7.37 {25.9}	7.45 {26.2}	7.62 {26.8}
		5	6.51 {22.9}	7.79 {27.4}	8.36 {29.4}	8.42 {29.6}	8.42 {29.6}
		0	6.54 {23.0}	7.48 {26.3}	7.82 {27.5}	7.85 {27.6}	7.76 {27.3}
		-5	6.37 {22.4}	7.02 {24.7}	7.25 {25.5}	7.25 {25.5}	7.08 {24.9}
		-10	6.03 {21.2}	6.48 {22.8}	6.63 {23.3}	6.63 {23.3}	6.40 {22.5}
		-15	5.66 {19.9}	5.94 {20.9}	6.03 {21.2}	6.00 {21.1}	5.77 {20.3}
		-20	5.18 {18.2}	5.40 {19.0}	5.43 {19.1}	5.40 {19.0}	5.15 {18.1}
		-25	4.72 {16.6}	4.86 {17.1}	4.86 {17.1}	4.83 {17.0}	4.58 {16.1}
		-30	4.24 {14.9}	4.38 {15.4}	4.35 {15.3}	4.29 {15.1}	4.07 {14.3}
		-35	3.81 {13.4}	3.90 {13.7}	3.84 {13.5}	3.81 {13.4}	3.58 {12.6}
	-40	3.38 {11.9}	3.44 {12.1}	3.38 {11.9}	3.38 {11.9}	3.16 {11.1}	
	0957DC1SA 0971DC1SA	10	6.40 {22.5}	8.42 {29.6}	9.24 {32.5}	9.36 {32.9}	9.56 {33.6}
		5	8.19 {28.8}	9.81 {34.5}	10.5 {36.9}	10.6 {37.2}	10.6 {37.2}
		0	8.22 {28.9}	9.38 {33.0}	9.81 {34.5}	9.87 {34.7}	9.75 {34.3}
		-5	8.02 {28.2}	8.82 {31.0}	9.13 {32.1}	9.13 {32.1}	8.90 {31.3}
		-10	7.59 {26.7}	8.16 {28.7}	8.33 {29.3}	8.33 {29.3}	8.08 {28.4}
		-15	7.08 {24.9}	7.48 {26.3}	7.59 {26.7}	7.56 {26.6}	7.25 {25.5}
		-20	6.51 {22.9}	6.83 {24.0}	6.83 {24.0}	6.83 {24.0}	6.48 {22.8}
		-25	5.94 {20.9}	6.11 {21.5}	6.11 {21.5}	6.09 {21.4}	5.77 {20.3}
		-30	5.35 {18.8}	5.49 {19.3}	5.43 {19.1}	5.43 {19.1}	5.09 {17.9}
		-35	4.78 {16.8}	4.86 {17.1}	4.83 {17.0}	4.81 {16.9}	4.52 {15.9}
	-40	4.24 {14.9}	4.32 {15.2}	4.29 {15.1}	4.24 {14.9}	3.98 {14.0}	
	1157DC1SA 1171DC1SA	10	7.65 {26.9}	10.1 {35.5}	11.1 {38.9}	11.2 {39.5}	11.5 {40.3}
		5	9.81 {34.5}	11.8 {41.3}	12.6 {44.3}	12.7 {44.6}	12.7 {44.7}
		0	9.87 {34.7}	11.3 {39.6}	11.8 {41.4}	11.8 {41.6}	11.7 {41.1}
		-5	9.61 {33.8}	10.6 {37.2}	10.9 {38.4}	11.0 {38.5}	10.7 {37.6}
		-10	9.13 {32.1}	9.78 {34.4}	9.98 {35.1}	10.0 {35.2}	9.64 {33.9}
		-15	8.50 {29.9}	8.99 {31.6}	9.10 {32.0}	9.07 {31.9}	8.70 {30.6}
		-20	7.82 {27.5}	8.16 {28.7}	8.19 {28.8}	8.16 {28.7}	7.76 {27.3}
-25		7.11 {25.0}	7.34 {25.8}	7.37 {25.9}	7.31 {25.7}	6.94 {24.4}	
-30		6.40 {22.5}	6.57 {23.1}	6.54 {23.0}	6.48 {22.8}	6.14 {21.6}	
-35		5.74 {20.2}	5.86 {20.6}	5.80 {20.4}	5.77 {20.3}	5.40 {19.0}	
-40	5.09 {17.9}	5.20 {18.3}	5.15 {18.1}	5.09 {17.9}	4.78 {16.8}		
1357DC1SA 1371DC1SA	10	9.10 {32.0}	11.9 {41.9}	13.1 {46.1}	13.3 {46.8}	13.6 {47.7}	
	5	11.6 {40.9}	13.9 {49.0}	14.9 {52.3}	15.0 {52.8}	15.0 {52.8}	
	0	11.7 {41.1}	13.3 {46.8}	14.0 {49.1}	14.0 {49.3}	13.9 {48.7}	
	-5	11.4 {40.0}	12.5 {44.1}	12.9 {45.5}	13.0 {45.6}	12.7 {44.5}	
	-10	10.8 {37.8}	11.6 {40.8}	11.8 {41.6}	11.8 {41.6}	11.4 {40.2}	
	-15	10.1 {35.4}	10.6 {37.4}	10.8 {37.8}	10.8 {37.8}	10.3 {36.2}	
	-20	9.24 {32.5}	9.67 {34.0}	9.73 {34.2}	9.64 {33.9}	9.21 {32.4}	
	-25	8.39 {29.5}	8.70 {30.6}	8.70 {30.6}	8.65 {30.4}	8.19 {28.8}	
	-30	7.56 {26.6}	7.79 {27.4}	7.74 {27.2}	7.68 {27.0}	7.25 {25.5}	
	-35	6.80 {23.9}	6.91 {24.3}	6.85 {24.1}	6.83 {24.0}	6.40 {22.5}	
-40	6.03 {21.2}	6.11 {21.5}	6.06 {21.3}	6.03 {21.2}	5.63 {19.8}		

R449A

Charge type : C <-40~0℃>

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0545BC1C 0545DC1C	0	4.38 {15.4}	4.98 {17.5}	5.23 {18.4}	5.23 {18.4}	5.18 {18.2}
		-5	4.58 {16.1}	5.06 {17.8}	5.20 {18.3}	5.20 {18.3}	5.09 {17.9}
		-10	4.64 {16.3}	4.98 {17.5}	5.09 {17.9}	5.06 {17.8}	4.92 {17.3}
		-20	4.35 {15.3}	4.52 {15.9}	4.55 {16.0}	4.55 {16.0}	4.32 {15.2}
		-30	3.67 {12.9}	3.78 {13.3}	3.73 {13.1}	3.73 {13.1}	3.50 {12.3}
	0745BC1C 0745DC1C	-40	2.79 {9.80}	2.84 {10.0}	2.82 {9.91}	2.79 {9.81}	2.61 {9.18}
		0	6.09 {21.4}	6.91 {24.3}	7.25 {25.5}	7.28 {25.6}	7.20 {25.3}
		-5	6.37 {22.4}	7.02 {24.7}	7.25 {25.5}	7.25 {25.5}	7.08 {24.9}
		-10	6.46 {22.7}	6.94 {24.4}	7.08 {24.9}	7.08 {24.9}	6.85 {24.1}
		-20	6.03 {21.2}	6.31 {22.2}	6.34 {22.3}	6.31 {22.2}	6.03 {21.2}
	0957DC1C 0971DC1C	-30	5.12 {18.0}	5.26 {18.5}	5.23 {18.4}	5.18 {18.2}	4.89 {17.2}
		-40	3.90 {13.7}	3.95 {13.9}	3.92 {13.8}	3.87 {13.6}	3.64 {12.8}
		0	7.62 {26.8}	8.67 {30.5}	9.10 {32.0}	9.16 {32.2}	9.04 {31.8}
		-5	8.02 {28.2}	8.82 {31.0}	9.13 {32.1}	9.13 {32.1}	8.90 {31.3}
		-10	8.08 {28.4}	8.73 {30.7}	8.90 {31.3}	8.90 {31.3}	8.59 {30.2}
	1157DC1C 1171DC1C	-20	7.59 {26.7}	7.93 {27.9}	7.96 {28.0}	7.93 {27.9}	7.59 {26.7}
		-30	6.43 {22.6}	6.60 {23.2}	6.54 {23.0}	6.51 {22.9}	6.14 {21.6}
		-40	4.89 {17.2}	4.98 {17.5}	4.92 {17.3}	4.89 {17.2}	4.58 {16.1}
		0	9.16 {32.2}	10.4 {36.7}	10.9 {38.4}	11.0 {38.6}	10.8 {38.1}
		-5	9.61 {33.8}	10.6 {37.2}	10.9 {38.4}	11.0 {38.5}	10.7 {37.6}
	1357DC1C 1371DC1C	-10	9.70 {34.1}	10.4 {36.7}	10.6 {37.4}	10.7 {37.5}	10.3 {36.2}
		-20	9.13 {32.1}	9.53 {33.5}	9.56 {33.6}	9.53 {33.5}	9.07 {31.9}
		-30	7.71 {27.1}	7.91 {27.8}	7.85 {27.6}	7.79 {27.4}	7.37 {25.9}
		-40	5.86 {20.6}	5.97 {21.0}	5.92 {20.8}	5.72 {20.1}	5.49 {19.3}
		0	10.8 {38.1}	12.4 {43.5}	12.9 {45.5}	13.0 {45.6}	12.8 {45.1}
		-5	11.4 {40.0}	12.5 {44.1}	12.9 {45.5}	13.0 {45.6}	12.7 {44.5}
		-10	11.5 {40.4}	12.4 {43.5}	12.6 {44.3}	12.6 {44.3}	12.2 {42.9}
		-20	10.8 {37.9}	11.3 {39.6}	11.3 {39.8}	11.3 {39.7}	10.8 {37.8}
-30		9.10 {32.0}	9.36 {32.9}	9.27 {32.6}	9.24 {32.5}	8.73 {30.7}	
-40		6.94 {24.4}	7.05 {24.8}	6.94 {24.4}	6.91 {24.3}	6.48 {22.8}	

R449A

Charge type : SL <-60~-25℃>

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
SCX-	0545BC1SL 0545DC1SL	-25	1.90 {6.69}	1.96 {6.88}	1.95 {6.86}	1.93 {6.79}	1.82 {6.39}
		-30	2.81 {9.89}	2.87 {10.1}	2.84 {10.0}	2.81 {9.89}	2.63 {9.25}
		-35	2.47 {8.69}	2.51 {8.82}	2.48 {8.71}	2.45 {8.60}	2.28 {8.01}
		-40	2.16 {7.59}	2.18 {7.67}	2.15 {7.55}	2.12 {7.45}	1.97 {6.92}
		-45	1.88 {6.62}	1.90 {6.67}	1.86 {6.55}	1.84 {6.47}	1.70 {5.99}
		-50	1.64 {5.75}	1.65 {5.79}	1.62 {5.68}	1.60 {5.61}	1.48 {5.19}
	0745BC1SL 0745DC1SL	-55	1.43 {5.03}	1.44 {5.06}	1.41 {4.97}	1.40 {4.91}	1.29 {4.53}
		-60	1.25 {4.41}	1.26 {4.44}	1.24 {4.36}	1.23 {4.31}	1.13 {3.98}
		-25	2.65 {9.32}	2.73 {9.60}	2.72 {9.55}	2.69 {9.46}	2.53 {8.89}
		-30	3.92 {13.8}	4.01 {14.1}	3.95 {13.9}	3.92 {13.8}	3.67 {12.9}
		-35	3.44 {12.1}	3.50 {12.3}	3.44 {12.1}	3.41 {12.0}	3.19 {11.2}
		-40	3.01 {10.6}	3.04 {10.7}	2.99 {10.5}	2.96 {10.4}	2.74 {9.64}
	0957DC1SL 0971DC1SL	-45	2.62 {9.22}	2.64 {9.29}	2.60 {9.13}	2.57 {9.02}	2.37 {8.35}
		-50	2.28 {8.02}	2.29 {8.06}	2.26 {7.93}	2.22 {7.82}	2.06 {7.23}
		-55	1.99 {7.01}	2.00 {7.05}	1.97 {6.93}	1.95 {6.84}	1.79 {6.31}
		-60	1.75 {6.14}	1.76 {6.19}	1.73 {6.08}	1.71 {6.01}	1.58 {5.55}
		-25	3.33 {11.7}	3.44 {12.1}	3.41 {12.0}	3.38 {11.9}	3.19 {11.2}
		-30	4.92 {17.3}	5.03 {17.7}	4.98 {17.5}	4.92 {17.3}	4.61 {16.2}
	1157DC1SL 1171DC1SL	-35	4.32 {15.2}	4.41 {15.5}	4.35 {15.3}	4.29 {15.1}	3.98 {14.0}
		-40	3.78 {13.3}	3.81 {13.4}	3.75 {13.2}	3.73 {13.1}	3.44 {12.1}
		-45	3.30 {11.6}	3.33 {11.7}	3.27 {11.5}	3.21 {11.3}	2.99 {10.5}
		-50	2.87 {10.1}	2.87 {10.1}	2.84 {10.0}	2.80 {9.84}	2.59 {9.09}
		-55	2.51 {8.81}	2.53 {8.88}	2.48 {8.72}	2.45 {8.61}	2.26 {7.95}
		-60	2.20 {7.73}	2.22 {7.79}	2.18 {7.66}	2.15 {7.56}	1.99 {6.98}
	1357DC1SL 1371DC1SL	-25	4.01 {14.1}	4.12 {14.5}	4.10 {14.4}	4.07 {14.3}	3.81 {13.4}
		-30	5.92 {20.8}	6.03 {21.2}	5.97 {21.0}	5.92 {20.8}	5.52 {19.4}
		-35	5.20 {18.3}	5.26 {18.5}	5.20 {18.3}	5.15 {18.1}	4.78 {16.8}
		-40	4.55 {16.0}	4.58 {16.1}	4.52 {15.9}	4.46 {15.7}	4.12 {14.5}
		-45	3.95 {13.9}	3.98 {14.0}	3.92 {13.8}	3.87 {13.6}	3.58 {12.6}
		-50	3.44 {12.1}	3.47 {12.2}	3.41 {12.0}	3.36 {11.8}	3.10 {10.9}
		-55	3.01 {10.6}	3.01 {10.6}	2.96 {10.4}	2.93 {10.3}	2.71 {9.53}
		-60	2.63 {9.26}	2.65 {9.33}	2.61 {9.18}	2.58 {9.06}	2.38 {8.38}
		-25	4.72 {16.6}	4.86 {17.1}	4.83 {17.0}	4.81 {16.9}	4.52 {15.9}
		-30	7.00 {24.6}	7.14 {25.1}	7.05 {24.8}	7.00 {24.6}	6.54 {23.0}
		-35	6.14 {21.6}	6.23 {21.9}	6.14 {21.6}	6.09 {21.4}	5.66 {19.9}
		-40	5.37 {18.9}	5.40 {19.0}	5.35 {18.8}	5.26 {18.5}	4.89 {17.2}
		-45	4.66 {16.4}	4.72 {16.6}	4.64 {16.3}	4.58 {16.1}	4.24 {14.9}
		-50	4.07 {14.3}	4.10 {14.4}	4.01 {14.1}	3.95 {13.9}	3.67 {12.9}
		-55	3.55 {12.5}	3.58 {12.6}	3.50 {12.3}	3.47 {12.2}	3.21 {11.3}
		-60	3.10 {10.9}	3.13 {11.0}	3.07 {10.8}	3.04 {10.7}	2.81 {9.89}

# ATX Capacity table

R410A

Charge type : C <-20~10°C>

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BVC 34006DVC	10	0.98 {3.46}	1.04 {3.67}	1.07 {3.76}	1.08 {3.79}	1.09 {3.83}	1.07 {3.77}
		5	1.04 {3.65}	1.08 {3.80}	1.09 {3.85}	1.10 {3.87}	1.10 {3.87}	1.07 {3.78}
		0	1.04 {3.67}	1.07 {3.77}	1.08 {3.80}	1.08 {3.80}	1.07 {3.77}	1.04 {3.66}
		-5	1.04 {3.67}	1.06 {3.74}	1.07 {3.75}	1.06 {3.74}	1.05 {3.69}	1.02 {3.57}
		-10	0.88 {3.08}	0.89 {3.12}	0.88 {3.11}	0.88 {3.10}	0.87 {3.05}	0.83 {2.93}
	-20	0.66 {2.31}	0.66 {2.31}	0.65 {2.30}	0.65 {2.29}	0.63 {2.23}	0.61 {2.13}	
	34013BVC 34013DVC	10	2.08 {7.30}	2.20 {7.75}	2.26 {7.93}	2.28 {8.01}	2.30 {8.08}	2.26 {7.96}
		5	2.19 {7.71}	2.28 {8.03}	2.31 {8.14}	2.33 {8.18}	2.33 {8.18}	2.27 {7.99}
		0	2.20 {7.75}	2.26 {7.96}	2.28 {8.03}	2.29 {8.04}	2.27 {7.97}	2.20 {7.74}
		-5	2.21 {7.76}	2.25 {7.90}	2.26 {7.93}	2.25 {7.92}	2.22 {7.81}	2.14 {7.54}
		-10	1.86 {6.53}	1.88 {6.60}	1.87 {6.59}	1.87 {6.57}	1.83 {6.45}	1.77 {6.21}
	-20	1.40 {4.91}	1.40 {4.91}	1.39 {4.88}	1.38 {4.85}	1.35 {4.73}	1.29 {4.52}	
	34023BVC 34023DVC	10	3.55 {12.5}	3.78 {13.3}	3.87 {13.6}	3.92 {13.8}	3.95 {13.9}	3.90 {13.7}
		5	3.75 {13.2}	3.92 {13.8}	3.98 {14.0}	4.01 {14.1}	4.01 {14.1}	3.90 {13.7}
		0	3.78 {13.3}	3.90 {13.7}	3.92 {13.8}	3.92 {13.8}	3.90 {13.7}	3.78 {13.3}
		-5	3.81 {13.4}	3.87 {13.6}	3.87 {13.6}	3.87 {13.6}	3.81 {13.4}	3.70 {13.0}
		-10	3.21 {11.3}	3.24 {11.4}	3.24 {11.4}	3.21 {11.3}	3.16 {11.1}	3.04 {10.7}
	-20	2.42 {8.51}	2.42 {8.51}	2.41 {8.46}	2.39 {8.41}	2.33 {8.19}	2.23 {7.84}	
	34035BVC 34035DVC	10	5.43 {19.1}	5.74 {20.2}	5.89 {20.7}	5.94 {20.9}	6.00 {21.1}	5.92 {20.8}
		5	5.72 {20.1}	5.97 {21.0}	6.06 {21.3}	6.09 {21.4}	6.09 {21.4}	5.94 {20.9}
		0	5.77 {20.3}	5.92 {20.8}	5.97 {21.0}	5.97 {21.0}	5.94 {20.9}	5.77 {20.3}
		-5	5.77 {20.3}	5.89 {20.7}	5.92 {20.8}	5.89 {20.7}	5.80 {20.4}	5.63 {19.8}
		-10	4.89 {17.2}	4.92 {17.3}	4.92 {17.3}	4.92 {17.3}	4.83 {17.0}	4.64 {16.3}
	-20	3.70 {13.0}	3.70 {13.0}	3.67 {12.9}	3.64 {12.8}	3.55 {12.5}	3.38 {11.9}	
	34045BVC 34045DVC	10	6.97 {24.5}	7.39 {26.0}	7.56 {26.6}	7.65 {26.9}	7.71 {27.1}	7.59 {26.7}
		5	7.37 {25.9}	7.65 {26.9}	7.76 {27.3}	7.82 {27.5}	7.79 {27.4}	7.62 {26.8}
		0	7.39 {26.0}	7.62 {26.8}	7.68 {27.0}	7.68 {27.0}	7.62 {26.8}	7.39 {26.0}
		-5	7.42 {26.1}	7.56 {26.6}	7.59 {26.7}	7.56 {26.6}	7.48 {26.3}	7.22 {25.4}
		-10	6.26 {22.0}	6.34 {22.3}	6.34 {22.3}	6.31 {22.2}	6.20 {21.8}	5.94 {20.9}
	-20	4.72 {16.6}	4.72 {16.6}	4.69 {16.5}	4.66 {16.4}	4.55 {16.0}	4.35 {15.3}	
	57060DVC	10	9.58 {33.7}	10.2 {35.8}	10.4 {36.6}	10.5 {36.9}	10.6 {37.3}	10.4 {36.7}
		5	10.1 {35.6}	10.6 {37.1}	10.7 {37.6}	10.7 {37.8}	10.7 {37.7}	10.5 {36.9}
		0	10.2 {35.8}	10.5 {36.8}	10.6 {37.1}	10.6 {37.1}	10.5 {36.8}	10.2 {35.8}
		-5	10.2 {35.9}	10.4 {36.5}	10.4 {36.7}	10.4 {36.6}	10.3 {36.1}	9.93 {34.9}
		-10	8.62 {30.3}	8.70 {30.6}	8.70 {30.6}	8.67 {30.5}	8.50 {29.9}	8.19 {28.8}
	-20	6.51 {22.9}	6.51 {22.9}	6.48 {22.8}	6.43 {22.6}	6.29 {22.1}	6.00 {21.1}	
	57080DVC	10	12.8 {45.1}	13.6 {47.9}	13.9 {49.0}	14.1 {49.5}	14.2 {50.0}	14.0 {49.2}
		5	13.5 {47.6}	14.1 {49.6}	14.3 {50.3}	14.4 {50.6}	14.4 {50.6}	14.0 {49.4}
		0	13.6 {47.9}	14.0 {49.3}	14.1 {49.6}	14.1 {49.7}	14.0 {49.3}	13.6 {47.9}
		-5	13.7 {48.0}	13.9 {48.9}	14.0 {49.1}	13.9 {49.0}	13.7 {48.3}	13.3 {46.7}
		-10	11.5 {40.5}	11.6 {40.9}	11.6 {40.9}	11.6 {40.7}	11.4 {40.0}	10.9 {38.5}
	-20	8.67 {30.5}	8.67 {30.5}	8.62 {30.3}	8.56 {30.1}	8.33 {29.3}	7.99 {28.1}	
	71110DVC	10	17.6 {61.9}	18.7 {65.7}	19.1 {67.2}	19.3 {67.9}	19.5 {68.5}	19.2 {67.5}
		5	18.6 {65.3}	19.3 {68.0}	19.6 {69.0}	19.7 {69.3}	19.7 {69.3}	19.3 {67.7}
		0	18.7 {65.6}	19.2 {67.4}	19.3 {67.9}	19.3 {68.0}	19.2 {67.5}	18.6 {65.5}
		-5	18.7 {65.6}	19.0 {66.8}	19.1 {67.0}	19.0 {66.9}	18.8 {66.0}	18.1 {63.8}
		-10	15.6 {55.0}	15.8 {55.5}	15.8 {55.5}	15.7 {55.3}	15.4 {54.3}	14.9 {52.3}
	-20	11.7 {41.1}	11.7 {41.1}	11.6 {40.9}	11.5 {40.6}	11.3 {39.6}	10.8 {37.9}	
	71140DVC	10	22.3 {78.4}	23.7 {83.3}	24.2 {85.2}	24.5 {86.0}	24.7 {86.9}	24.3 {85.5}
		5	23.5 {82.8}	24.5 {86.2}	24.9 {87.4}	25.0 {87.9}	25.0 {87.8}	24.4 {85.8}
		0	23.7 {83.2}	24.3 {85.5}	24.5 {86.1}	24.5 {86.2}	24.3 {85.6}	23.6 {83.1}
		-5	23.7 {83.3}	24.1 {84.8}	24.2 {85.0}	24.1 {84.9}	23.8 {83.7}	23.0 {80.9}
		-10	19.9 {69.9}	20.1 {70.6}	20.1 {70.6}	20.0 {70.3}	19.6 {69.0}	18.9 {66.4}
	-20	14.9 {52.4}	14.9 {52.4}	14.8 {52.1}	14.7 {51.7}	14.3 {50.4}	13.7 {48.3}	
	71160DVC	10	25.7 {90.3}	27.3 {95.9}	27.9 {98.1}	28.2 {99.0}	28.4 {100}	28.0 {98.4}
		5	27.1 {95.3}	28.2 {99.2}	28.7 {101}	28.7 {101}	28.7 {101}	28.1 {98.7}
		0	27.2 {95.7}	28.0 {98.3}	28.2 {99.1}	28.2 {99.2}	28.0 {98.5}	27.2 {95.6}
		-5	27.2 {95.8}	27.7 {97.5}	27.8 {97.8}	27.8 {97.7}	27.4 {96.4}	26.5 {93.1}
		-10	22.8 {80.3}	23.1 {81.2}	23.1 {81.1}	23.0 {80.9}	22.6 {79.4}	21.7 {76.4}
	-20	17.1 {60.2}	17.1 {60.2}	17.0 {59.9}	16.9 {59.5}	16.5 {58.0}	15.8 {55.4}	
	12220DVC	10	35.3 {124}	37.5 {132}	38.4 {135}	39.0 {137}	39.2 {138}	38.7 {136}
		5	37.3 {131}	39.0 {137}	39.5 {139}	39.5 {139}	39.5 {139}	38.7 {136}
		0	37.5 {132}	38.7 {136}	39.0 {137}	39.0 {137}	38.7 {136}	37.5 {132}
		-5	37.5 {132}	38.1 {134}	38.4 {135}	38.4 {135}	37.8 {133}	36.4 {128}
		-10	31.3 {110}	31.9 {112}	31.9 {112}	31.6 {111}	31.0 {109}	29.9 {105}
	-20	23.5 {82.5}	23.5 {82.5}	23.3 {82.1}	23.2 {81.5}	22.6 {79.5}	21.6 {76.0}	



R410A

Charge type : C <-20~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (℃)					
			30	35	38	40	45	50
ATX-	12270DVC	10	43.2 {152}	46.1 {162}	46.9 {165}	47.5 {167}	48.1 {169}	47.2 {166}
		5	45.8 {161}	47.5 {167}	48.3 {170}	48.6 {171}	48.3 {170}	47.5 {167}
		0	45.8 {161}	47.2 {166}	47.5 {167}	47.5 {167}	47.2 {166}	45.8 {161}
		-5	45.8 {161}	46.6 {164}	46.9 {165}	46.9 {165}	46.1 {162}	44.6 {157}
		-10	38.4 {135}	39.0 {137}	38.7 {136}	38.7 {136}	37.8 {133}	36.4 {128}
		-20	28.7 {101}	28.7 {101}	28.4 {100}	28.4 {99.7}	27.6 {97.2}	26.4 {93.0}
	12330DVC	10	52.6 {185}	55.7 {196}	57.2 {201}	57.7 {203}	58.3 {205}	57.2 {201}
		5	55.5 {195}	57.7 {203}	58.6 {206}	58.9 {207}	58.9 {207}	57.4 {202}
		0	55.7 {196}	57.2 {201}	57.7 {203}	57.7 {203}	57.2 {201}	55.7 {196}
		-5	55.7 {196}	56.6 {199}	56.9 {200}	56.9 {200}	56.0 {197}	54.0 {190}
		-10	46.6 {164}	47.2 {166}	47.2 {166}	46.9 {165}	46.1 {162}	44.4 {156}
		-20	35.0 {123}	35.0 {123}	34.7 {122}	34.4 {121}	33.6 {118}	32.1 {113}
	12420DVC	10	66.5 {234}	70.8 {249}	72.2 {254}	73.1 {257}	73.7 {259}	72.5 {255}
		5	70.2 {247}	73.1 {257}	74.2 {261}	74.5 {262}	74.5 {262}	72.8 {256}
		0	70.5 {248}	72.5 {255}	73.1 {257}	73.1 {257}	72.5 {255}	70.5 {248}
		-5	70.5 {248}	72.0 {253}	72.0 {253}	72.0 {253}	71.1 {250}	68.5 {241}
		-10	59.2 {208}	59.7 {210}	59.7 {210}	59.4 {209}	58.3 {205}	56.0 {197}
		-20	44.1 {155}	44.1 {155}	43.8 {154}	43.5 {153}	42.4 {149}	40.7 {143}
	12500DVC	10	80.2 {282}	85.0 {299}	87.0 {306}	87.9 {309}	88.7 {312}	87.3 {307}
		5	84.5 {297}	87.9 {309}	89.3 {314}	89.6 {315}	89.6 {315}	87.6 {308}
		0	84.7 {298}	87.0 {306}	87.9 {309}	87.9 {309}	87.3 {307}	84.7 {298}
		-5	84.7 {298}	86.5 {304}	86.7 {305}	86.5 {304}	85.3 {300}	82.5 {290}
		-10	71.1 {250}	71.7 {252}	71.7 {252}	71.4 {251}	70.2 {247}	67.7 {238}
		-20	53.2 {187}	53.2 {187}	52.9 {186}	52.3 {184}	51.2 {180}	48.9 {172}

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BVCL	-10	0.88 {3.08}	0.89 {3.12}	0.88 {3.11}	0.88 {3.10}	0.87 {3.05}	0.83 {2.93}
		-20	0.66 {2.31}	0.66 {2.31}	0.65 {2.30}	0.65 {2.29}	0.63 {2.23}	0.61 {2.13}
	34006DVCL	-30	0.57 {2.01}	0.57 {1.99}	0.56 {1.98}	0.56 {1.96}	0.54 {1.90}	-
		-40	0.46 {1.60}	0.45 {1.59}	0.45 {1.57}	0.44 {1.55}	0.43 {1.50}	-
	34013BVCL	-10	1.86 {6.53}	1.88 {6.60}	1.87 {6.59}	1.87 {6.57}	1.83 {6.45}	1.77 {6.21}
		-20	1.40 {4.91}	1.40 {4.91}	1.39 {4.88}	1.38 {4.85}	1.35 {4.73}	1.29 {4.52}
	34013DVCL	-30	1.21 {4.26}	1.20 {4.23}	1.19 {4.19}	1.18 {4.16}	1.15 {4.03}	-
		-40	0.97 {3.40}	0.96 {3.37}	0.95 {3.33}	0.94 {3.30}	0.91 {3.19}	-
	34023BVCL	-10	3.21 {11.3}	3.24 {11.4}	3.24 {11.4}	3.21 {11.3}	3.16 {11.1}	3.04 {10.7}
		-20	2.42 {8.51}	2.42 {8.51}	2.41 {8.46}	2.39 {8.41}	2.33 {8.19}	2.23 {7.84}
	34023DVCL	-30	2.10 {7.39}	2.09 {7.35}	2.07 {7.28}	2.05 {7.22}	1.99 {7.00}	-
		-40	1.68 {5.92}	1.67 {5.86}	1.65 {5.80}	1.63 {5.74}	1.58 {5.55}	-
	34035BVCL	-10	4.89 {17.2}	4.92 {17.3}	4.92 {17.3}	4.92 {17.3}	4.83 {17.0}	4.64 {16.3}
		-20	3.70 {13.0}	3.70 {13.0}	3.67 {12.9}	3.64 {12.8}	3.55 {12.5}	3.38 {11.9}
	34035DVCL	-30	3.21 {11.3}	3.19 {11.2}	3.16 {11.1}	3.13 {11.0}	3.04 {10.7}	-
		-40	2.57 {9.02}	2.54 {8.93}	2.51 {8.83}	2.49 {8.74}	2.40 {8.45}	-
	34045BVCL	-10	6.26 {22.0}	6.34 {22.3}	6.34 {22.3}	6.31 {22.2}	6.20 {21.8}	5.94 {20.9}
		-20	4.72 {16.6}	4.72 {16.6}	4.69 {16.5}	4.66 {16.4}	4.55 {16.0}	4.35 {15.3}
	34045DVCL	-30	4.10 {14.4}	4.10 {14.4}	4.04 {14.2}	4.01 {14.1}	3.90 {13.7}	-
		-40	3.30 {11.6}	3.27 {11.5}	3.21 {11.3}	3.19 {11.2}	3.07 {10.8}	-
	57060DVCL	-10	8.62 {30.3}	8.70 {30.6}	8.70 {30.6}	8.67 {30.5}	8.50 {29.9}	8.19 {28.8}
		-20	6.51 {22.9}	6.51 {22.9}	6.48 {22.8}	6.43 {22.6}	6.29 {22.1}	6.00 {21.1}
	57080DVCL	-30	5.66 {19.9}	5.63 {19.8}	5.57 {19.6}	5.52 {19.4}	5.35 {18.8}	-
		-40	4.52 {15.9}	4.49 {15.8}	4.44 {15.6}	4.41 {15.5}	4.24 {14.9}	-
	71110DVCL	-10	11.5 {40.5}	11.6 {40.9}	11.6 {40.9}	11.6 {40.7}	11.4 {40.0}	10.9 {38.5}
		-20	8.67 {30.5}	8.67 {30.5}	8.62 {30.3}	8.56 {30.1}	8.33 {29.3}	7.99 {28.1}
	71140DVCL	-30	7.51 {26.4}	7.48 {26.3}	7.42 {26.1}	7.34 {25.8}	7.14 {25.1}	-
		-40	6.03 {21.2}	5.94 {20.9}	5.89 {20.7}	5.83 {20.5}	5.63 {19.8}	-
	71160DVCL	-10	15.6 {55.0}	15.8 {55.5}	15.8 {55.5}	15.7 {55.3}	15.4 {54.3}	14.9 {52.3}
		-20	11.7 {41.1}	11.7 {41.1}	11.6 {40.9}	11.5 {40.6}	11.3 {39.6}	10.8 {37.9}
	12220DVCL	-30	10.1 {35.6}	10.1 {35.4}	10.0 {35.0}	9.87 {34.7}	9.58 {33.7}	-
		-40	8.08 {28.4}	7.99 {28.1}	7.91 {27.8}	7.82 {27.5}	7.56 {26.6}	-
	12270DVCL	-10	19.9 {69.9}	20.1 {70.6}	20.1 {70.6}	20.0 {70.3}	19.6 {69.0}	18.9 {66.4}
		-20	14.9 {52.4}	14.9 {52.4}	14.8 {52.1}	14.7 {51.7}	14.3 {50.4}	13.7 {48.3}
	12330DVCL	-30	12.9 {45.4}	12.8 {45.1}	12.7 {44.7}	12.6 {44.3}	12.2 {43.0}	-
		-40	10.3 {36.3}	10.2 {35.9}	10.1 {35.5}	10.0 {35.1}	9.67 {34.0}	-
	12420DVCL	-10	22.8 {80.3}	23.1 {81.2}	23.1 {81.1}	23.0 {80.9}	22.6 {79.4}	21.7 {76.4}
		-20	17.1 {60.2}	17.1 {60.2}	17.0 {59.9}	16.9 {59.5}	16.5 {58.0}	15.8 {55.4}
	12500DVCL	-30	14.8 {52.1}	14.7 {51.8}	14.6 {51.4}	14.5 {50.9}	14.0 {49.4}	-
		-40	11.8 {41.6}	11.7 {41.2}	11.6 {40.8}	11.5 {40.3}	11.1 {39.0}	-
	12270DVCL	-10	31.3 {110}	31.9 {112}	31.9 {112}	31.6 {111}	31.0 {109}	29.9 {105}
		-20	23.5 {82.5}	23.5 {82.5}	23.3 {82.1}	23.2 {81.5}	22.6 {79.5}	21.6 {76.0}
	12330DVCL	-30	20.3 {71.4}	20.2 {71.0}	20.0 {70.4}	19.8 {69.7}	19.3 {67.7}	-
		-40	16.2 {57.0}	16.0 {56.4}	15.9 {55.8}	15.7 {55.2}	15.2 {53.4}	-
	12420DVCL	-10	38.4 {135}	39.0 {137}	38.7 {136}	38.7 {136}	37.8 {133}	36.4 {128}
		-20	28.7 {101}	28.7 {101}	28.4 {100}	28.4 {99.7}	27.6 {97.2}	26.4 {93.0}
	12500DVCL	-30	24.9 {87.4}	24.7 {86.8}	24.5 {86.1}	24.3 {85.3}	23.5 {82.8}	-
		-40	19.8 {69.7}	19.6 {69.0}	19.4 {68.2}	19.2 {67.5}	18.6 {65.3}	-
	12330DVCL	-10	46.6 {164}	47.2 {166}	47.2 {166}	46.9 {165}	46.1 {162}	44.4 {156}
		-20	35.0 {123}	35.0 {123}	34.7 {122}	34.4 {121}	33.6 {118}	32.1 {113}
12420DVCL	-30	30.1 {106}	29.9 {105}	29.9 {105}	29.6 {104}	28.7 {101}	-	
	-40	24.1 {84.6}	23.8 {83.7}	23.5 {82.8}	23.3 {82.0}	22.6 {79.3}	-	
12500DVCL	-10	59.2 {208}	59.7 {210}	59.7 {210}	59.4 {209}	58.3 {205}	56.0 {197}	
	-20	44.1 {155}	44.1 {155}	43.8 {154}	43.5 {153}	42.4 {149}	40.7 {143}	
12500DVCL	-30	38.1 {134}	38.1 {134}	37.5 {132}	37.3 {131}	36.1 {127}	-	
	-40	30.4 {107}	30.1 {106}	29.9 {105}	29.6 {104}	28.4 {100}	-	
12500DVCL	-10	71.1 {250}	71.7 {252}	71.7 {252}	71.4 {251}	70.2 {247}	67.7 {238}	
	-20	53.2 {187}	53.2 {187}	52.9 {186}	52.3 {184}	51.2 {180}	48.9 {172}	
12500DVCL	-30	46.1 {162}	45.8 {161}	45.2 {159}	44.9 {158}	43.5 {153}	-	
	-40	36.7 {129}	36.4 {128}	35.8 {126}	35.5 {125}	34.4 {121}	-	

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BMS 34006DMS	10	0.67 {2.34}	0.71 {2.49}	0.73 {2.58}	0.74 {2.61}	0.78 {2.73}	0.79 {2.79}
		5	0.66 {2.33}	0.68 {2.40}	0.70 {2.46}	0.71 {2.48}	0.73 {2.55}	0.75 {2.62}
		0	0.63 {2.21}	0.65 {2.29}	0.67 {2.35}	0.67 {2.37}	0.69 {2.41}	0.69 {2.43}
		-5	0.59 {2.07}	0.61 {2.13}	0.62 {2.19}	0.63 {2.20}	0.63 {2.21}	0.63 {2.22}
		-10	0.53 {1.86}	0.55 {1.93}	0.56 {1.97}	0.56 {1.98}	0.57 {2.00}	0.56 {1.98}
		-20	0.41 {1.44}	0.43 {1.50}	0.43 {1.51}	0.43 {1.51}	0.43 {1.51}	0.42 {1.49}
	34013BMS 34013DMS	10	1.52 {5.33}	1.65 {5.79}	1.71 {6.00}	1.74 {6.11}	1.80 {6.34}	1.83 {6.43}
		5	1.44 {5.06}	1.56 {5.47}	1.60 {5.63}	1.62 {5.69}	1.66 {5.85}	1.69 {5.93}
		0	1.33 {4.66}	1.39 {4.90}	1.42 {5.01}	1.44 {5.05}	1.47 {5.16}	1.48 {5.21}
		-5	1.20 {4.22}	1.24 {4.37}	1.27 {4.45}	1.28 {4.49}	1.29 {4.54}	1.31 {4.59}
		-10	1.10 {3.88}	1.13 {3.97}	1.14 {4.02}	1.15 {4.05}	1.16 {4.07}	1.16 {4.07}
		-20	0.92 {3.22}	0.92 {3.24}	0.93 {3.28}	0.93 {3.27}	0.93 {3.28}	0.93 {3.27}
	34023BMS 34023DMS	10	2.64 {9.29}	2.87 {10.1}	2.96 {10.4}	3.01 {10.6}	3.13 {11.0}	3.21 {11.3}
		5	2.56 {9.01}	2.72 {9.58}	2.80 {9.85}	2.84 {9.98}	2.90 {10.2}	2.93 {10.3}
		0	2.37 {8.32}	2.47 {8.67}	2.54 {8.92}	2.56 {9.00}	2.61 {9.19}	2.63 {9.26}
		-5	2.15 {7.57}	2.23 {7.85}	2.27 {7.99}	2.29 {8.05}	2.31 {8.13}	2.33 {8.18}
		-10	1.91 {6.72}	1.97 {6.92}	1.99 {7.01}	2.00 {7.05}	2.02 {7.11}	2.02 {7.09}
		-20	1.66 {5.84}	1.69 {5.95}	1.71 {6.00}	1.71 {6.02}	1.71 {6.02}	1.69 {5.95}
	34035BMS 34035DMS	10	4.07 {14.3}	4.41 {15.5}	4.55 {16.0}	4.64 {16.3}	4.81 {16.9}	4.95 {17.4}
		5	3.84 {13.5}	4.07 {14.3}	4.21 {14.8}	4.24 {14.9}	4.38 {15.4}	4.44 {15.6}
		0	3.61 {12.7}	3.78 {13.3}	3.87 {13.6}	3.90 {13.7}	3.98 {14.0}	4.01 {14.1}
		-5	3.38 {11.9}	3.50 {12.3}	3.58 {12.6}	3.61 {12.7}	3.64 {12.8}	3.64 {12.8}
		-10	3.01 {10.6}	3.10 {10.9}	3.13 {11.0}	3.16 {11.1}	3.19 {11.2}	3.19 {11.2}
		-20	2.62 {9.22}	2.68 {9.42}	2.70 {9.49}	2.70 {9.51}	2.71 {9.54}	2.69 {9.47}
	34045BMS 34045DMS	10	5.26 {18.5}	5.63 {19.8}	5.86 {20.6}	5.92 {20.8}	6.14 {21.6}	6.34 {22.3}
		5	4.92 {17.3}	5.20 {18.3}	5.40 {19.0}	5.46 {19.2}	5.63 {19.8}	5.69 {20.0}
		0	4.61 {16.2}	4.83 {17.0}	4.95 {17.4}	4.95 {17.4}	5.06 {17.8}	5.12 {18.0}
		-5	4.32 {15.2}	4.46 {15.7}	4.61 {16.2}	4.61 {16.2}	4.66 {16.4}	4.66 {16.4}
		-10	3.87 {13.6}	3.98 {14.0}	4.04 {14.2}	4.01 {14.1}	4.07 {14.3}	4.07 {14.3}
		-20	3.38 {11.9}	3.44 {12.1}	3.47 {12.2}	3.47 {12.2}	3.47 {12.2}	3.47 {12.2}
	57060DMS	10	6.97 {24.5}	7.54 {26.5}	7.85 {27.6}	7.93 {27.9}	8.28 {29.1}	8.47 {29.8}
		5	6.57 {23.1}	6.94 {24.4}	7.22 {25.4}	7.28 {25.6}	7.48 {26.3}	7.59 {26.7}
		0	6.26 {22.0}	6.51 {22.9}	6.71 {23.6}	6.74 {23.7}	6.88 {24.2}	6.94 {24.4}
		-5	5.83 {20.5}	6.03 {21.2}	6.11 {21.5}	6.14 {21.6}	6.23 {21.9}	6.26 {22.0}
		-10	5.35 {18.8}	5.49 {19.3}	5.60 {19.7}	5.63 {19.8}	5.69 {20.0}	5.66 {19.9}
		-20	4.44 {15.6}	4.49 {15.8}	4.52 {15.9}	4.52 {15.9}	4.55 {16.0}	4.49 {15.8}
	57080DMS	10	9.19 {32.3}	9.93 {34.9}	10.3 {36.3}	10.5 {36.9}	10.9 {38.4}	11.2 {39.3}
		5	8.79 {30.9}	9.30 {32.7}	9.58 {33.7}	9.73 {34.2}	9.98 {35.1}	10.1 {35.6}
		0	8.25 {29.0}	8.67 {30.5}	8.87 {31.2}	8.96 {31.5}	9.10 {32.0}	9.16 {32.2}
		-5	7.68 {27.0}	7.99 {28.1}	8.13 {28.6}	8.19 {28.8}	8.30 {29.2}	8.30 {29.2}
		-10	6.97 {24.5}	7.22 {25.4}	7.31 {25.7}	7.31 {25.7}	7.34 {25.8}	7.37 {25.9}
		-20	5.89 {20.7}	6.00 {21.1}	6.06 {21.3}	6.06 {21.3}	6.06 {21.3}	6.03 {21.2}
	71110DMS	10	12.4 {43.5}	13.4 {47.1}	13.9 {48.8}	14.1 {49.7}	14.7 {51.6}	15.0 {52.8}
		5	12.1 {42.4}	12.8 {45.0}	13.2 {46.4}	13.4 {47.0}	13.8 {48.4}	14.1 {49.6}
		0	11.4 {40.2}	11.9 {42.0}	12.2 {43.0}	12.3 {43.4}	12.6 {44.3}	12.7 {44.7}
		-5	10.6 {37.1}	10.9 {38.5}	11.1 {39.2}	11.2 {39.5}	11.3 {39.9}	11.4 {40.0}
		-10	9.61 {33.8}	9.90 {34.8}	10.0 {35.2}	10.1 {35.5}	10.2 {35.7}	10.1 {35.6}
		-20	7.91 {27.8}	7.99 {28.1}	8.13 {28.6}	8.16 {28.7}	8.16 {28.7}	8.13 {28.6}
71140DMS	10	15.8 {55.4}	17.0 {59.9}	17.7 {62.1}	18.0 {63.3}	18.7 {65.7}	19.1 {67.1}	
	5	15.4 {54.1}	16.3 {57.3}	16.8 {59.1}	17.0 {59.8}	17.5 {61.4}	17.5 {61.6}	
	0	14.6 {51.3}	15.3 {53.7}	15.6 {54.9}	15.8 {55.5}	16.1 {56.5}	16.2 {57.0}	
	-5	13.5 {47.3}	13.9 {49.0}	14.2 {49.8}	14.2 {50.0}	14.4 {50.6}	14.5 {50.9}	
	-10	12.1 {42.6}	12.5 {43.8}	12.6 {44.4}	12.7 {44.5}	12.8 {45.0}	12.8 {44.9}	
	-20	10.2 {35.9}	10.6 {37.1}	10.6 {37.4}	10.6 {37.4}	10.6 {37.3}	10.6 {37.2}	
71160DMS	10	18.1 {63.8}	19.7 {69.2}	20.4 {71.8}	20.7 {72.9}	21.3 {75.0}	21.7 {76.2}	
	5	17.5 {61.6}	18.7 {65.6}	19.2 {67.5}	19.5 {68.4}	19.7 {69.2}	19.9 {69.8}	
	0	16.6 {58.4}	17.4 {61.3}	17.8 {62.6}	18.0 {63.3}	18.3 {64.4}	18.4 {64.7}	
	-5	15.2 {53.6}	15.8 {55.7}	16.1 {56.6}	16.2 {57.1}	16.4 {57.7}	16.7 {58.6}	
	-10	13.8 {48.5}	14.3 {50.2}	14.5 {50.9}	14.6 {51.2}	14.7 {51.6}	14.6 {51.4}	
	-20	11.7 {41.3}	12.0 {42.1}	12.1 {42.6}	12.1 {42.6}	12.1 {42.7}	12.0 {42.1}	
		-30	10.3 {36.2}	10.4 {36.5}	10.5 {36.8}	10.5 {36.9}	10.5 {36.8}	

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (℃)					
			30	35	38	40	45	50
ATX-	12220DMS	10	25.8 {90.8}	28.0 {98.4}	29.0 {102}	29.6 {104}	30.7 {108}	31.3 {110}
		5	24.1 {84.8}	25.6 {90.0}	26.4 {92.8}	26.7 {94.0}	27.4 {96.5}	27.8 {97.9}
		0	22.6 {79.4}	23.7 {83.5}	24.2 {85.2}	24.5 {86.2}	25.0 {87.9}	25.2 {88.5}
		-5	21.0 {73.9}	21.8 {76.8}	22.2 {78.0}	22.4 {78.7}	22.6 {79.4}	22.7 {79.8}
		-10	19.1 {67.1}	19.7 {69.1}	19.9 {69.9}	20.0 {70.4}	20.2 {70.9}	20.1 {70.8}
		-20	15.9 {55.8}	16.4 {57.6}	16.6 {58.2}	16.9 {59.5}	16.6 {58.3}	16.2 {57.1}
	12270DMS	10	31.0 {109}	33.3 {117}	34.7 {122}	35.3 {124}	36.7 {129}	37.8 {133}
		5	29.6 {104}	31.6 {111}	32.4 {114}	32.7 {115}	33.8 {119}	34.1 {120}
		0	27.8 {97.8}	29.0 {102}	29.9 {105}	30.1 {106}	30.7 {108}	31.0 {109}
		-5	25.7 {90.5}	26.7 {94.0}	27.2 {95.6}	27.4 {96.3}	27.7 {97.3}	27.8 {97.8}
		-10	23.3 {81.8}	24.1 {84.7}	24.4 {85.7}	24.5 {86.3}	24.7 {87.0}	24.7 {86.8}
		-20	19.5 {68.5}	19.9 {69.9}	20.0 {70.5}	20.1 {70.6}	20.1 {70.8}	19.9 {70.1}
	12330DMS	10	38.1 {134}	40.7 {143}	42.4 {149}	42.9 {151}	44.9 {158}	46.1 {162}
		5	36.4 {128}	38.4 {135}	39.8 {140}	40.1 {141}	41.0 {144}	41.8 {147}
		0	34.1 {120}	35.8 {126}	36.4 {128}	36.7 {129}	37.3 {131}	37.8 {133}
		-5	31.6 {111}	32.7 {115}	33.3 {117}	33.8 {119}	34.1 {120}	34.1 {120}
		-10	28.4 {100}	29.3 {103}	29.9 {105}	29.9 {105}	30.1 {106}	30.1 {106}
		-20	23.9 {84.0}	24.3 {85.6}	24.5 {86.3}	24.6 {86.5}	24.6 {86.6}	24.4 {85.9}
	12420DMS	10	48.9 {172}	52.6 {185}	54.9 {193}	55.5 {195}	58.0 {204}	60.6 {213}
		5	46.1 {162}	48.9 {172}	50.3 {177}	50.9 {179}	52.3 {184}	53.2 {187}
		0	43.2 {152}	45.2 {159}	46.4 {163}	46.6 {164}	47.5 {167}	48.3 {170}
		-5	39.8 {140}	41.2 {145}	42.4 {149}	42.7 {150}	42.9 {151}	42.9 {151}
		-10	36.4 {128}	37.3 {131}	38.1 {134}	38.1 {134}	38.4 {135}	38.4 {135}
		-20	30.1 {106}	31.0 {109}	31.3 {110}	31.3 {110}	31.3 {110}	31.3 {110}
	12500DMS	10	57.4 {202}	62.3 {219}	64.8 {228}	65.4 {230}	68.5 {241}	69.7 {245}
		5	54.6 {192}	58.3 {205}	60.0 {211}	60.6 {213}	62.3 {219}	63.4 {223}
		0	52.0 {183}	54.0 {190}	55.2 {194}	55.5 {195}	56.9 {200}	57.4 {202}
		-5	48.3 {170}	50.1 {176}	50.9 {179}	51.2 {180}	51.5 {181}	52.0 {183}
		-10	44.6 {157}	45.5 {160}	46.4 {163}	46.6 {164}	46.6 {164}	46.9 {165}
		-20	36.7 {129}	37.3 {131}	37.8 {133}	37.8 {133}	37.8 {133}	37.8 {133}
		-30	32.1 {113}	32.4 {114}	32.7 {115}	32.7 {115}	32.7 {115}	32.4 {114}

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BUS 34006DUS	10	0.67 {2.35}	0.69 {2.44}	0.70 {2.47}	0.70 {2.47}	0.69 {2.41}	0.66 {2.31}
		5	0.69 {2.41}	0.70 {2.45}	0.70 {2.46}	0.69 {2.44}	0.67 {2.37}	0.64 {2.24}
		0	0.63 {2.22}	0.63 {2.21}	0.63 {2.20}	0.62 {2.17}	0.59 {2.08}	0.55 {1.95}
		-5	0.59 {2.06}	0.58 {2.04}	0.57 {2.01}	0.56 {1.97}	0.53 {1.88}	0.50 {1.75}
		-10	0.53 {1.88}	0.52 {1.84}	0.51 {1.81}	0.50 {1.77}	0.47 {1.67}	0.44 {1.53}
		-20	0.44 {1.56}	0.44 {1.53}	0.43 {1.50}	0.41 {1.45}	0.39 {1.36}	0.34 {1.21}
		-30	0.36 {1.25}	0.34 {1.20}	0.33 {1.16}	0.32 {1.12}	0.30 {1.04}	-
	-40	0.27 {0.94}	0.26 {0.90}	0.25 {0.87}	0.24 {0.83}	0.22 {0.76}	-	
	34013BUS 34013DUS	10	1.44 {5.08}	1.51 {5.31}	1.52 {5.36}	1.52 {5.35}	1.49 {5.23}	1.41 {4.97}
		5	1.47 {5.16}	1.50 {5.26}	1.50 {5.27}	1.49 {5.23}	1.44 {5.05}	1.35 {4.75}
		0	1.38 {4.87}	1.39 {4.89}	1.38 {4.86}	1.37 {4.81}	1.31 {4.59}	1.22 {4.28}
		-5	1.25 {4.40}	1.25 {4.38}	1.23 {4.33}	1.21 {4.26}	1.15 {4.05}	1.06 {3.74}
		-10	1.19 {4.18}	1.17 {4.12}	1.15 {4.05}	1.13 {3.97}	1.06 {3.74}	0.97 {3.42}
		-20	1.03 {3.61}	1.00 {3.51}	0.97 {3.42}	0.95 {3.34}	0.88 {3.11}	0.80 {2.80}
		-30	0.88 {3.10}	0.85 {2.99}	0.82 {2.90}	0.80 {2.82}	0.74 {2.59}	-
	-40	0.74 {2.59}	0.70 {2.45}	0.67 {2.37}	0.65 {2.30}	0.59 {2.08}	-	
	34023BUS 34023DUS	10	2.65 {9.32}	2.76 {9.71}	2.79 {9.80}	2.78 {9.79}	2.72 {9.57}	2.58 {9.07}
		5	2.65 {9.32}	2.70 {9.48}	2.70 {9.49}	2.68 {9.42}	2.59 {9.11}	2.43 {8.56}
		0	2.44 {8.57}	2.45 {8.60}	2.43 {8.54}	2.40 {8.44}	2.30 {8.08}	2.15 {7.55}
		-5	2.32 {8.16}	2.30 {8.08}	2.27 {7.97}	2.24 {7.86}	2.12 {7.46}	1.96 {6.90}
		-10	2.06 {7.23}	2.02 {7.10}	1.99 {6.98}	1.95 {6.85}	1.84 {6.46}	1.69 {5.95}
		-20	1.78 {6.25}	1.73 {6.07}	1.68 {5.92}	1.64 {5.78}	1.53 {5.38}	1.39 {4.88}
		-30	1.46 {5.13}	1.40 {4.92}	1.36 {4.78}	1.32 {4.65}	1.21 {4.27}	-
	-40	1.14 {4.00}	1.08 {3.81}	1.05 {3.68}	1.01 {3.56}	0.92 {3.25}	-	
	34035BUS 34035DUS	10	3.87 {13.6}	3.98 {14.0}	4.04 {14.2}	4.01 {14.1}	3.92 {13.8}	3.75 {13.2}
		5	3.92 {13.8}	3.98 {14.0}	4.01 {14.1}	3.92 {13.8}	3.81 {13.4}	3.58 {12.6}
		0	3.67 {12.9}	3.70 {13.0}	3.67 {12.9}	3.61 {12.7}	3.44 {12.1}	3.21 {11.3}
		-5	3.33 {11.7}	3.30 {11.6}	3.27 {11.5}	3.19 {11.2}	3.04 {10.7}	2.57 {9.03}
		-10	3.07 {10.8}	3.01 {10.6}	2.96 {10.4}	2.90 {10.2}	2.75 {9.67}	2.52 {8.87}
		-20	2.60 {9.14}	2.53 {8.88}	2.46 {8.65}	2.41 {8.46}	2.24 {7.87}	2.03 {7.14}
		-30	2.19 {7.69}	2.11 {7.41}	2.04 {7.19}	1.99 {6.99}	1.83 {6.44}	-
	-40	1.71 {6.01}	1.63 {5.73}	1.57 {5.53}	1.52 {5.36}	1.39 {4.88}	-	
	34045BUS 34045DUS	10	4.95 {17.4}	5.12 {18.0}	5.18 {18.2}	5.15 {18.1}	5.06 {17.8}	4.81 {16.9}
		5	5.03 {17.7}	5.12 {18.0}	5.09 {17.9}	5.09 {17.9}	4.89 {17.2}	4.64 {16.3}
		0	4.72 {16.6}	4.69 {16.5}	4.69 {16.5}	4.64 {16.3}	4.44 {15.6}	4.12 {14.5}
		-5	4.27 {15.0}	4.24 {14.9}	4.21 {14.8}	4.12 {14.5}	3.92 {13.8}	3.61 {12.7}
		-10	3.92 {13.8}	3.87 {13.6}	3.81 {13.4}	3.73 {13.1}	3.53 {12.4}	3.24 {11.4}
		-20	3.33 {11.7}	3.21 {11.3}	3.16 {11.1}	3.07 {10.8}	2.87 {10.1}	2.61 {9.18}
		-30	2.81 {9.88}	2.71 {9.52}	2.62 {9.23}	2.55 {8.98}	2.35 {8.27}	-
	-40	2.20 {7.72}	2.10 {7.37}	2.02 {7.10}	1.96 {6.89}	1.78 {6.27}	-	
	57060DUS	10	6.54 {23.0}	6.80 {23.9}	6.88 {24.2}	6.85 {24.1}	6.71 {23.6}	6.37 {22.4}
		5	6.65 {23.4}	6.83 {24.0}	6.80 {23.9}	6.80 {23.9}	6.57 {23.1}	6.11 {21.5}
		0	6.31 {22.2}	6.31 {22.2}	6.29 {22.1}	6.20 {21.8}	5.94 {20.9}	5.55 {19.5}
		-5	5.83 {20.5}	5.80 {20.4}	5.72 {20.1}	5.60 {19.7}	5.35 {18.8}	4.95 {17.4}
		-10	5.46 {19.2}	5.37 {18.9}	5.29 {18.6}	5.18 {18.2}	4.89 {17.2}	4.49 {15.8}
		-20	4.64 {16.3}	4.52 {15.9}	4.41 {15.5}	4.29 {15.1}	3.98 {14.0}	3.61 {12.7}
		-30	3.92 {13.8}	3.78 {13.3}	3.67 {12.9}	3.55 {12.5}	3.27 {11.5}	-
	-40	3.27 {11.5}	3.13 {11.0}	3.04 {10.7}	2.93 {10.3}	2.68 {9.42}	-	
57080DUS	10	8.79 {30.9}	9.13 {32.1}	9.24 {32.5}	9.21 {32.4}	9.02 {31.7}	8.56 {30.1}	
	5	9.02 {31.7}	9.10 {32.0}	9.10 {32.0}	9.02 {31.7}	8.73 {30.7}	8.22 {28.9}	
	0	8.50 {29.9}	8.50 {29.9}	8.47 {29.8}	8.36 {29.4}	8.02 {28.2}	7.48 {26.3}	
	-5	7.76 {27.3}	7.71 {27.1}	7.62 {26.8}	7.48 {26.3}	7.11 {25.0}	6.60 {23.2}	
	-10	7.31 {25.7}	7.22 {25.4}	7.08 {24.9}	6.97 {24.5}	6.57 {23.1}	6.00 {21.1}	
	-20	6.20 {21.8}	6.03 {21.2}	5.89 {20.7}	5.72 {20.1}	5.35 {18.8}	4.83 {17.0}	
	-30	5.26 {18.5}	5.06 {17.8}	4.92 {17.3}	4.78 {16.8}	4.38 {15.4}	-	
-40	4.38 {15.4}	4.21 {14.8}	4.07 {14.3}	3.92 {13.8}	3.55 {12.5}	-		
71110DUS	10	12.3 {43.4}	12.9 {45.3}	13.0 {45.7}	13.0 {45.6}	12.7 {44.6}	12.0 {42.3}	
	5	12.3 {43.2}	12.5 {44.1}	12.5 {44.0}	12.4 {43.7}	12.0 {42.2}	11.3 {39.7}	
	0	11.8 {41.6}	11.9 {41.7}	11.8 {41.4}	11.6 {40.9}	11.2 {39.2}	10.4 {36.6}	
	-5	11.0 {38.7}	10.9 {38.4}	10.8 {38.0}	10.6 {37.3}	10.1 {35.5}	9.30 {32.7}	
	-10	10.1 {35.5}	9.81 {34.5}	9.67 {34.0}	9.47 {33.3}	8.93 {31.4}	8.28 {29.1}	
	-20	8.93 {31.4}	8.67 {30.5}	8.45 {29.7}	8.22 {28.9}	7.68 {27.0}	6.97 {24.5}	
	-30	7.45 {26.2}	7.14 {25.1}	6.94 {24.4}	6.74 {23.7}	6.20 {21.8}	-	
-40	6.26 {22.0}	5.94 {20.9}	5.74 {20.2}	5.55 {19.5}	5.06 {17.8}	-		
71140DUS	10	15.5 {54.4}	16.1 {56.6}	16.3 {57.2}	16.2 {57.1}	15.9 {55.8}	15.1 {53.0}	
	5	15.7 {55.1}	16.0 {56.1}	16.0 {56.3}	15.8 {55.7}	15.3 {53.8}	14.4 {50.6}	
	0	14.8 {52.1}	14.9 {52.4}	14.8 {52.0}	14.6 {51.4}	14.0 {49.2}	13.0 {45.8}	
	-5	13.8 {48.5}	13.7 {48.2}	13.5 {47.6}	13.3 {46.8}	12.7 {44.5}	11.7 {41.1}	
	-10	13.0 {45.6}	12.8 {45.0}	12.6 {44.2}	12.3 {43.4}	11.6 {40.9}	10.7 {37.5}	
	-20	11.2 {39.3}	10.8 {38.1}	10.6 {37.2}	10.4 {36.4}	9.61 {33.8}	8.73 {30.7}	
	-30	9.36 {32.9}	8.99 {31.6}	8.73 {30.7}	8.47 {29.8}	7.79 {27.4}	-	
-40	7.96 {28.0}	7.59 {26.7}	7.31 {25.7}	7.05 {24.8}	6.43 {22.6}	-		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	71160DUS	10	17.6 {61.8}	18.3 {64.3}	18.5 {64.9}	18.4 {64.8}	18.0 {63.4}	17.1 {60.2}
		5	17.9 {63.0}	18.3 {64.2}	18.2 {64.0}	18.1 {63.7}	17.5 {61.6}	16.4 {57.8}
		0	17.0 {59.9}	17.1 {60.1}	17.0 {59.7}	16.8 {59.0}	16.1 {56.5}	15.0 {52.6}
		-5	15.7 {55.2}	15.6 {54.7}	15.4 {54.0}	15.1 {53.2}	14.4 {50.5}	13.3 {46.8}
		-10	14.7 {51.6}	14.4 {50.7}	14.2 {49.8}	13.9 {48.9}	13.1 {46.2}	12.1 {42.4}
		-20	12.7 {44.7}	12.4 {43.5}	12.1 {42.4}	11.8 {41.5}	11.0 {38.6}	9.93 {34.9}
		-30	10.6 {37.4}	10.2 {36.0}	9.78 {34.4}	9.70 {34.1}	8.87 {31.2}	-
		-40	9.07 {31.9}	8.62 {30.3}	8.39 {29.5}	8.13 {28.6}	7.34 {25.8}	-
	12220DUS	10	24.2 {85.1}	25.2 {88.6}	25.5 {89.5}	25.4 {89.3}	24.8 {87.3}	23.6 {82.9}
		5	24.6 {86.5}	25.1 {88.2}	25.1 {88.3}	24.9 {87.6}	24.1 {84.6}	22.6 {79.5}
		0	23.3 {81.9}	23.4 {82.2}	23.2 {81.7}	23.0 {80.7}	22.0 {77.3}	20.5 {72.0}
		-5	21.6 {76.0}	21.4 {75.4}	21.2 {74.5}	20.9 {73.4}	19.8 {69.6}	18.3 {64.4}
		-10	20.2 {71.1}	19.9 {70.0}	19.6 {68.8}	19.2 {67.5}	18.1 {63.7}	16.6 {58.5}
		-20	17.3 {60.7}	16.8 {59.0}	16.4 {57.5}	16.0 {56.2}	14.9 {52.3}	13.5 {47.3}
		-30	14.7 {51.7}	14.1 {49.7}	13.7 {48.2}	13.3 {46.9}	12.3 {43.1}	-
		-40	12.4 {43.7}	11.9 {41.7}	11.4 {40.2}	11.1 {38.9}	10.1 {35.4}	-
	12270DUS	10	29.9 {105}	31.0 {109}	31.3 {110}	31.3 {110}	30.4 {107}	29.0 {102}
		5	30.2 {106}	30.7 {108}	30.7 {108}	30.7 {108}	29.6 {104}	27.8 {97.6}
		0	28.7 {101}	28.7 {101}	28.7 {101}	28.3 {99.6}	27.1 {95.3}	25.3 {88.8}
		-5	26.7 {93.7}	26.5 {93.1}	26.1 {91.9}	25.7 {90.5}	24.4 {85.9}	22.6 {79.4}
		-10	24.9 {87.4}	24.5 {86.0}	24.1 {84.6}	23.6 {83.1}	22.3 {78.3}	20.4 {71.8}
		-20	21.3 {75.0}	20.7 {72.9}	20.2 {71.0}	19.8 {69.5}	18.4 {64.6}	16.6 {58.5}
		-30	18.1 {63.6}	17.4 {61.2}	16.9 {59.3}	16.4 {57.7}	15.1 {53.1}	-
		-40	15.2 {53.6}	14.5 {51.1}	14.0 {49.3}	13.6 {47.8}	12.4 {43.5}	-
	12330DUS	10	36.4 {128}	37.8 {133}	38.1 {134}	38.1 {134}	37.3 {131}	35.3 {124}
		5	37.0 {130}	37.5 {132}	37.5 {132}	37.3 {131}	36.1 {127}	33.8 {119}
		0	35.0 {123}	35.3 {124}	35.0 {123}	34.7 {122}	33.0 {116}	30.7 {108}
		-5	32.4 {114}	31.9 {112}	31.9 {112}	31.0 {109}	29.6 {104}	27.4 {96.4}
		-10	30.4 {107}	30.2 {106}	29.6 {104}	29.0 {102}	27.3 {95.9}	25.0 {88.0}
		-20	26.0 {91.5}	25.3 {88.9}	24.6 {86.6}	24.1 {84.7}	22.4 {78.8}	20.3 {71.3}
		-30	22.1 {77.6}	21.2 {74.7}	20.6 {72.4}	20.0 {70.4}	18.5 {64.9}	-
		-40	18.6 {65.4}	17.8 {62.4}	17.1 {60.1}	16.6 {58.3}	15.1 {53.1}	-
	12420DUS	10	46.1 {162}	50.1 {176}	50.6 {178}	50.1 {176}	49.2 {173}	44.9 {158}
		5	46.9 {165}	47.5 {167}	47.8 {168}	47.2 {166}	45.8 {161}	43.2 {152}
		0	45.5 {160}	45.5 {160}	45.2 {159}	44.7 {157}	42.7 {150}	40.1 {141}
		-5	42.7 {150}	42.1 {148}	41.8 {147}	41.0 {144}	39.0 {137}	36.1 {127}
		-10	40.4 {142}	39.8 {140}	39.0 {137}	38.1 {134}	36.1 {127}	33.0 {116}
		-20	34.7 {122}	33.6 {118}	33.0 {116}	32.1 {113}	30.2 {106}	27.2 {95.6}
		-30	29.6 {104}	28.4 {100}	27.6 {97.1}	26.9 {94.5}	24.7 {87.0}	-
		-40	25.2 {88.6}	24.0 {84.4}	23.2 {81.4}	22.4 {78.8}	20.4 {71.8}	-
	12500DUS	10	54.9 {193}	57.2 {201}	57.7 {203}	57.7 {203}	56.3 {198}	53.5 {188}
		5	55.7 {196}	56.9 {200}	56.9 {200}	56.3 {198}	54.3 {191}	51.5 {181}
		0	54.3 {191}	54.3 {191}	54.0 {190}	53.5 {188}	51.2 {180}	47.5 {167}
		-5	50.9 {179}	50.3 {177}	49.8 {175}	48.9 {172}	46.4 {163}	42.9 {151}
		-10	48.1 {169}	47.2 {166}	46.4 {163}	45.5 {160}	42.7 {150}	39.5 {139}
		-20	41.5 {146}	40.1 {141}	39.5 {139}	38.7 {136}	35.8 {126}	32.7 {115}
		-30	35.3 {124}	34.1 {120}	33.0 {116}	31.9 {112}	29.6 {104}	-
		-40	30.2 {106}	28.7 {101}	27.7 {97.3}	26.9 {94.4}	24.4 {85.8}	-

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			20	30	38	40	50	
ATX-	34006BUSL 34006DUSL	-25	0.42 {1.46}	0.41 {1.43}	0.38 {1.34}	0.38 {1.32}	0.30 {1.05}	
		-30	0.36 {1.28}	0.36 {1.25}	0.33 {1.16}	0.32 {1.14}	0.26 {0.90}	
		-40	0.30 {1.06}	0.29 {1.02}	0.26 {0.93}	0.26 {0.91}	0.20 {0.70}	
		-50	0.20 {0.71}	0.19 {0.68}	0.17 {0.61}	0.17 {0.60}	0.13 {0.45}	
	34013BUSL 34013DUSL	-25	0.97 {3.42}	0.96 {3.37}	0.90 {3.18}	0.88 {3.09}	0.73 {2.58}	
		-30	0.90 {3.18}	0.88 {3.10}	0.82 {2.90}	0.80 {2.82}	0.66 {2.33}	
		-40	0.77 {2.70}	0.74 {2.59}	0.68 {2.40}	0.66 {2.32}	0.53 {1.87}	
		-50	0.58 {2.04}	0.55 {1.94}	0.50 {1.77}	0.49 {1.71}	0.38 {1.35}	
	34023BUSL 34023DUSL	-25	1.64 {5.77}	1.62 {5.68}	1.52 {5.34}	1.48 {5.20}	1.23 {4.34}	
		-30	1.50 {5.26}	1.46 {5.13}	1.36 {4.78}	1.32 {4.65}	1.09 {3.84}	
		-40	1.18 {4.16}	1.14 {4.00}	1.05 {3.68}	1.02 {3.57}	0.82 {2.88}	
		-50	0.92 {3.24}	0.88 {3.08}	0.80 {2.81}	0.77 {2.71}	0.61 {2.13}	
	34035BUSL 34035DUSL	-25	2.46 {8.64}	2.42 {8.51}	2.28 {8.01}	2.22 {7.80}	1.85 {6.52}	
		-30	2.24 {7.88}	2.19 {7.69}	2.04 {7.19}	1.99 {6.99}	1.64 {5.77}	
		-40	1.78 {6.27}	1.71 {6.02}	1.58 {5.56}	1.53 {5.39}	1.23 {4.34}	
		-50	1.32 {4.64}	1.25 {4.40}	1.14 {4.02}	1.10 {3.88}	0.87 {3.06}	
	34045BUSL 34045DUSL	-25	3.24 {11.4}	3.19 {11.2}	3.01 {10.6}	2.93 {10.3}	2.45 {8.61}	
		-30	2.87 {10.1}	2.81 {9.88}	2.62 {9.23}	2.55 {8.98}	2.11 {7.42}	
		-40	2.38 {8.36}	2.28 {8.02}	2.10 {7.40}	2.04 {7.17}	1.64 {5.78}	
		-50	1.86 {6.55}	1.77 {6.22}	1.62 {5.68}	1.56 {5.49}	1.23 {4.32}	
	57060DUSL	-25	4.35 {15.3}	4.29 {15.1}	4.04 {14.2}	3.92 {13.8}	3.27 {11.5}	
		-30	4.04 {14.2}	3.92 {13.8}	3.67 {12.9}	3.55 {12.5}	2.93 {10.3}	
		-40	3.44 {12.1}	3.30 {11.6}	3.04 {10.7}	2.93 {10.3}	2.37 {8.32}	
		-50	2.62 {9.21}	2.49 {8.75}	2.28 {8.00}	2.19 {7.69}	1.72 {6.05}	
	57080DUSL	-25	5.89 {20.7}	5.77 {20.3}	5.46 {19.2}	5.32 {18.7}	4.44 {15.6}	
		-30	5.40 {19.0}	5.26 {18.5}	4.92 {17.3}	4.78 {16.8}	3.95 {13.9}	
		-40	4.58 {16.1}	4.41 {15.5}	4.07 {14.3}	3.92 {13.8}	3.19 {11.2}	
		-50	3.55 {12.5}	3.38 {11.9}	3.07 {10.8}	2.96 {10.4}	2.34 {8.22}	
	71110DUSL	-25	8.30 {29.2}	8.19 {28.8}	7.68 {27.0}	7.48 {26.3}	6.26 {22.0}	
		-30	7.65 {26.9}	7.45 {26.2}	6.94 {24.4}	6.74 {23.7}	5.57 {19.6}	
		-40	6.51 {22.9}	6.26 {22.0}	5.77 {20.3}	5.57 {19.6}	4.49 {15.8}	
		-50	4.64 {16.3}	4.41 {15.5}	4.01 {14.1}	3.87 {13.6}	3.04 {10.7}	
	71140DUSL	-25	10.4 {36.6}	10.3 {36.1}	9.64 {33.9}	9.38 {33.0}	7.85 {27.6}	
		-30	9.58 {33.7}	9.36 {32.9}	8.73 {30.7}	8.47 {29.8}	7.00 {24.6}	
		-40	8.28 {29.1}	7.96 {28.0}	7.34 {25.8}	7.08 {24.9}	5.72 {20.1}	
		-50	6.03 {21.2}	5.74 {20.2}	5.23 {18.4}	5.03 {17.7}	3.95 {13.9}	
	71160DUSL	-25	11.9 {41.7}	11.7 {41.1}	11.0 {38.7}	10.8 {37.8}	8.99 {31.6}	
		-30	10.9 {38.3}	10.6 {37.4}	10.0 {35.0}	9.70 {34.1}	8.02 {28.2}	
		-40	8.65 {30.4}	8.39 {31.9}	7.89 {29.5}	7.63 {28.6}	6.57 {23.1}	
		-50	6.91 {24.3}	6.57 {23.1}	6.00 {21.1}	5.80 {20.4}	4.58 {16.1}	
	12220DUSL	-25	16.2 {57.1}	16.0 {56.2}	15.0 {52.8}	14.7 {51.5}	12.2 {43.0}	
		-30	15.1 {53.0}	14.7 {51.7}	13.7 {48.2}	13.3 {46.9}	11.0 {38.7}	
		-40	13.0 {45.6}	12.5 {43.8}	11.5 {40.4}	11.1 {39.1}	8.96 {31.5}	
		-50	9.53 {33.5}	9.04 {31.8}	8.25 {29.0}	7.96 {28.0}	6.29 {22.1}	
	12270DUSL	-25	20.0 {70.4}	19.7 {69.3}	18.5 {65.1}	18.0 {63.4}	15.1 {53.0}	
		-30	18.5 {65.2}	18.1 {63.6}	16.9 {59.3}	16.4 {57.6}	13.5 {47.6}	
		-40	15.9 {56.0}	15.3 {53.8}	14.1 {49.5}	13.6 {47.9}	11.0 {38.7}	
		-50	11.6 {40.8}	11.0 {38.7}	10.0 {35.3}	9.67 {34.0}	7.62 {26.8}	
	12330DUSL	-25	24.5 {86.0}	24.1 {84.7}	22.6 {79.6}	22.1 {77.6}	18.4 {64.8}	
		-30	22.6 {79.5}	22.1 {77.6}	20.6 {72.4}	20.0 {70.4}	16.5 {58.1}	
		-40	19.4 {68.2}	18.6 {65.5}	17.2 {60.3}	16.6 {58.4}	13.4 {47.1}	
		-50	14.3 {50.1}	13.5 {47.6}	12.3 {43.4}	11.9 {41.9}	9.38 {33.0}	
	12420DUSL	-25	32.7 {115}	32.1 {113}	30.4 {107}	29.6 {104}	24.8 {87.1}	
		-30	30.2 {106}	29.6 {104}	27.6 {97.1}	26.9 {94.6}	22.2 {78.1}	
		-40	26.2 {92.1}	25.1 {88.4}	23.2 {81.6}	22.6 {79.3}	18.2 {63.9}	
		-50	19.6 {68.8}	18.6 {65.3}	17.0 {59.7}	16.4 {57.8}	12.9 {45.5}	
	12500DUSL	-25	39.0 {137}	38.4 {135}	36.1 {127}	35.0 {123}	29.3 {103}	
		-30	36.1 {127}	35.3 {124}	33.0 {116}	31.9 {112}	26.3 {92.5}	
		-40	31.3 {110}	30.2 {106}	27.8 {97.7}	26.7 {94.0}	21.6 {75.8}	
		-50	23.2 {81.4}	22.0 {77.3}	20.1 {70.7}	19.3 {67.8}	15.2 {53.3}	
			-60	15.4 {54.3}	14.6 {51.3}	13.2 {46.5}	12.6 {44.4}	9.70 {34.1}

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BPS 34006DPS	10	0.90 {3.16}	0.97 {3.42}	1.01 {3.54}	1.02 {3.59}	1.05 {3.69}	1.05 {3.70}
		5	0.93 {3.27}	0.98 {3.43}	1.00 {3.51}	1.01 {3.54}	1.02 {3.60}	1.03 {3.62}
		0	0.90 {3.15}	0.93 {3.27}	0.94 {3.32}	0.95 {3.34}	0.96 {3.37}	0.96 {3.36}
		-5	0.87 {3.07}	0.89 {3.13}	0.90 {3.17}	0.90 {3.18}	0.91 {3.19}	0.89 {3.14}
		-10	0.80 {2.81}	0.71 {2.49}	0.83 {2.91}	0.83 {2.91}	0.83 {2.91}	0.81 {2.86}
		-20	0.68 {2.40}	0.69 {2.43}	0.69 {2.44}	0.69 {2.43}	0.69 {2.41}	0.67 {2.37}
		-30	0.56 {1.96}	0.55 {1.95}	0.56 {1.96}	0.55 {1.95}	0.55 {1.94}	-
		-40	0.47 {1.64}	0.46 {1.61}	0.46 {1.61}	0.46 {1.61}	0.45 {1.57}	-
	34013BPS 34013DPS	10	2.01 {7.06}	2.15 {7.56}	2.22 {7.79}	2.22 {7.79}	2.31 {8.11}	2.33 {8.18}
		5	2.05 {7.22}	2.15 {7.57}	2.20 {7.74}	2.22 {7.81}	2.26 {7.93}	2.26 {7.93}
		0	1.88 {6.62}	1.96 {6.90}	1.99 {7.01}	2.01 {7.06}	2.02 {7.12}	2.01 {7.08}
		-5	1.71 {6.03}	1.76 {6.19}	1.78 {6.27}	1.79 {6.28}	1.79 {6.30}	1.78 {6.25}
		-10	1.65 {5.80}	1.44 {5.05}	1.69 {5.93}	1.69 {5.93}	1.68 {5.92}	1.66 {5.85}
		-20	1.44 {5.08}	1.46 {5.13}	1.46 {5.15}	1.46 {5.14}	1.45 {5.10}	1.42 {4.99}
		-30	1.28 {4.50}	1.28 {4.51}	1.28 {4.51}	1.28 {4.49}	1.26 {4.43}	-
		-40	1.11 {3.90}	1.10 {3.88}	1.10 {3.88}	1.10 {3.86}	1.08 {3.79}	-
	34023BPS 34023DPS	10	3.44 {12.1}	3.67 {12.9}	3.78 {13.3}	3.84 {13.5}	3.92 {13.7}	3.98 {14.0}
		5	3.44 {12.1}	3.64 {12.8}	3.70 {13.0}	3.73 {13.1}	3.78 {13.3}	3.81 {13.4}
		0	3.24 {11.4}	3.38 {11.9}	3.44 {12.1}	3.44 {12.1}	3.47 {12.2}	3.47 {12.2}
		-5	3.10 {10.9}	3.21 {11.3}	3.24 {11.4}	3.24 {11.4}	3.27 {11.5}	3.21 {11.3}
		-10	2.79 {9.80}	2.84 {9.99}	2.87 {10.1}	2.87 {10.1}	2.87 {10.1}	2.80 {9.86}
		-20	2.47 {8.69}	2.49 {8.75}	2.50 {8.78}	2.49 {8.75}	2.47 {8.68}	2.42 {8.51}
		-30	2.09 {7.34}	2.09 {7.34}	2.09 {7.34}	2.08 {7.31}	2.05 {7.21}	-
		-40	1.68 {5.90}	1.68 {5.90}	1.68 {5.89}	1.67 {5.86}	1.64 {5.76}	-
	34035BPS 34035DPS	10	5.15 {18.1}	5.52 {19.4}	5.69 {20.0}	5.77 {20.3}	5.94 {20.9}	6.00 {21.1}
		5	5.26 {18.5}	5.52 {19.4}	5.69 {20.0}	5.72 {20.1}	5.80 {20.4}	5.83 {20.5}
		0	5.01 {17.6}	5.15 {18.1}	5.26 {18.5}	5.26 {18.5}	5.35 {18.8}	5.32 {18.7}
		-5	4.58 {16.1}	4.66 {16.4}	4.75 {16.7}	4.75 {16.7}	4.78 {16.8}	4.72 {16.6}
		-10	4.24 {14.9}	4.32 {15.2}	4.35 {15.3}	4.32 {15.2}	4.35 {15.3}	4.29 {15.1}
		-20	3.67 {12.9}	3.70 {13.0}	3.70 {13.0}	3.70 {13.0}	3.64 {12.8}	3.58 {12.6}
		-30	3.19 {11.2}	3.21 {11.3}	3.19 {11.2}	3.19 {11.2}	3.13 {11.0}	-
		-40	2.58 {9.07}	2.58 {9.07}	2.57 {9.05}	2.56 {9.00}	2.52 {8.85}	-
	34045BPS 34045DPS	10	6.60 {23.2}	7.08 {24.9}	7.31 {25.7}	7.39 {26.0}	7.59 {26.7}	7.68 {27.0}
		5	6.74 {23.7}	7.08 {24.9}	7.20 {25.3}	7.31 {25.7}	7.42 {26.1}	7.48 {26.3}
		0	6.40 {22.5}	6.65 {23.4}	6.77 {23.8}	6.80 {23.9}	6.85 {24.1}	6.83 {24.0}
		-5	5.89 {20.7}	6.03 {21.2}	6.11 {21.5}	6.11 {21.5}	6.14 {21.6}	6.09 {21.4}
		-10	5.46 {19.2}	5.55 {19.5}	5.57 {19.6}	5.57 {19.6}	5.55 {19.5}	5.52 {19.4}
		-20	4.69 {16.5}	4.72 {16.6}	4.75 {16.7}	4.72 {16.6}	4.69 {16.5}	4.61 {16.2}
		-30	4.07 {14.3}	4.10 {14.4}	4.10 {14.4}	4.10 {14.4}	4.04 {14.2}	-
		-40	3.33 {11.7}	3.33 {11.7}	3.30 {11.6}	3.30 {11.6}	3.24 {11.4}	-
	57060DPS	10	9.07 {31.9}	9.75 {34.3}	10.1 {35.4}	10.2 {35.9}	10.5 {36.8}	10.6 {37.2}
		5	9.30 {32.7}	9.75 {34.3}	9.98 {35.1}	10.1 {35.4}	10.2 {36.0}	10.3 {36.1}
		0	8.87 {31.2}	9.21 {32.4}	9.38 {33.0}	9.41 {33.1}	9.53 {33.5}	9.47 {33.3}
		-5	8.28 {29.1}	8.53 {30.0}	8.62 {30.3}	8.62 {30.3}	8.67 {30.5}	8.59 {30.2}
		-10	7.82 {27.5}	7.99 {28.1}	8.05 {28.3}	8.02 {28.2}	8.05 {28.3}	7.93 {27.9}
		-20	6.80 {23.9}	6.85 {24.1}	6.88 {24.2}	6.83 {24.0}	6.80 {23.9}	6.65 {23.4}
		-30	5.92 {20.8}	5.92 {20.8}	5.92 {20.8}	5.89 {20.7}	5.83 {20.5}	-
		-40	5.15 {18.1}	5.12 {18.0}	5.12 {18.0}	5.12 {18.0}	5.01 {17.6}	-
57080DPS	10	12.1 {42.7}	13.0 {45.8}	13.5 {47.3}	13.7 {48.0}	14.0 {49.2}	14.2 {49.8}	
	5	12.4 {43.7}	13.1 {46.0}	13.4 {47.1}	13.5 {47.5}	13.7 {48.3}	13.7 {48.3}	
	0	11.9 {41.9}	12.4 {43.5}	12.6 {44.2}	12.6 {44.4}	12.8 {44.9}	12.7 {44.6}	
	-5	11.0 {38.7}	11.3 {39.7}	11.4 {40.2}	11.5 {40.3}	11.5 {40.4}	11.4 {40.0}	
	-10	10.5 {36.8}	10.7 {37.5}	10.8 {37.8}	10.8 {37.8}	10.7 {37.7}	10.6 {37.2}	
	-20	9.04 {31.8}	9.16 {32.2}	9.16 {32.2}	9.16 {32.2}	9.04 {31.8}	8.87 {31.2}	
	-30	7.93 {27.9}	7.96 {28.0}	7.93 {27.9}	7.91 {27.8}	7.79 {27.4}	-	
	-40	6.85 {24.1}	6.83 {24.0}	6.83 {24.0}	6.80 {23.9}	6.65 {23.4}	-	
71110DPS	10	17.3 {60.7}	18.3 {64.2}	18.8 {66.2}	19.1 {67.1}	19.6 {68.9}	19.8 {69.6}	
	5	17.1 {60.0}	17.9 {63.0}	18.3 {64.3}	18.5 {65.0}	18.8 {66.2}	18.8 {66.2}	
	0	16.5 {58.1}	17.2 {60.3}	17.4 {61.3}	17.6 {61.7}	17.7 {62.1}	17.6 {61.8}	
	-5	15.5 {54.5}	15.9 {55.9}	16.1 {56.6}	16.2 {56.8}	16.2 {56.9}	16.0 {56.4}	
	-10	14.4 {50.5}	14.7 {51.5}	14.8 {51.9}	14.8 {52.0}	14.7 {51.8}	14.6 {51.2}	
	-20	13.0 {45.7}	13.1 {46.1}	13.1 {46.2}	13.1 {46.1}	13.0 {45.6}	12.7 {44.8}	
	-30	11.2 {39.3}	11.2 {39.3}	11.2 {39.3}	11.1 {39.1}	11.0 {38.6}	-	
	-40	9.70 {34.1}	9.70 {34.1}	9.70 {34.1}	9.64 {33.9}	9.50 {33.4}	-	



Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (℃)					
			30	35	38	40	45	50
ATX-	71140DPS	10	21.2 {74.7}	22.8 {80.2}	23.5 {82.7}	23.9 {83.9}	24.5 {86.2}	24.7 {86.9}
		5	21.7 {76.2}	22.8 {80.1}	23.3 {81.9}	23.5 {82.6}	23.9 {83.9}	23.9 {84.1}
		0	20.7 {72.7}	21.5 {75.5}	21.8 {76.7}	21.9 {77.1}	22.1 {77.8}	22.0 {77.4}
		-5	19.4 {68.2}	19.8 {69.6}	20.0 {70.4}	20.1 {70.7}	20.2 {70.9}	20.1 {70.5}
		-10	18.4 {64.7}	18.8 {66.1}	18.9 {66.5}	18.9 {66.5}	18.9 {66.4}	18.7 {65.6}
		-20	16.2 {57.1}	16.4 {57.6}	16.4 {57.8}	16.4 {57.6}	16.2 {57.1}	15.9 {56.0}
		-30	14.0 {49.2}	14.1 {49.4}	14.1 {49.4}	14.0 {49.1}	13.8 {48.5}	-
	-40	12.3 {43.3}	12.3 {43.3}	12.3 {43.2}	12.3 {43.2}	12.0 {42.2}	-	
	71160DPS	10	24.3 {85.4}	26.1 {91.7}	26.9 {94.6}	27.3 {96.0}	28.0 {98.5}	28.3 {99.4}
		5	24.9 {87.6}	26.2 {92.1}	26.8 {94.2}	27.1 {95.1}	27.5 {96.6}	27.5 {96.8}
		0	23.9 {84.0}	24.8 {87.2}	25.2 {88.5}	25.3 {89.0}	25.5 {89.8}	25.5 {89.5}
		-5	22.2 {78.1}	22.8 {80.3}	23.1 {81.2}	23.2 {81.4}	23.2 {81.6}	23.0 {80.8}
		-10	20.9 {73.6}	21.4 {75.1}	21.5 {75.7}	21.5 {75.7}	21.5 {75.5}	21.2 {74.5}
		-20	18.5 {64.9}	18.8 {66.1}	18.8 {66.2}	18.8 {66.1}	18.6 {65.4}	18.3 {64.2}
		-30	16.0 {56.3}	16.2 {56.8}	16.1 {56.5}	16.0 {56.2}	15.8 {55.5}	-
	-40	14.1 {49.6}	14.2 {49.8}	14.1 {49.5}	14.0 {49.3}	13.8 {48.4}	-	
	12220DPS	10	33.6 {118}	36.1 {127}	37.3 {131}	37.8 {133}	38.7 {136}	39.0 {137}
		5	34.4 {121}	35.8 {126}	37.0 {130}	37.3 {131}	37.5 {132}	38.1 {134}
		0	32.7 {115}	34.1 {120}	34.7 {122}	34.7 {122}	35.0 {123}	35.0 {123}
		-5	30.7 {108}	31.6 {111}	31.9 {112}	31.9 {112}	32.1 {113}	31.6 {111}
		-10	29.0 {102}	29.6 {104}	29.9 {105}	29.9 {105}	29.6 {104}	29.3 {103}
		-20	25.3 {88.8}	25.5 {89.6}	25.5 {89.8}	25.5 {89.7}	25.3 {88.8}	24.7 {87.0}
		-30	22.1 {77.7}	22.2 {78.1}	22.2 {78.0}	22.1 {77.7}	21.8 {76.6}	-
	-40	19.4 {68.2}	19.4 {68.2}	19.3 {68.0}	19.3 {67.7}	18.9 {66.6}	-	
	12270DPS	10	41.0 {144}	43.5 {153}	44.9 {158}	45.5 {160}	46.6 {164}	47.5 {167}
		5	41.5 {146}	43.8 {154}	44.9 {158}	45.5 {160}	45.8 {161}	46.1 {162}
		0	39.8 {140}	41.2 {145}	42.1 {148}	42.4 {149}	42.7 {150}	42.7 {150}
		-5	37.5 {132}	38.1 {134}	38.7 {136}	38.7 {136}	38.7 {136}	38.4 {135}
		-10	35.3 {124}	35.6 {125}	36.1 {127}	35.8 {126}	35.8 {126}	35.8 {126}
		-20	30.7 {108}	31.3 {110}	31.3 {110}	31.3 {110}	31.0 {109}	30.2 {106}
		-30	26.9 {94.5}	27.0 {94.9}	27.0 {94.8}	26.9 {94.4}	26.5 {93.1}	-
	-40	23.5 {82.7}	23.5 {82.7}	23.5 {82.5}	23.4 {82.1}	23.0 {80.8}	-	
	12330DPS	10	49.8 {175}	53.5 {188}	55.2 {194}	56.0 {197}	57.5 {202}	58.0 {204}
		5	51.2 {180}	53.5 {188}	54.9 {193}	55.2 {194}	56.3 {198}	56.6 {199}
		0	48.9 {172}	50.6 {178}	51.8 {182}	51.8 {182}	52.3 {184}	52.0 {183}
		-5	45.8 {161}	46.6 {164}	47.5 {167}	47.5 {167}	47.8 {168}	47.2 {166}
		-10	43.2 {152}	44.1 {155}	44.7 {157}	44.4 {156}	44.4 {156}	43.8 {154}
		-20	37.8 {133}	38.4 {135}	38.4 {135}	38.1 {134}	37.8 {133}	37.3 {131}
		-30	33.0 {116}	33.3 {117}	33.0 {116}	33.0 {116}	32.4 {114}	-
	-40	28.7 {101}	28.7 {101}	28.7 {101}	28.7 {101}	28.2 {99.0}	-	
	12420DPS	10	63.1 {222}	67.7 {238}	70.0 {246}	71.1 {250}	72.8 {256}	73.7 {259}
		5	64.6 {227}	67.7 {238}	69.7 {245}	70.5 {248}	71.4 {251}	71.7 {252}
		0	63.1 {222}	65.7 {231}	66.6 {234}	66.8 {235}	67.4 {237}	67.1 {236}
		-5	59.7 {210}	61.4 {216}	62.0 {218}	62.0 {218}	62.3 {219}	61.7 {217}
		-10	56.9 {200}	57.7 {203}	58.6 {206}	58.6 {206}	58.0 {204}	57.7 {203}
		-20	50.6 {178}	50.9 {179}	51.2 {180}	50.9 {179}	50.6 {178}	49.8 {175}
		-30	44.1 {155}	44.1 {155}	44.1 {155}	43.8 {154}	43.2 {152}	-
	-40	38.7 {136}	38.7 {136}	39.0 {137}	38.7 {136}	37.8 {133}	-	
12500DPS	10	75.9 {267}	81.3 {286}	83.9 {295}	85.3 {300}	87.3 {307}	88.2 {310}	
	5	77.6 {273}	81.6 {287}	83.3 {293}	83.9 {295}	85.3 {300}	85.6 {301}	
	0	75.7 {266}	78.8 {277}	80.2 {282}	80.5 {283}	81.1 {285}	80.8 {284}	
	-5	72.0 {253}	73.7 {259}	74.5 {262}	74.8 {263}	75.1 {264}	74.2 {261}	
	-10	68.5 {241}	70.0 {246}	70.5 {248}	70.5 {248}	70.5 {248}	69.4 {244}	
	-20	60.9 {214}	60.9 {214}	61.4 {216}	60.9 {214}	60.6 {213}	59.4 {209}	
	-30	52.9 {186}	53.2 {187}	53.2 {187}	52.9 {186}	52.3 {184}	-	
-40	46.9 {165}	46.6 {164}	46.6 {164}	46.4 {163}	45.5 {160}	-		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BC1S 34006DC1S	10	0.84 {2.96}	0.92 {3.23}	0.93 {3.27}	0.94 {3.31}	0.96 {3.36}	0.95 {3.33}
		5	0.89 {3.12}	0.93 {3.28}	0.94 {3.30}	0.94 {3.32}	0.94 {3.32}	0.94 {3.31}
		0	0.81 {2.84}	0.84 {2.95}	0.84 {2.96}	0.84 {2.97}	0.84 {2.96}	0.83 {2.92}
		-5	0.81 {2.86}	0.83 {2.91}	0.82 {2.90}	0.82 {2.90}	0.81 {2.86}	0.80 {2.80}
		-10	0.72 {2.53}	0.74 {2.60}	0.74 {2.59}	0.73 {2.58}	0.72 {2.54}	0.70 {2.47}
		-20	0.61 {2.16}	0.62 {2.17}	0.62 {2.17}	0.61 {2.15}	0.59 {2.09}	0.58 {2.04}
		-30	0.50 {1.75}	0.49 {1.74}	0.49 {1.73}	0.49 {1.72}	0.47 {1.67}	-
		-40	0.41 {1.45}	0.40 {1.42}	0.40 {1.41}	0.40 {1.40}	0.38 {1.34}	-
	34013BC1S 34013DC1S	10	1.78 {6.27}	1.93 {6.78}	1.95 {6.86}	1.97 {6.94}	2.00 {7.05}	2.00 {7.05}
		5	1.87 {6.57}	1.96 {6.90}	1.97 {6.94}	1.99 {6.99}	1.99 {7.00}	1.97 {6.92}
		0	1.70 {5.98}	1.78 {6.25}	1.78 {6.26}	1.79 {6.29}	1.78 {6.25}	1.75 {6.17}
		-5	1.60 {5.62}	1.64 {5.75}	1.64 {5.75}	1.63 {5.74}	1.61 {5.66}	1.58 {5.56}
		-10	1.48 {5.22}	1.50 {5.29}	1.50 {5.27}	1.50 {5.27}	1.47 {5.17}	1.44 {5.07}
		-20	1.30 {4.57}	1.31 {4.59}	1.30 {4.57}	1.29 {4.54}	1.26 {4.42}	1.23 {4.31}
		-30	1.14 {4.02}	1.14 {4.01}	1.13 {3.97}	1.12 {3.94}	1.08 {3.81}	-
		-40	0.98 {3.46}	0.97 {3.42}	0.96 {3.39}	0.96 {3.36}	0.92 {3.23}	-
	34023BC1S 34023DC1S	10	3.10 {10.9}	3.33 {11.7}	3.38 {11.9}	3.41 {12.0}	3.47 {12.2}	3.53 {12.4}
		5	3.19 {11.2}	3.36 {11.8}	3.38 {11.9}	3.38 {11.9}	3.38 {11.9}	3.38 {11.9}
		0	2.93 {10.3}	3.04 {10.7}	3.04 {10.7}	3.07 {10.8}	3.04 {10.7}	3.01 {10.6}
		-5	2.90 {10.2}	2.96 {10.4}	2.96 {10.4}	2.96 {10.4}	2.93 {10.3}	2.87 {10.1}
		-10	2.51 {8.83}	2.55 {8.98}	2.55 {8.95}	2.54 {8.93}	2.49 {8.77}	2.43 {8.55}
		-20	2.22 {7.80}	2.23 {7.84}	2.21 {7.78}	2.20 {7.74}	2.14 {7.54}	2.08 {7.33}
		-30	1.87 {6.56}	1.86 {6.53}	1.84 {6.46}	1.83 {6.42}	1.77 {6.21}	-
		-40	1.49 {5.24}	1.48 {5.21}	1.46 {5.15}	1.45 {5.10}	1.40 {4.92}	-
	34035BC1S 34035DC1S	10	4.66 {16.4}	5.03 {17.7}	5.09 {17.9}	5.18 {18.2}	5.26 {18.5}	5.26 {18.5}
		5	4.86 {17.1}	5.12 {18.0}	5.15 {18.1}	5.18 {18.2}	5.20 {18.3}	5.18 {18.2}
		0	4.52 {15.9}	4.66 {16.4}	4.69 {16.5}	4.69 {16.5}	4.69 {16.5}	4.61 {16.2}
		-5	4.27 {15.0}	4.32 {15.2}	4.35 {15.3}	4.35 {15.3}	4.27 {15.0}	4.21 {14.8}
		-10	3.81 {13.4}	3.90 {13.7}	3.87 {13.6}	3.84 {13.5}	3.78 {13.3}	3.70 {13.0}
		-20	3.27 {11.5}	3.30 {11.6}	3.30 {11.6}	3.27 {11.5}	3.16 {11.1}	3.10 {10.9}
		-30	2.83 {9.96}	2.84 {10.0}	2.80 {9.86}	2.81 {9.87}	2.69 {9.47}	-
		-40	2.29 {8.05}	2.28 {8.00}	2.25 {7.91}	2.23 {7.84}	2.15 {7.55}	-
	34045BC1S 34045DC1S	10	5.97 {21.0}	6.46 {22.7}	6.54 {23.0}	6.63 {23.3}	6.71 {23.6}	6.74 {23.7}
		5	6.23 {21.9}	6.57 {23.1}	6.63 {23.3}	6.65 {23.4}	6.65 {23.4}	6.63 {23.3}
		0	5.77 {20.3}	6.03 {21.2}	6.03 {21.2}	6.06 {21.3}	6.00 {21.1}	5.94 {20.9}
		-5	5.49 {19.3}	5.40 {19.0}	5.57 {19.6}	5.57 {19.6}	5.52 {19.4}	5.40 {19.0}
		-10	4.92 {17.3}	5.01 {17.6}	4.95 {17.4}	4.95 {17.4}	4.83 {17.0}	4.75 {16.7}
		-20	4.21 {14.8}	4.21 {14.8}	4.21 {14.8}	4.18 {14.7}	4.07 {14.3}	3.98 {14.0}
		-30	3.61 {12.7}	3.64 {12.8}	3.61 {12.7}	3.58 {12.6}	3.47 {12.2}	-
		-40	2.96 {10.4}	2.93 {10.3}	2.90 {10.2}	2.87 {10.1}	2.77 {9.75}	-
	57060DC1S	10	8.22 {28.9}	8.87 {31.2}	9.02 {31.7}	9.13 {32.1}	9.27 {32.6}	9.24 {32.5}
		5	8.62 {30.3}	9.04 {31.8}	9.10 {32.0}	9.13 {32.1}	9.19 {32.3}	9.13 {32.1}
		0	8.02 {28.2}	8.33 {29.3}	8.36 {29.4}	8.39 {29.5}	8.36 {29.4}	8.25 {29.0}
		-5	7.71 {27.1}	7.91 {27.8}	7.88 {27.7}	7.88 {27.7}	7.76 {27.3}	7.65 {26.9}
		-10	7.02 {24.7}	7.17 {25.2}	7.17 {25.2}	7.14 {25.1}	7.00 {24.6}	6.85 {24.1}
		-20	6.09 {21.4}	6.11 {21.5}	6.09 {21.4}	6.03 {21.2}	5.89 {20.7}	5.74 {20.2}
		-30	5.26 {18.5}	5.29 {18.6}	5.23 {18.4}	5.18 {18.2}	5.01 {17.6}	-
		-40	4.55 {16.0}	4.52 {15.9}	4.49 {15.8}	4.46 {15.7}	4.29 {15.1}	-
	57080DC1S	10	11.0 {38.6}	11.9 {41.8}	12.0 {42.3}	12.2 {42.9}	12.4 {43.5}	12.4 {43.6}
		5	11.5 {40.5}	12.1 {42.6}	12.2 {42.9}	12.3 {43.2}	12.3 {43.3}	12.2 {43.0}
		0	10.8 {37.8}	11.2 {39.3}	11.2 {39.4}	11.3 {39.6}	11.2 {39.4}	11.1 {38.9}
		-5	10.2 {36.0}	10.5 {36.8}	10.5 {36.8}	10.5 {36.8}	10.3 {36.3}	10.1 {35.6}
		-10	9.41 {33.1}	9.58 {33.7}	9.56 {33.6}	9.53 {33.5}	9.38 {33.0}	9.19 {32.3}
		-20	8.13 {28.6}	8.19 {28.8}	8.11 {28.5}	8.08 {28.4}	7.82 {27.5}	7.65 {26.9}
		-30	7.08 {24.9}	7.05 {24.8}	7.00 {24.6}	6.94 {24.4}	6.71 {23.6}	-
		-40	6.09 {21.4}	6.03 {21.2}	5.97 {21.0}	5.92 {20.8}	5.69 {20.0}	-
	71110DC1S	10	15.6 {54.9}	16.7 {58.6}	16.8 {59.2}	17.1 {60.0}	17.3 {60.9}	17.3 {60.8}
		5	15.8 {55.6}	16.6 {58.4}	16.7 {58.8}	16.8 {59.2}	16.9 {59.4}	16.8 {58.9}
		0	14.9 {52.5}	15.5 {54.6}	15.6 {54.7}	15.6 {54.9}	15.5 {54.5}	15.3 {53.8}
		-5	14.5 {50.9}	14.8 {52.0}	14.7 {51.8}	14.8 {51.9}	14.5 {51.1}	14.3 {50.3}
		-10	12.9 {45.4}	13.2 {46.3}	13.1 {46.2}	13.1 {46.2}	12.9 {45.2}	12.6 {44.3}
		-20	11.7 {41.0}	11.7 {41.2}	11.7 {41.0}	11.6 {40.7}	11.3 {39.6}	11.0 {38.6}
		-30	9.98 {35.1}	9.93 {34.9}	9.84 {34.6}	9.75 {34.3}	9.44 {33.2}	-
		-40	8.59 {30.2}	8.56 {30.1}	8.47 {29.8}	8.39 {29.5}	8.11 {28.5}	-
	71140DC1S	10	19.2 {67.6}	20.8 {73.2}	21.0 {74.0}	21.3 {75.0}	21.7 {76.2}	21.6 {76.1}
		5	20.1 {70.5}	21.1 {74.2}	21.2 {74.6}	21.4 {75.1}	21.4 {75.3}	21.2 {74.7}
		0	18.7 {65.6}	19.5 {68.4}	19.5 {68.5}	19.5 {68.7}	19.5 {68.4}	19.2 {67.4}
		-5	18.1 {63.6}	18.4 {64.7}	18.3 {64.5}	18.3 {64.5}	18.1 {63.7}	17.8 {62.7}
		-10	16.6 {58.3}	16.9 {59.4}	16.8 {59.1}	16.8 {59.1}	16.5 {58.0}	16.2 {56.8}
		-20	14.6 {51.2}	14.7 {51.6}	14.6 {51.3}	14.5 {50.9}	14.1 {49.6}	13.7 {48.3}
		-30	12.5 {44.0}	12.5 {43.9}	12.4 {43.5}	12.3 {43.1}	11.9 {41.7}	-
		-40	11.0 {38.5}	10.9 {38.2}	10.7 {37.7}	10.7 {37.7}	10.2 {36.0}	-

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (℃)					
			30	35	38	40	45	50
ATX-	71160DC1S	10	22.0 {77.3}	23.8 {83.7}	24.1 {84.8}	24.4 {85.8}	24.8 {87.2}	24.7 {86.9}
		5	23.1 {81.1}	24.3 {85.4}	24.5 {86.0}	24.6 {86.4}	24.7 {86.8}	24.5 {86.0}
		0	21.6 {75.9}	22.4 {78.9}	22.5 {79.0}	22.5 {79.2}	22.4 {78.9}	22.2 {77.9}
		-5	20.7 {72.8}	21.2 {74.5}	21.2 {74.4}	21.2 {74.4}	20.3 {71.2}	20.5 {71.9}
		-10	19.5 {68.4}	19.2 {67.6}	19.1 {67.3}	19.1 {67.2}	18.7 {65.9}	18.4 {64.6}
		-20	16.6 {58.3}	16.8 {59.1}	16.7 {58.7}	16.6 {58.4}	16.2 {56.8}	15.7 {55.3}
		-30	14.3 {50.3}	14.3 {50.2}	14.1 {49.7}	14.0 {49.3}	13.6 {47.8}	-
	-40	12.5 {44.0}	12.5 {43.8}	12.3 {43.3}	12.2 {42.9}	11.8 {41.3}	-	
	12220DC1S	10	30.4 {107}	33.0 {116}	33.3 {117}	33.6 {118}	34.1 {120}	34.1 {120}
		5	31.6 {111}	33.3 {117}	33.6 {118}	33.6 {118}	33.6 {118}	33.8 {119}
		0	29.6 {104}	30.7 {108}	31.0 {109}	31.0 {109}	30.7 {108}	30.4 {107}
		-5	28.7 {101}	29.0 {102}	29.0 {102}	29.0 {102}	28.7 {101}	28.2 {99.1}
		-10	26.1 {91.7}	26.5 {93.3}	26.4 {92.7}	26.4 {92.9}	25.9 {91.2}	25.4 {89.3}
		-20	22.7 {79.7}	22.8 {80.2}	22.6 {79.6}	22.5 {79.2}	21.9 {77.0}	21.3 {75.0}
		-30	19.7 {69.4}	19.7 {69.4}	19.5 {68.7}	19.4 {68.3}	18.7 {65.9}	-
	-40	17.2 {60.5}	17.1 {60.1}	16.9 {59.4}	16.8 {58.9}	16.2 {56.8}	-	
	12270DC1S	10	37.0 {130}	39.8 {140}	40.4 {142}	40.7 {143}	41.2 {145}	41.2 {145}
		5	38.4 {135}	40.7 {143}	41.2 {145}	41.2 {145}	41.0 {144}	41.0 {144}
		0	36.1 {127}	37.5 {132}	37.5 {132}	37.5 {132}	37.5 {132}	37.0 {130}
		-5	35.0 {123}	35.3 {124}	35.6 {125}	35.6 {125}	34.7 {122}	34.1 {120}
		-10	31.9 {112}	32.1 {113}	32.1 {113}	31.9 {112}	31.3 {110}	31.0 {109}
		-20	27.7 {97.4}	27.9 {98.1}	27.7 {97.5}	27.5 {96.7}	26.9 {94.7}	26.1 {91.9}
		-30	24.0 {84.4}	24.0 {84.3}	23.8 {83.5}	23.6 {82.9}	22.8 {80.2}	-
	-40	20.9 {73.4}	20.8 {73.0}	20.5 {72.1}	20.3 {71.5}	19.6 {68.9}	-	
	12330DC1S	10	44.9 {158}	48.6 {171}	49.5 {174}	50.1 {176}	50.9 {179}	50.9 {179}
		5	47.2 {166}	49.5 {174}	50.1 {176}	50.3 {177}	50.3 {177}	50.3 {177}
		0	44.1 {155}	45.8 {161}	46.1 {162}	46.1 {162}	46.1 {162}	45.5 {160}
		-5	42.7 {150}	43.2 {152}	43.5 {153}	43.5 {153}	42.7 {150}	42.1 {148}
		-10	39.0 {137}	39.8 {140}	39.8 {140}	39.5 {139}	39.0 {137}	38.1 {134}
		-20	34.1 {120}	34.1 {120}	34.1 {120}	33.8 {119}	33.0 {116}	32.1 {113}
		-30	29.3 {103}	29.6 {104}	29.0 {102}	29.0 {102}	27.9 {98.1}	-
	-40	25.6 {90.0}	25.5 {89.5}	25.1 {88.4}	24.9 {87.7}	24.0 {84.4}	-	
	12420DC1S	10	57.2 {201}	61.7 {217}	62.6 {220}	63.4 {223}	64.3 {226}	64.3 {226}
		5	59.7 {210}	62.9 {221}	63.4 {223}	63.7 {224}	64.0 {225}	63.7 {224}
		0	56.9 {200}	59.2 {208}	59.4 {209}	59.4 {209}	59.2 {208}	58.6 {206}
		-5	55.7 {196}	56.9 {200}	56.9 {200}	56.6 {199}	55.7 {196}	55.2 {194}
		-10	53.2 {187}	52.0 {183}	52.0 {183}	51.8 {182}	50.9 {179}	50.1 {176}
		-20	45.5 {160}	45.2 {159}	45.5 {160}	44.9 {158}	44.1 {155}	42.9 {151}
		-30	39.3 {138}	39.0 {137}	38.7 {136}	38.4 {135}	37.3 {131}	-
	-40	34.1 {120}	34.1 {120}	34.1 {120}	33.8 {119}	32.4 {114}	-	
	12500DC1S	10	68.8 {242}	74.2 {261}	75.1 {264}	76.2 {268}	77.1 {271}	77.1 {271}
		5	72.0 {253}	75.7 {266}	76.2 {268}	76.2 {268}	76.8 {270}	75.9 {267}
		0	68.5 {241}	71.4 {251}	71.4 {251}	71.7 {252}	71.4 {251}	70.2 {247}
		-5	66.8 {235}	68.3 {240}	68.3 {240}	68.3 {240}	67.4 {237}	66.3 {233}
		-10	61.7 {217}	63.1 {222}	62.9 {221}	62.6 {220}	61.4 {216}	60.3 {212}
		-20	54.6 {192}	54.6 {192}	54.3 {191}	54.0 {190}	52.6 {185}	51.2 {180}
		-30	47.2 {166}	47.2 {166}	46.9 {165}	46.6 {164}	44.9 {158}	-
	-40	41.5 {146}	41.0 {144}	40.7 {143}	40.4 {142}	38.7 {136}	-	

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BC1C 34006DC1C	10	0.84 {2.96}	0.92 {3.23}	0.93 {3.27}	0.94 {3.31}	0.96 {3.36}	0.95 {3.33}
		5	0.89 {3.12}	0.93 {3.28}	0.94 {3.30}	0.94 {3.32}	0.94 {3.32}	0.94 {3.31}
		0	0.81 {2.84}	0.84 {2.95}	0.84 {2.96}	0.84 {2.97}	0.84 {2.96}	0.83 {2.92}
		-5	0.81 {2.86}	0.83 {2.91}	0.82 {2.90}	0.82 {2.90}	0.81 {2.86}	0.80 {2.80}
		-10	0.72 {2.53}	0.74 {2.60}	0.74 {2.59}	0.73 {2.58}	0.72 {2.54}	0.70 {2.47}
		-20	0.61 {2.16}	0.62 {2.17}	0.62 {2.17}	0.61 {2.15}	0.59 {2.09}	0.58 {2.04}
		-30	0.50 {1.75}	0.49 {1.74}	0.49 {1.73}	0.49 {1.72}	0.47 {1.67}	-
	-40	0.41 {1.45}	0.40 {1.42}	0.40 {1.41}	0.40 {1.40}	0.38 {1.34}	-	
	34013BC1C 34013DC1C	10	1.78 {6.27}	1.93 {6.78}	1.95 {6.86}	1.97 {6.94}	2.00 {7.05}	2.00 {7.05}
		5	1.87 {6.57}	1.96 {6.90}	1.97 {6.94}	1.99 {6.99}	1.99 {7.00}	1.97 {6.92}
		0	1.70 {5.98}	1.78 {6.25}	1.78 {6.26}	1.79 {6.29}	1.78 {6.25}	1.75 {6.17}
		-5	1.60 {5.62}	1.64 {5.75}	1.64 {5.75}	1.63 {5.74}	1.61 {5.66}	1.58 {5.56}
		-10	1.48 {5.22}	1.50 {5.29}	1.50 {5.27}	1.50 {5.27}	1.47 {5.17}	1.44 {5.07}
		-20	1.30 {4.57}	1.31 {4.59}	1.30 {4.57}	1.29 {4.54}	1.26 {4.42}	1.23 {4.31}
		-30	1.14 {4.02}	1.14 {4.01}	1.13 {3.97}	1.12 {3.94}	1.08 {3.81}	-
	-40	0.98 {3.46}	0.97 {3.42}	0.96 {3.39}	0.96 {3.36}	0.92 {3.23}	-	
	34023BC1C 34023DC1C	10	3.10 {10.9}	3.33 {11.7}	3.38 {11.9}	3.41 {12.0}	3.47 {12.2}	3.53 {12.4}
		5	3.19 {11.2}	3.36 {11.8}	3.38 {11.9}	3.38 {11.9}	3.38 {11.9}	3.38 {11.9}
		0	2.93 {10.3}	3.04 {10.7}	3.04 {10.7}	3.07 {10.8}	3.04 {10.7}	3.01 {10.6}
		-5	2.90 {10.2}	2.96 {10.4}	2.96 {10.4}	2.96 {10.4}	2.93 {10.3}	2.87 {10.1}
		-10	2.51 {8.83}	2.55 {8.98}	2.55 {8.95}	2.54 {8.93}	2.49 {8.77}	2.43 {8.55}
		-20	2.22 {7.80}	2.23 {7.84}	2.21 {7.78}	2.20 {7.74}	2.14 {7.54}	2.08 {7.33}
		-30	1.87 {6.56}	1.86 {6.53}	1.84 {6.46}	1.83 {6.42}	1.77 {6.21}	-
	-40	1.49 {5.24}	1.48 {5.21}	1.46 {5.15}	1.45 {5.10}	1.40 {4.92}	-	
	34035BC1C 34035DC1C	10	4.66 {16.4}	5.03 {17.7}	5.09 {17.9}	5.18 {18.2}	5.26 {18.5}	5.26 {18.5}
		5	4.86 {17.1}	5.12 {18.0}	5.15 {18.1}	5.18 {18.2}	5.20 {18.3}	5.18 {18.2}
		0	4.52 {15.9}	4.66 {16.4}	4.69 {16.5}	4.69 {16.5}	4.69 {16.5}	4.61 {16.2}
		-5	4.27 {15.0}	4.32 {15.2}	4.35 {15.3}	4.35 {15.3}	4.27 {15.0}	4.21 {14.8}
		-10	3.81 {13.4}	3.90 {13.7}	3.87 {13.6}	3.84 {13.5}	3.78 {13.3}	3.70 {13.0}
		-20	3.27 {11.5}	3.30 {11.6}	3.30 {11.6}	3.27 {11.5}	3.16 {11.1}	3.10 {10.9}
		-30	2.83 {9.96}	2.84 {10.0}	2.80 {9.86}	2.81 {9.87}	2.69 {9.47}	-
	-40	2.29 {8.05}	2.28 {8.00}	2.25 {7.91}	2.23 {7.84}	2.15 {7.55}	-	
	34045BC1C 34045DC1C	10	5.97 {21.0}	6.46 {22.7}	6.54 {23.0}	6.63 {23.3}	6.71 {23.6}	6.74 {23.7}
		5	6.23 {21.9}	6.57 {23.1}	6.63 {23.3}	6.65 {23.4}	6.65 {23.4}	6.63 {23.3}
		0	5.77 {20.3}	6.03 {21.2}	6.03 {21.2}	6.06 {21.3}	6.00 {21.1}	5.94 {20.9}
		-5	5.49 {19.3}	5.40 {19.0}	5.57 {19.6}	5.57 {19.6}	5.52 {19.4}	5.40 {19.0}
		-10	4.92 {17.3}	5.01 {17.6}	4.95 {17.4}	4.95 {17.4}	4.83 {17.0}	4.75 {16.7}
		-20	4.21 {14.8}	4.21 {14.8}	4.21 {14.8}	4.18 {14.7}	4.07 {14.3}	3.98 {14.0}
		-30	3.61 {12.7}	3.64 {12.8}	3.61 {12.7}	3.58 {12.6}	3.47 {12.2}	-
	-40	2.96 {10.4}	2.93 {10.3}	2.90 {10.2}	2.87 {10.1}	2.77 {9.75}	-	
	57060DC1C	10	8.22 {28.9}	8.87 {31.2}	9.02 {31.7}	9.13 {32.1}	9.27 {32.6}	9.24 {32.5}
		5	8.62 {30.3}	9.04 {31.8}	9.10 {32.0}	9.13 {32.1}	9.19 {32.3}	9.13 {32.1}
		0	8.02 {28.2}	8.33 {29.3}	8.36 {29.4}	8.39 {29.5}	8.36 {29.4}	8.25 {29.0}
		-5	7.71 {27.1}	7.91 {27.8}	7.88 {27.7}	7.88 {27.7}	7.76 {27.3}	7.65 {26.9}
		-10	7.02 {24.7}	7.17 {25.2}	7.17 {25.2}	7.14 {25.1}	7.00 {24.6}	6.85 {24.1}
		-20	6.09 {21.4}	6.11 {21.5}	6.09 {21.4}	6.03 {21.2}	5.89 {20.7}	5.74 {20.2}
		-30	5.26 {18.5}	5.29 {18.6}	5.23 {18.4}	5.18 {18.2}	5.01 {17.6}	-
	-40	4.55 {16.0}	4.52 {15.9}	4.49 {15.8}	4.46 {15.7}	4.29 {15.1}	-	
57080DC1C	10	11.0 {38.6}	11.9 {41.8}	12.0 {42.3}	12.2 {42.9}	12.4 {43.5}	12.4 {43.6}	
	5	11.5 {40.5}	12.1 {42.6}	12.2 {42.9}	12.3 {43.2}	12.3 {43.3}	12.2 {43.0}	
	0	10.8 {37.8}	11.2 {39.3}	11.2 {39.4}	11.3 {39.6}	11.2 {39.4}	11.1 {38.9}	
	-5	10.2 {36.0}	10.5 {36.8}	10.5 {36.8}	10.5 {36.8}	10.3 {36.3}	10.1 {35.6}	
	-10	9.41 {33.1}	9.58 {33.7}	9.56 {33.6}	9.53 {33.5}	9.38 {33.0}	9.19 {32.3}	
	-20	8.13 {28.6}	8.19 {28.8}	8.11 {28.5}	8.08 {28.4}	7.82 {27.5}	7.65 {26.9}	
	-30	7.08 {24.9}	7.05 {24.8}	7.00 {24.6}	6.94 {24.4}	6.71 {23.6}	-	
-40	6.09 {21.4}	6.03 {21.2}	5.97 {21.0}	5.92 {20.8}	5.69 {20.0}	-		
71110DC1C	10	15.6 {54.9}	16.7 {58.6}	16.8 {59.2}	17.1 {60.0}	17.3 {60.9}	17.3 {60.8}	
	5	15.8 {55.6}	16.6 {58.4}	16.7 {58.8}	16.8 {59.2}	16.9 {59.4}	16.8 {58.9}	
	0	14.9 {52.5}	15.5 {54.6}	15.6 {54.7}	15.6 {54.9}	15.5 {54.5}	15.3 {53.8}	
	-5	14.5 {50.9}	14.8 {52.0}	14.7 {51.8}	14.8 {51.9}	14.5 {51.1}	14.3 {50.3}	
	-10	12.9 {45.4}	13.2 {46.3}	13.1 {46.2}	13.1 {46.2}	12.9 {45.2}	12.6 {44.3}	
	-20	11.7 {41.0}	11.7 {41.2}	11.7 {41.0}	11.6 {40.7}	11.3 {39.6}	11.0 {38.6}	
	-30	9.98 {35.1}	9.93 {34.9}	9.84 {34.6}	9.75 {34.3}	9.44 {33.2}	-	
-40	8.59 {30.2}	8.56 {30.1}	8.47 {29.8}	8.39 {29.5}	8.11 {28.5}	-		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	71140DC1C	10	19.2 {67.6}	20.8 {73.2}	21.0 {74.0}	21.3 {75.0}	21.7 {76.2}	21.6 {76.1}
		5	20.1 {70.5}	21.1 {74.2}	21.2 {74.6}	21.4 {75.1}	21.4 {75.3}	21.2 {74.7}
		0	18.7 {65.6}	19.5 {68.4}	19.5 {68.5}	19.5 {68.7}	19.5 {68.4}	19.2 {67.4}
		-5	18.1 {63.6}	18.4 {64.7}	18.3 {64.5}	18.3 {64.5}	18.1 {63.7}	17.8 {62.7}
		-10	16.6 {58.3}	16.9 {59.4}	16.8 {59.1}	16.8 {59.1}	16.5 {58.0}	16.2 {56.8}
		-20	14.6 {51.2}	14.7 {51.6}	14.6 {51.3}	14.5 {50.9}	14.1 {49.6}	13.7 {48.3}
		-30	12.5 {44.0}	12.5 {43.9}	12.4 {43.5}	12.3 {43.1}	11.9 {41.7}	-
	-40	11.0 {38.5}	10.9 {38.2}	10.7 {37.7}	10.7 {37.7}	10.2 {36.0}	-	
	71160DC1C	10	22.0 {77.3}	23.8 {83.7}	24.1 {84.8}	24.4 {85.8}	24.8 {87.2}	24.7 {86.9}
		5	23.1 {81.1}	24.3 {85.4}	24.5 {86.0}	24.6 {86.4}	24.7 {86.8}	24.5 {86.0}
		0	21.6 {75.9}	22.4 {78.9}	22.5 {79.0}	22.5 {79.2}	22.4 {78.9}	22.2 {77.9}
		-5	20.7 {72.8}	21.2 {74.5}	21.2 {74.4}	21.2 {74.4}	20.3 {71.2}	20.5 {71.9}
		-10	19.5 {68.4}	19.2 {67.6}	19.1 {67.3}	19.1 {67.2}	18.7 {65.9}	18.4 {64.6}
		-20	16.6 {58.3}	16.8 {59.1}	16.7 {58.7}	16.6 {58.4}	16.2 {56.8}	15.7 {55.3}
		-30	14.3 {50.3}	14.3 {50.2}	14.1 {49.7}	14.0 {49.3}	13.6 {47.8}	-
	-40	12.5 {44.0}	12.5 {43.8}	12.3 {43.3}	12.2 {42.9}	11.8 {41.3}	-	
	12220DC1C	10	30.4 {107}	33.0 {116}	33.3 {117}	33.6 {118}	34.1 {120}	34.1 {120}
		5	31.6 {111}	33.3 {117}	33.6 {118}	33.6 {118}	33.6 {118}	33.8 {119}
		0	29.6 {104}	30.7 {108}	31.0 {109}	31.0 {109}	30.7 {108}	30.4 {107}
		-5	28.7 {101}	29.0 {102}	29.0 {102}	29.0 {102}	28.7 {101}	28.2 {99.1}
		-10	26.1 {91.7}	26.5 {93.3}	26.4 {92.7}	26.4 {92.9}	25.9 {91.2}	25.4 {89.3}
		-20	22.7 {79.7}	22.8 {80.2}	22.6 {79.6}	22.5 {79.2}	21.9 {77.0}	21.3 {75.0}
		-30	19.7 {69.4}	19.7 {69.4}	19.5 {68.7}	19.4 {68.3}	18.7 {65.9}	-
	-40	17.2 {60.5}	17.1 {60.1}	16.9 {59.4}	16.8 {58.9}	16.2 {56.8}	-	
	12270DC1C	10	37.0 {130}	39.8 {140}	40.4 {142}	40.7 {143}	41.2 {145}	41.2 {145}
		5	38.4 {135}	40.7 {143}	41.2 {145}	41.2 {145}	41.0 {144}	41.0 {144}
		0	36.1 {127}	37.5 {132}	37.5 {132}	37.5 {132}	37.5 {132}	37.0 {130}
		-5	35.0 {123}	35.3 {124}	35.6 {125}	35.6 {125}	34.7 {122}	34.1 {120}
		-10	31.9 {112}	32.1 {113}	32.1 {113}	31.9 {112}	31.3 {110}	31.0 {109}
		-20	27.7 {97.4}	27.9 {98.1}	27.7 {97.5}	27.5 {96.7}	26.9 {94.7}	26.1 {91.9}
		-30	24.0 {84.4}	24.0 {84.3}	23.8 {83.5}	23.6 {82.9}	22.8 {80.2}	-
	-40	20.9 {73.4}	20.8 {73.0}	20.5 {72.1}	20.3 {71.5}	19.6 {68.9}	-	
	12330DC1C	10	44.9 {158}	48.6 {171}	49.5 {174}	50.1 {176}	50.9 {179}	50.9 {179}
		5	47.2 {166}	49.5 {174}	50.1 {176}	50.3 {177}	50.3 {177}	50.3 {177}
		0	44.1 {155}	45.8 {161}	46.1 {162}	46.1 {162}	46.1 {162}	45.5 {160}
		-5	42.7 {150}	43.2 {152}	43.5 {153}	43.5 {153}	42.7 {150}	42.1 {148}
		-10	39.0 {137}	39.8 {140}	39.8 {140}	39.5 {139}	39.0 {137}	38.1 {134}
		-20	34.1 {120}	34.1 {120}	34.1 {120}	33.8 {119}	33.0 {116}	32.1 {113}
		-30	29.3 {103}	29.6 {104}	29.0 {102}	29.0 {102}	27.9 {98.1}	-
	-40	25.6 {90.0}	25.5 {89.5}	25.1 {88.4}	24.9 {87.7}	24.0 {84.4}	-	
	12420DC1C	10	57.2 {201}	61.7 {217}	62.6 {220}	63.4 {223}	64.3 {226}	64.3 {226}
		5	59.7 {210}	62.9 {221}	63.4 {223}	63.7 {224}	64.0 {225}	63.7 {224}
		0	56.9 {200}	59.2 {208}	59.4 {209}	59.4 {209}	59.2 {208}	58.6 {206}
		-5	55.7 {196}	56.9 {200}	56.9 {200}	56.6 {199}	55.7 {196}	55.2 {194}
		-10	53.2 {187}	52.0 {183}	52.0 {183}	51.8 {182}	50.9 {179}	50.1 {176}
		-20	45.5 {160}	45.2 {159}	45.5 {160}	44.9 {158}	44.1 {155}	42.9 {151}
		-30	39.3 {138}	39.0 {137}	38.7 {136}	38.4 {135}	37.3 {131}	-
	-40	34.1 {120}	34.1 {120}	34.1 {120}	33.8 {119}	32.4 {114}	-	
12500DC1C	10	68.8 {242}	74.2 {261}	75.1 {264}	76.2 {268}	77.1 {271}	77.1 {271}	
	5	72.0 {253}	75.7 {266}	76.2 {268}	76.2 {268}	76.8 {270}	75.9 {267}	
	0	68.5 {241}	71.4 {251}	71.4 {251}	71.7 {252}	71.4 {251}	70.2 {247}	
	-5	66.8 {235}	68.3 {240}	68.3 {240}	68.3 {240}	67.4 {237}	66.3 {233}	
	-10	61.7 {217}	63.1 {222}	62.9 {221}	62.6 {220}	61.4 {216}	60.3 {212}	
	-20	54.6 {192}	54.6 {192}	54.3 {191}	54.0 {190}	52.6 {185}	51.2 {180}	
	-30	47.2 {166}	47.2 {166}	46.9 {165}	46.6 {164}	44.9 {158}	-	
-40	41.5 {146}	41.0 {144}	40.7 {143}	40.4 {142}	38.7 {136}	-		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
ATX-	34006BC1SL 34006DC1SL	-25	0.56 {1.96}	0.57 {2.02}	0.57 {2.01}	0.57 {2.00}	0.53 {1.88}
		-30	0.49 {1.74}	0.51 {1.78}	0.50 {1.76}	0.50 {1.75}	0.46 {1.63}
		-40	0.42 {1.47}	0.42 {1.49}	0.42 {1.46}	0.41 {1.45}	0.38 {1.35}
		-50	0.29 {1.02}	0.29 {1.03}	0.29 {1.01}	0.28 {1.00}	0.26 {0.92}
	34013BC1SL 34013DC1SL	-60	0.21 {0.73}	0.21 {0.73}	0.20 {0.72}	0.20 {0.71}	0.19 {0.66}
		-25	1.32 {4.65}	1.36 {4.79}	1.35 {4.76}	1.35 {4.74}	1.27 {4.46}
		-30	1.24 {4.37}	1.27 {4.47}	1.26 {4.42}	1.25 {4.39}	1.17 {4.11}
		-40	1.08 {3.79}	1.09 {3.84}	1.07 {3.77}	1.07 {3.75}	0.99 {3.48}
	34023BC1SL 34023DC1SL	-50	0.84 {2.95}	0.85 {2.98}	0.83 {2.92}	0.82 {2.89}	0.76 {2.67}
		-60	0.61 {2.13}	0.61 {2.15}	0.60 {2.11}	0.60 {2.09}	0.55 {1.94}
		-25	2.23 {7.84}	2.30 {8.08}	2.28 {8.03}	2.27 {7.99}	2.14 {7.52}
		-30	2.05 {7.21}	2.10 {7.37}	2.07 {7.29}	2.06 {7.24}	1.93 {6.78}
	34035BC1SL 34035DC1SL	-40	1.66 {5.84}	1.68 {5.91}	1.65 {5.81}	1.64 {5.77}	1.52 {5.36}
		-50	1.33 {4.68}	1.34 {4.72}	1.31 {4.62}	1.30 {4.58}	1.21 {4.24}
		-60	0.84 {2.96}	0.85 {2.99}	0.83 {2.93}	0.83 {2.91}	0.76 {2.69}
		-25	3.34 {11.7}	3.45 {12.1}	3.42 {12.0}	3.41 {12.0}	3.21 {11.3}
	34045BC1SL 34045DC1SL	-30	3.07 {10.8}	3.14 {11.0}	3.11 {10.9}	3.09 {10.9}	2.89 {10.2}
		-40	2.50 {8.80}	2.53 {8.91}	2.49 {8.76}	2.47 {8.69}	2.30 {8.08}
		-50	1.90 {6.69}	1.92 {6.75}	1.88 {6.61}	1.86 {6.55}	1.72 {6.06}
		-60	1.49 {5.25}	1.51 {5.30}	1.48 {5.20}	1.47 {5.16}	1.36 {4.77}
	57060DC1SL	-25	4.41 {15.5}	4.55 {16.0}	4.52 {15.9}	4.50 {15.8}	4.23 {14.9}
		-30	3.95 {13.9}	4.04 {14.2}	3.99 {14.0}	3.97 {14.0}	3.72 {13.1}
		-40	3.33 {11.7}	3.37 {11.8}	3.31 {11.6}	3.29 {11.6}	3.05 {10.7}
		-50	2.69 {9.46}	2.71 {9.53}	2.66 {9.34}	2.63 {9.26}	2.43 {8.56}
	57080DC1SL	-60	2.07 {7.27}	2.09 {7.34}	2.05 {7.20}	2.03 {7.14}	1.88 {6.60}
		-25	5.91 {20.8}	6.10 {21.4}	6.06 {21.3}	6.03 {21.2}	5.67 {20.0}
		-30	5.52 {19.4}	5.64 {19.8}	5.58 {19.6}	5.54 {19.5}	5.19 {18.2}
		-40	4.81 {16.9}	4.87 {17.1}	4.78 {16.8}	4.75 {16.7}	4.42 {15.5}
	71110DC1SL	-50	3.79 {13.3}	3.82 {13.4}	3.74 {13.1}	3.70 {13.0}	3.43 {12.0}
		-60	2.62 {9.21}	2.64 {9.30}	2.59 {9.12}	2.57 {9.04}	2.38 {8.37}
		-25	7.99 {28.1}	8.24 {29.0}	8.18 {28.8}	8.14 {28.6}	7.66 {27.0}
		-30	7.41 {26.1}	7.58 {26.6}	7.49 {26.3}	7.44 {26.2}	6.97 {24.5}
	71140DC1SL	-40	6.43 {22.6}	6.51 {22.9}	6.40 {22.5}	6.35 {22.3}	5.90 {20.8}
		-50	5.12 {18.0}	5.15 {18.1}	5.05 {17.8}	5.00 {17.6}	4.63 {16.3}
		-60	3.53 {12.4}	3.56 {12.5}	3.49 {12.3}	3.46 {12.2}	3.20 {11.3}
		-25	10.1 {35.5}	10.4 {36.6}	10.3 {36.4}	10.3 {36.2}	9.69 {34.1}
	71160DC1SL	-30	9.37 {32.9}	9.58 {33.7}	9.47 {33.3}	9.41 {33.1}	8.81 {31.0}
		-40	8.18 {28.8}	8.28 {29.1}	8.14 {28.6}	8.07 {28.4}	7.51 {26.4}
		-50	5.99 {21.1}	6.03 {21.2}	5.91 {20.8}	5.86 {20.6}	5.42 {19.0}
		-60	4.19 {14.7}	4.23 {14.9}	4.15 {14.6}	4.12 {14.5}	3.81 {13.4}
	12220DC1SL	-25	14.1 {49.6}	14.6 {51.2}	14.5 {50.9}	14.4 {50.6}	13.6 {47.6}
		-30	13.1 {46.2}	13.4 {47.2}	13.3 {46.7}	13.2 {46.4}	12.4 {43.4}
		-40	11.6 {40.7}	11.7 {41.3}	11.5 {40.5}	11.4 {40.2}	10.6 {37.4}
		-50	8.71 {30.6}	8.77 {30.9}	8.59 {30.2}	8.52 {30.0}	7.88 {27.7}
	12270DC1SL	-60	5.96 {20.9}	6.02 {21.2}	5.90 {20.7}	5.85 {20.6}	5.41 {19.0}
		-25	19.8 {69.5}	20.4 {71.7}	20.3 {71.3}	20.2 {70.9}	19.0 {66.7}
		-30	18.4 {64.6}	18.8 {66.1}	18.6 {65.3}	18.5 {64.9}	17.3 {60.8}
		-40	16.3 {57.3}	16.5 {58.0}	16.2 {57.0}	16.1 {56.6}	15.0 {52.6}
	12330DC1SL	-50	12.3 {43.3}	12.4 {43.6}	12.2 {42.7}	12.1 {42.4}	11.1 {39.2}
		-60	8.47 {29.8}	8.56 {30.1}	8.40 {29.5}	8.33 {29.3}	7.70 {27.1}
		-25	25.9 {91.0}	26.7 {93.9}	26.5 {93.3}	26.4 {92.8}	24.8 {87.4}
		-30	24.3 {85.3}	24.8 {87.2}	24.5 {86.2}	24.4 {85.7}	22.8 {80.3}
	12420DC1SL	-40	21.3 {75.0}	21.6 {75.9}	21.2 {74.6}	21.1 {74.1}	19.6 {68.9}
		-50	16.2 {56.8}	16.3 {57.3}	16.0 {56.1}	15.8 {55.6}	14.6 {51.4}
		-60	11.1 {39.1}	11.2 {39.4}	11.0 {38.7}	10.9 {38.4}	10.1 {35.5}
		-25	31.4 {110}	32.4 {114}	32.2 {113}	32.0 {113}	30.1 {106}
	12500DC1SL	-30	29.4 {103}	30.0 {106}	29.7 {104}	29.5 {104}	27.6 {97.0}
		-40	25.8 {90.7}	26.1 {91.9}	25.7 {90.3}	25.5 {89.6}	23.7 {83.3}
		-50	19.3 {67.8}	19.4 {68.4}	19.0 {66.9}	18.9 {66.4}	17.5 {61.4}
		-60	13.2 {46.5}	13.4 {47.0}	13.1 {46.1}	13.0 {45.7}	12.0 {42.3}
	12300DC1SL	-25	37.9 {133}	39.1 {137}	38.8 {136}	38.6 {136}	36.4 {128}
		-30	35.4 {125}	36.2 {127}	35.8 {126}	35.6 {125}	33.3 {117}
		-40	31.0 {109}	31.4 {110}	30.8 {108}	30.6 {108}	28.5 {100}
		-50	23.5 {82.5}	23.6 {83.1}	23.2 {81.4}	23.0 {80.7}	21.2 {74.6}
	12400DC1SL	-60	15.9 {55.8}	16.0 {56.4}	15.7 {55.3}	15.6 {54.8}	14.4 {50.7}
		-25	49.8 {175}	51.4 {181}	51.0 {179}	50.8 {178}	47.8 {168}
		-30	46.5 {164}	47.6 {167}	47.0 {165}	46.7 {164}	43.8 {154}
		-40	41.1 {144}	41.6 {146}	40.9 {144}	40.6 {143}	37.7 {133}
	12200DC1SL	-50	31.7 {111}	31.9 {112}	31.3 {110}	31.0 {109}	28.7 {101}
		-60	22.0 {77.3}	22.2 {78.1}	21.8 {76.6}	21.6 {75.9}	20.0 {70.2}
		-25	62.7 {220}	64.6 {227}	64.2 {226}	63.9 {225}	60.1 {211}
		-30	58.7 {206}	60.0 {211}	59.3 {208}	58.9 {207}	55.2 {194}
	12100DC1SL	-40	52.0 {183}	52.6 {185}	51.7 {182}	51.3 {180}	47.7 {168}
		-50	39.6 {139}	39.9 {140}	39.0 {137}	38.7 {136}	35.8 {126}
	12000DC1SL	-60	27.7 {97.5}	28.0 {98.5}	27.5 {96.6}	27.2 {95.8}	25.2 {88.6}

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BC1S 34006DC1S	10	0.83 {2.93}	0.89 {3.14}	0.92 {3.23}	0.93 {3.26}	0.94 {3.31}	0.93 {3.28}
		5	0.86 {3.01}	0.89 {3.14}	0.91 {3.19}	0.91 {3.21}	0.92 {3.22}	0.91 {3.20}
		0	0.80 {2.80}	0.82 {2.89}	0.83 {2.92}	0.83 {2.93}	0.83 {2.93}	0.82 {2.88}
		-5	0.78 {2.73}	0.79 {2.77}	0.79 {2.78}	0.79 {2.79}	0.78 {2.76}	0.77 {2.69}
		-10	0.71 {2.50}	0.73 {2.55}	0.73 {2.55}	0.72 {2.54}	0.71 {2.51}	0.69 {2.43}
		-20	0.61 {2.13}	0.61 {2.13}	0.61 {2.13}	0.60 {2.12}	0.59 {2.07}	0.57 {2.01}
		-30	0.49 {1.73}	0.49 {1.71}	0.48 {1.70}	0.48 {1.69}	0.47 {1.65}	-
	-40	0.41 {1.43}	0.40 {1.39}	0.40 {1.39}	0.39 {1.37}	0.38 {1.33}	-	
	34013BC1S 34013DC1S	10	1.76 {6.19}	1.88 {6.60}	1.93 {6.77}	1.95 {6.85}	1.98 {6.95}	1.98 {6.95}
		5	1.80 {6.33}	1.88 {6.60}	1.91 {6.72}	1.92 {6.76}	1.93 {6.79}	1.91 {6.70}
		0	1.68 {5.91}	1.74 {6.12}	1.76 {6.18}	1.76 {6.20}	1.76 {6.18}	1.73 {6.08}
		-5	1.53 {5.37}	1.56 {5.48}	1.57 {5.51}	1.56 {5.50}	1.55 {5.46}	1.52 {5.35}
		-10	1.46 {5.15}	1.47 {5.18}	1.48 {5.20}	1.48 {5.19}	1.46 {5.12}	1.42 {4.99}
		-20	1.28 {4.50}	1.28 {4.51}	1.28 {4.50}	1.27 {4.47}	1.25 {4.38}	1.20 {4.23}
		-30	1.13 {3.96}	1.12 {3.94}	1.11 {3.91}	1.10 {3.87}	1.07 {3.77}	-
	-40	0.97 {3.41}	0.96 {3.36}	0.95 {3.33}	0.94 {3.30}	0.91 {3.19}	-	
	34023BC1S 34023DC1S	10	3.07 {10.8}	3.24 {11.4}	3.36 {11.8}	3.36 {11.8}	3.41 {12.0}	3.47 {12.2}
		5	3.07 {10.8}	3.21 {11.3}	3.27 {11.5}	3.27 {11.5}	3.27 {11.5}	3.27 {11.5}
		0	2.90 {10.2}	2.99 {10.5}	3.01 {10.6}	3.04 {10.7}	3.01 {10.6}	2.96 {10.4}
		-5	2.76 {9.72}	2.82 {9.93}	2.84 {10.0}	2.84 {10.0}	2.83 {9.95}	2.76 {9.69}
		-10	2.48 {8.71}	2.51 {8.81}	2.51 {8.82}	2.50 {8.80}	2.47 {8.67}	2.39 {8.41}
		-20	2.19 {7.70}	2.19 {7.70}	2.18 {7.67}	2.16 {7.61}	2.12 {7.46}	2.05 {7.21}
		-30	1.84 {6.46}	1.82 {6.41}	1.81 {6.36}	1.79 {6.31}	1.75 {6.14}	-
	-40	1.46 {5.15}	1.45 {5.11}	1.44 {5.06}	1.42 {5.01}	1.38 {4.86}	-	
	34035BC1S 34035DC1S	10	4.61 {16.2}	4.89 {17.2}	5.03 {17.7}	5.09 {17.9}	5.18 {18.2}	5.18 {18.2}
		5	4.69 {16.5}	4.89 {17.2}	4.98 {17.5}	5.01 {17.6}	5.03 {17.7}	5.01 {17.6}
		0	4.46 {15.7}	4.58 {16.1}	4.64 {16.3}	4.61 {16.2}	4.64 {16.3}	4.55 {16.0}
		-5	4.07 {14.3}	4.12 {14.5}	4.18 {14.7}	4.15 {14.6}	4.12 {14.5}	4.04 {14.2}
		-10	3.78 {13.3}	3.81 {13.4}	3.81 {13.4}	3.78 {13.3}	3.75 {13.2}	3.64 {12.8}
		-20	3.21 {11.3}	3.24 {11.4}	3.24 {11.4}	3.21 {11.3}	3.13 {11.0}	3.04 {10.7}
		-30	2.79 {9.82}	2.80 {9.83}	2.76 {9.71}	2.76 {9.70}	2.66 {9.37}	-
	-40	2.25 {7.92}	2.23 {7.85}	2.21 {7.77}	2.19 {7.69}	2.12 {7.46}	-	
	34045BC1S 34045DC1S	10	5.92 {20.8}	6.29 {22.1}	6.46 {22.7}	6.54 {23.0}	6.63 {23.3}	6.63 {23.3}
		5	6.03 {21.2}	6.29 {22.1}	6.40 {22.5}	6.43 {22.6}	6.46 {22.7}	6.43 {22.6}
		0	5.72 {20.1}	5.92 {20.8}	5.94 {20.9}	5.97 {21.0}	5.94 {20.9}	5.86 {20.6}
		-5	5.23 {18.4}	5.15 {18.1}	5.35 {18.8}	5.35 {18.8}	5.32 {18.7}	5.20 {18.3}
		-10	4.83 {17.0}	4.89 {17.2}	4.89 {17.2}	4.86 {17.1}	4.78 {16.8}	4.69 {16.5}
		-20	4.15 {14.6}	4.15 {14.6}	4.15 {14.6}	4.12 {14.5}	4.04 {14.2}	3.90 {13.7}
		-30	3.55 {12.5}	3.58 {12.6}	3.55 {12.5}	3.53 {12.4}	3.44 {12.1}	-
	-40	2.90 {10.2}	2.87 {10.1}	2.84 {10.0}	2.82 {9.90}	2.74 {9.63}	-	
	57060DC1S	10	8.11 {28.5}	8.65 {30.4}	8.90 {31.3}	9.02 {31.7}	9.13 {32.1}	9.10 {32.0}
		5	8.30 {29.2}	8.65 {30.4}	8.82 {31.0}	8.84 {31.1}	8.93 {31.4}	8.84 {31.1}
		0	7.93 {27.9}	8.16 {28.7}	8.25 {29.0}	8.28 {29.1}	8.25 {29.0}	8.11 {28.5}
		-5	7.37 {25.9}	7.54 {26.5}	7.56 {26.6}	7.56 {26.6}	7.51 {26.4}	7.37 {25.9}
		-10	6.94 {24.4}	7.02 {24.7}	7.05 {24.8}	7.02 {24.7}	6.94 {24.4}	6.74 {23.7}
		-20	6.00 {21.1}	6.03 {21.2}	6.00 {21.1}	5.94 {20.9}	5.83 {20.5}	5.63 {19.8}
		-30	5.20 {18.3}	5.18 {18.2}	5.15 {18.1}	5.09 {17.9}	4.98 {17.5}	-
	-40	4.46 {15.7}	4.44 {15.6}	4.41 {15.5}	4.38 {15.4}	4.24 {14.9}	-	
57080DC1S	10	10.9 {38.2}	11.6 {40.7}	11.9 {41.8}	12.0 {42.3}	12.2 {42.9}	12.2 {42.9}	
	5	11.1 {39.1}	11.6 {40.8}	11.8 {41.5}	11.9 {41.8}	11.9 {42.0}	11.8 {41.6}	
	0	10.6 {37.3}	11.0 {38.5}	11.1 {38.9}	11.1 {39.0}	11.1 {38.9}	10.9 {38.3}	
	-5	9.78 {34.4}	9.98 {35.1}	10.0 {35.3}	10.0 {35.3}	9.95 {35.0}	9.73 {34.2}	
	-10	9.30 {32.7}	9.41 {33.1}	9.41 {33.1}	9.38 {33.0}	9.27 {32.6}	9.02 {31.7}	
	-20	8.02 {28.2}	8.05 {28.3}	7.99 {28.1}	7.93 {27.9}	7.76 {27.3}	7.51 {26.4}	
	-30	6.97 {24.5}	6.94 {24.4}	6.88 {24.2}	6.80 {23.9}	6.63 {23.3}	-	
-40	6.00 {21.1}	5.92 {20.8}	5.86 {20.6}	5.80 {20.4}	5.63 {19.8}	-		
71110DC1S	10	15.4 {54.3}	16.2 {57.0}	16.6 {58.5}	16.8 {59.1}	17.1 {60.1}	17.0 {59.9}	
	5	15.2 {53.6}	15.9 {55.8}	16.2 {56.9}	16.3 {57.2}	16.4 {57.6}	16.2 {57.0}	
	0	14.7 {51.8}	15.2 {53.4}	15.4 {54.0}	15.4 {54.2}	15.3 {53.9}	15.1 {53.0}	
	-5	13.8 {48.6}	14.1 {49.5}	14.1 {49.7}	14.2 {49.8}	14.0 {49.3}	13.7 {48.3}	
	-10	12.7 {44.8}	12.9 {45.4}	12.9 {45.5}	12.9 {45.5}	12.7 {44.7}	12.4 {43.6}	
	-20	11.5 {40.5}	11.5 {40.5}	11.5 {40.4}	11.4 {40.1}	11.2 {39.2}	10.8 {38.0}	
	-30	9.81 {34.5}	9.75 {34.3}	9.70 {34.1}	9.58 {33.7}	9.36 {32.9}	-	
-40	8.47 {29.8}	8.42 {29.6}	8.33 {29.3}	8.25 {29.0}	7.99 {28.1}	-		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	71140DC1S	10	19.0 {66.8}	20.3 {71.2}	20.8 {73.1}	21.0 {74.0}	21.4 {75.1}	21.3 {74.9}
		5	19.3 {68.0}	20.2 {71.0}	20.5 {72.1}	20.7 {72.6}	20.8 {73.0}	20.6 {72.3}
		0	18.4 {64.8}	19.0 {66.9}	19.2 {67.6}	19.3 {67.7}	19.2 {67.6}	18.9 {66.4}
		-5	17.3 {60.7}	17.5 {61.6}	17.6 {61.9}	17.6 {61.9}	17.5 {61.4}	17.2 {60.3}
		-10	16.4 {57.6}	16.6 {58.3}	16.6 {58.3}	16.6 {58.2}	16.3 {57.4}	15.9 {55.9}
		-20	14.4 {50.5}	14.4 {50.7}	14.4 {50.5}	14.3 {50.1}	14.0 {49.1}	13.5 {47.5}
		-30	12.3 {43.4}	12.3 {43.1}	12.2 {42.8}	12.1 {42.4}	11.8 {41.3}	-
		-40	10.8 {37.9}	10.7 {37.5}	10.6 {37.1}	10.5 {37.0}	10.1 {35.6}	-
	71160DC1S	10	21.7 {76.3}	23.2 {81.4}	23.8 {83.7}	24.1 {84.6}	24.4 {85.9}	24.3 {85.6}
		5	22.3 {78.3}	23.2 {81.7}	23.7 {83.2}	23.8 {83.6}	23.9 {84.1}	23.7 {83.3}
		0	21.3 {74.9}	22.0 {77.2}	22.2 {78.0}	22.2 {78.1}	22.2 {78.0}	21.8 {76.7}
		-5	19.8 {69.5}	20.2 {71.0}	20.3 {71.4}	20.3 {71.4}	19.5 {68.7}	19.7 {69.1}
		-10	19.2 {67.5}	18.9 {66.3}	18.9 {66.4}	18.8 {66.1}	18.5 {65.2}	18.1 {63.5}
		-20	16.4 {57.5}	16.5 {58.1}	16.4 {57.8}	16.4 {57.5}	16.0 {56.2}	15.5 {54.4}
		-30	14.1 {49.5}	14.0 {49.3}	13.9 {49.0}	13.8 {48.5}	13.5 {47.3}	-
		-40	12.3 {43.3}	12.2 {43.0}	12.1 {42.5}	12.0 {42.1}	11.6 {40.8}	-
	12220DC1S	10	30.2 {106}	31.9 {112}	33.0 {116}	33.3 {117}	33.8 {119}	33.6 {118}
		5	30.4 {107}	31.9 {112}	32.4 {114}	32.4 {114}	32.7 {115}	32.7 {115}
		0	29.3 {103}	30.2 {106}	30.7 {108}	30.7 {108}	30.4 {107}	29.9 {105}
		-5	27.4 {96.3}	27.7 {97.5}	27.9 {98.2}	28.0 {98.3}	27.8 {97.7}	27.1 {95.2}
		-10	25.7 {90.5}	26.0 {91.5}	26.0 {91.4}	26.0 {91.5}	25.7 {90.2}	25.0 {87.8}
		-20	22.4 {78.6}	22.4 {78.8}	22.3 {78.4}	22.2 {78.0}	21.7 {76.3}	21.0 {73.8}
		-30	19.5 {68.4}	19.4 {68.2}	19.2 {67.6}	19.1 {67.1}	18.5 {65.2}	-
		-40	16.9 {59.5}	16.8 {59.0}	16.6 {58.4}	16.4 {57.8}	16.0 {56.1}	-
	12270DC1S	10	36.4 {128}	38.7 {136}	39.8 {140}	40.1 {141}	40.7 {143}	40.7 {143}
		5	37.3 {131}	39.0 {137}	39.8 {140}	40.1 {141}	39.8 {140}	39.5 {139}
		0	35.6 {125}	36.7 {129}	37.0 {130}	37.0 {130}	37.3 {131}	36.4 {128}
		-5	33.6 {118}	33.6 {118}	34.1 {120}	34.1 {120}	33.6 {118}	33.0 {116}
		-10	31.3 {110}	31.6 {111}	31.6 {111}	31.3 {110}	31.0 {109}	30.4 {107}
		-20	27.3 {96.1}	27.4 {96.3}	27.3 {96.1}	27.1 {95.2}	26.7 {93.7}	25.7 {90.3}
		-30	23.7 {83.2}	23.6 {82.8}	23.4 {82.2}	23.2 {81.5}	22.6 {79.4}	-
		-40	20.6 {72.3}	20.4 {71.6}	20.1 {70.8}	20.0 {70.2}	19.4 {68.1}	-
	12330DC1S	10	44.4 {156}	47.5 {167}	48.6 {171}	49.5 {174}	50.1 {176}	50.1 {176}
		5	45.5 {160}	47.2 {166}	48.4 {170}	48.6 {171}	48.9 {172}	48.6 {171}
		0	43.5 {153}	44.7 {157}	45.5 {160}	45.5 {160}	45.5 {160}	44.7 {157}
		-5	40.7 {143}	41.2 {145}	41.8 {147}	41.5 {146}	41.2 {145}	40.4 {142}
		-10	38.4 {135}	39.0 {137}	39.3 {138}	39.0 {137}	38.4 {135}	37.5 {132}
		-20	33.6 {118}	33.6 {118}	33.6 {118}	33.3 {117}	32.4 {114}	31.6 {111}
		-30	29.0 {102}	29.0 {102}	28.7 {101}	28.7 {101}	27.6 {97.1}	-
		-40	25.2 {88.5}	25.0 {87.8}	24.7 {86.9}	24.5 {86.0}	23.7 {83.4}	-
	12420DC1S	10	56.3 {198}	60.0 {211}	61.7 {217}	62.6 {220}	63.4 {223}	63.4 {223}
		5	57.5 {202}	60.0 {211}	61.1 {215}	61.7 {217}	62.0 {218}	61.7 {217}
		0	56.3 {198}	58.0 {204}	58.6 {206}	58.6 {206}	58.6 {206}	57.7 {203}
		-5	53.2 {187}	54.0 {190}	54.6 {192}	54.3 {191}	53.8 {189}	52.9 {186}
		-10	52.3 {184}	50.9 {179}	51.2 {180}	50.9 {179}	50.3 {177}	49.2 {173}
		-20	44.7 {157}	44.7 {157}	44.7 {157}	44.4 {156}	43.5 {153}	42.1 {148}
		-30	38.7 {136}	38.4 {135}	38.1 {134}	37.8 {133}	36.7 {129}	-
		-40	33.6 {118}	33.6 {118}	33.3 {117}	33.0 {116}	31.9 {112}	-
12500DC1S	10	68.0 {239}	72.2 {254}	74.2 {261}	75.1 {264}	75.9 {267}	75.9 {267}	
	5	69.4 {244}	72.2 {254}	73.7 {259}	73.7 {259}	74.5 {262}	73.7 {259}	
	0	67.7 {238}	70.0 {246}	70.5 {248}	70.5 {248}	70.5 {248}	69.4 {244}	
	-5	64.0 {225}	65.1 {229}	65.7 {231}	65.4 {230}	65.1 {229}	63.7 {224}	
	-10	61.1 {215}	61.7 {217}	62.0 {218}	61.7 {217}	60.9 {214}	59.4 {209}	
	-20	53.8 {189}	53.5 {188}	53.8 {189}	53.2 {187}	52.0 {183}	50.3 {177}	
	-30	46.6 {164}	46.4 {163}	46.1 {162}	45.8 {161}	44.7 {157}	-	
	-40	41.0 {144}	40.1 {141}	39.8 {140}	39.5 {139}	38.1 {134}	-	



Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	34006BC1C 34006DC1C	10	0.83 {2.93}	0.89 {3.14}	0.92 {3.23}	0.93 {3.26}	0.94 {3.31}	0.93 {3.28}
		5	0.86 {3.01}	0.89 {3.14}	0.91 {3.19}	0.91 {3.21}	0.92 {3.22}	0.91 {3.20}
		0	0.80 {2.80}	0.82 {2.89}	0.83 {2.92}	0.83 {2.93}	0.83 {2.93}	0.82 {2.88}
		-5	0.78 {2.73}	0.79 {2.77}	0.79 {2.78}	0.79 {2.79}	0.78 {2.76}	0.77 {2.69}
		-10	0.71 {2.50}	0.73 {2.55}	0.73 {2.55}	0.72 {2.54}	0.71 {2.51}	0.69 {2.43}
		-20	0.61 {2.13}	0.61 {2.13}	0.61 {2.13}	0.60 {2.12}	0.59 {2.07}	0.57 {2.01}
		-30	0.49 {1.73}	0.49 {1.71}	0.48 {1.70}	0.48 {1.69}	0.47 {1.65}	-
	-40	0.41 {1.43}	0.40 {1.39}	0.40 {1.39}	0.39 {1.37}	0.38 {1.33}	-	
	34013BC1C 34013DC1C	10	1.76 {6.19}	1.88 {6.60}	1.93 {6.77}	1.95 {6.85}	1.98 {6.95}	1.98 {6.95}
		5	1.80 {6.33}	1.88 {6.60}	1.91 {6.72}	1.92 {6.76}	1.93 {6.79}	1.91 {6.70}
		0	1.68 {5.91}	1.74 {6.12}	1.76 {6.18}	1.76 {6.20}	1.76 {6.18}	1.73 {6.08}
		-5	1.53 {5.37}	1.56 {5.48}	1.57 {5.51}	1.56 {5.50}	1.55 {5.46}	1.52 {5.35}
		-10	1.46 {5.15}	1.47 {5.18}	1.48 {5.20}	1.48 {5.19}	1.46 {5.12}	1.42 {4.99}
		-20	1.28 {4.50}	1.28 {4.51}	1.28 {4.50}	1.27 {4.47}	1.25 {4.38}	1.20 {4.23}
		-30	1.13 {3.96}	1.12 {3.94}	1.11 {3.91}	1.10 {3.87}	1.07 {3.77}	-
	-40	0.97 {3.41}	0.96 {3.36}	0.95 {3.33}	0.94 {3.30}	0.91 {3.19}	-	
	34023BC1C 34023DC1C	10	3.07 {10.8}	3.24 {11.4}	3.36 {11.8}	3.36 {11.8}	3.41 {12.0}	3.47 {12.2}
		5	3.07 {10.8}	3.21 {11.3}	3.27 {11.5}	3.27 {11.5}	3.27 {11.5}	3.27 {11.5}
		0	2.90 {10.2}	2.99 {10.5}	3.01 {10.6}	3.04 {10.7}	3.01 {10.6}	2.96 {10.4}
		-5	2.76 {9.72}	2.82 {9.93}	2.84 {10.0}	2.84 {10.0}	2.83 {9.95}	2.76 {9.69}
		-10	2.48 {8.71}	2.51 {8.81}	2.51 {8.82}	2.50 {8.80}	2.47 {8.67}	2.39 {8.41}
		-20	2.19 {7.70}	2.19 {7.70}	2.18 {7.67}	2.16 {7.61}	2.12 {7.46}	2.05 {7.21}
		-30	1.84 {6.46}	1.82 {6.41}	1.81 {6.36}	1.79 {6.31}	1.75 {6.14}	-
	-40	1.46 {5.15}	1.45 {5.11}	1.44 {5.06}	1.42 {5.01}	1.38 {4.86}	-	
	34035BC1C 34035DC1C	10	4.61 {16.2}	4.89 {17.2}	5.03 {17.7}	5.09 {17.9}	5.18 {18.2}	5.18 {18.2}
		5	4.69 {16.5}	4.89 {17.2}	4.98 {17.5}	5.01 {17.6}	5.03 {17.7}	5.01 {17.6}
		0	4.46 {15.7}	4.58 {16.1}	4.64 {16.3}	4.61 {16.2}	4.64 {16.3}	4.55 {16.0}
		-5	4.07 {14.3}	4.12 {14.5}	4.18 {14.7}	4.15 {14.6}	4.12 {14.5}	4.04 {14.2}
		-10	3.78 {13.3}	3.81 {13.4}	3.81 {13.4}	3.78 {13.3}	3.75 {13.2}	3.64 {12.8}
		-20	3.21 {11.3}	3.24 {11.4}	3.24 {11.4}	3.21 {11.3}	3.13 {11.0}	3.04 {10.7}
		-30	2.79 {9.82}	2.80 {9.83}	2.76 {9.71}	2.76 {9.70}	2.66 {9.37}	-
	-40	2.25 {7.92}	2.23 {7.85}	2.21 {7.77}	2.19 {7.69}	2.12 {7.46}	-	
	34045BC1C 34045DC1C	10	5.92 {20.8}	6.29 {22.1}	6.46 {22.7}	6.54 {23.0}	6.63 {23.3}	6.63 {23.3}
		5	6.03 {21.2}	6.29 {22.1}	6.40 {22.5}	6.43 {22.6}	6.46 {22.7}	6.43 {22.6}
		0	5.72 {20.1}	5.92 {20.8}	5.94 {20.9}	5.97 {21.0}	5.94 {20.9}	5.86 {20.6}
		-5	5.23 {18.4}	5.15 {18.1}	5.35 {18.8}	5.35 {18.8}	5.32 {18.7}	5.20 {18.3}
		-10	4.83 {17.0}	4.89 {17.2}	4.89 {17.2}	4.86 {17.1}	4.78 {16.8}	4.69 {16.5}
		-20	4.15 {14.6}	4.15 {14.6}	4.15 {14.6}	4.12 {14.5}	4.04 {14.2}	3.90 {13.7}
		-30	3.55 {12.5}	3.58 {12.6}	3.55 {12.5}	3.53 {12.4}	3.44 {12.1}	-
	-40	2.90 {10.2}	2.87 {10.1}	2.84 {10.0}	2.82 {9.90}	2.74 {9.63}	-	
	57060DC1C	10	8.11 {28.5}	8.65 {30.4}	8.90 {31.3}	9.02 {31.7}	9.13 {32.1}	9.10 {32.0}
		5	8.30 {29.2}	8.65 {30.4}	8.82 {31.0}	8.84 {31.1}	8.93 {31.4}	8.84 {31.1}
		0	7.93 {27.9}	8.16 {28.7}	8.25 {29.0}	8.28 {29.1}	8.25 {29.0}	8.11 {28.5}
		-5	7.37 {25.9}	7.54 {26.5}	7.56 {26.6}	7.56 {26.6}	7.51 {26.4}	7.37 {25.9}
		-10	6.94 {24.4}	7.02 {24.7}	7.05 {24.8}	7.02 {24.7}	6.94 {24.4}	6.74 {23.7}
		-20	6.00 {21.1}	6.03 {21.2}	6.00 {21.1}	5.94 {20.9}	5.83 {20.5}	5.63 {19.8}
		-30	5.20 {18.3}	5.18 {18.2}	5.15 {18.1}	5.09 {17.9}	4.98 {17.5}	-
	-40	4.46 {15.7}	4.44 {15.6}	4.41 {15.5}	4.38 {15.4}	4.24 {14.9}	-	
57080DC1C	10	10.9 {38.2}	11.6 {40.7}	11.9 {41.8}	12.0 {42.3}	12.2 {42.9}	12.2 {42.9}	
	5	11.1 {39.1}	11.6 {40.8}	11.8 {41.5}	11.9 {41.8}	11.9 {42.0}	11.8 {41.6}	
	0	10.6 {37.3}	11.0 {38.5}	11.1 {38.9}	11.1 {39.0}	11.1 {38.9}	10.9 {38.3}	
	-5	9.78 {34.4}	9.98 {35.1}	10.0 {35.3}	10.0 {35.3}	9.95 {35.0}	9.73 {34.2}	
	-10	9.30 {32.7}	9.41 {33.1}	9.41 {33.1}	9.38 {33.0}	9.27 {32.6}	9.02 {31.7}	
	-20	8.02 {28.2}	8.05 {28.3}	7.99 {28.1}	7.93 {27.9}	7.76 {27.3}	7.51 {26.4}	
	-30	6.97 {24.5}	6.94 {24.4}	6.88 {24.2}	6.80 {23.9}	6.63 {23.3}	-	
-40	6.00 {21.1}	5.92 {20.8}	5.86 {20.6}	5.80 {20.4}	5.63 {19.8}	-		
71110DC1C	10	15.4 {54.3}	16.2 {57.0}	16.6 {58.5}	16.8 {59.1}	17.1 {60.1}	17.0 {59.9}	
	5	15.2 {53.6}	15.9 {55.8}	16.2 {56.9}	16.3 {57.2}	16.4 {57.6}	16.2 {57.0}	
	0	14.7 {51.8}	15.2 {53.4}	15.4 {54.0}	15.4 {54.2}	15.3 {53.9}	15.1 {53.0}	
	-5	13.8 {48.6}	14.1 {49.5}	14.1 {49.7}	14.2 {49.8}	14.0 {49.3}	13.7 {48.3}	
	-10	12.7 {44.8}	12.9 {45.4}	12.9 {45.5}	12.9 {45.5}	12.7 {44.7}	12.4 {43.6}	
	-20	11.5 {40.5}	11.5 {40.5}	11.5 {40.4}	11.4 {40.1}	11.2 {39.2}	10.8 {38.0}	
	-30	9.81 {34.5}	9.75 {34.3}	9.70 {34.1}	9.58 {33.7}	9.36 {32.9}	-	
-40	8.47 {29.8}	8.42 {29.6}	8.33 {29.3}	8.25 {29.0}	7.99 {28.1}	-		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
ATX-	71140DC1C	10	19.0 {66.8}	20.3 {71.2}	20.8 {73.1}	21.0 {74.0}	21.4 {75.1}	21.3 {74.9}
		5	19.3 {68.0}	20.2 {71.0}	20.5 {72.1}	20.7 {72.6}	20.8 {73.0}	20.6 {72.3}
		0	18.4 {64.8}	19.0 {66.9}	19.2 {67.6}	19.3 {67.7}	19.2 {67.6}	18.9 {66.4}
		-5	17.3 {60.7}	17.5 {61.6}	17.6 {61.9}	17.6 {61.9}	17.5 {61.4}	17.2 {60.3}
		-10	16.4 {57.6}	16.6 {58.3}	16.6 {58.3}	16.6 {58.2}	16.3 {57.4}	15.9 {55.9}
		-20	14.4 {50.5}	14.4 {50.7}	14.4 {50.5}	14.3 {50.1}	14.0 {49.1}	13.5 {47.5}
		-30	12.3 {43.4}	12.3 {43.1}	12.2 {42.8}	12.1 {42.4}	11.8 {41.3}	-
		-40	10.8 {37.9}	10.7 {37.5}	10.6 {37.1}	10.5 {37.0}	10.1 {35.6}	-
	71160DC1C	10	21.7 {76.3}	23.2 {81.4}	23.8 {83.7}	24.1 {84.6}	24.4 {85.9}	24.3 {85.6}
		5	22.3 {78.3}	23.2 {81.7}	23.7 {83.2}	23.8 {83.6}	23.9 {84.1}	23.7 {83.3}
		0	21.3 {74.9}	22.0 {77.2}	22.2 {78.0}	22.2 {78.1}	22.2 {78.0}	21.8 {76.7}
		-5	19.8 {69.5}	20.2 {71.0}	20.3 {71.4}	20.3 {71.4}	19.5 {68.7}	19.7 {69.1}
		-10	19.2 {67.5}	18.9 {66.3}	18.9 {66.4}	18.8 {66.1}	18.5 {65.2}	18.1 {63.5}
		-20	16.4 {57.5}	16.5 {58.1}	16.4 {57.8}	16.4 {57.5}	16.0 {56.2}	15.5 {54.4}
		-30	14.1 {49.5}	14.0 {49.3}	13.9 {49.0}	13.8 {48.5}	13.5 {47.3}	-
		-40	12.3 {43.3}	12.2 {43.0}	12.1 {42.5}	12.0 {42.1}	11.6 {40.8}	-
	12220DC1C	10	30.2 {106}	31.9 {112}	33.0 {116}	33.3 {117}	33.8 {119}	33.6 {118}
		5	30.4 {107}	31.9 {112}	32.4 {114}	32.4 {114}	32.7 {115}	32.7 {115}
		0	29.3 {103}	30.2 {106}	30.7 {108}	30.7 {108}	30.4 {107}	29.9 {105}
		-5	27.4 {96.3}	27.7 {97.5}	27.9 {98.2}	28.0 {98.3}	27.8 {97.7}	27.1 {95.2}
		-10	25.7 {90.5}	26.0 {91.5}	26.0 {91.4}	26.0 {91.5}	25.7 {90.2}	25.0 {87.8}
		-20	22.4 {78.6}	22.4 {78.8}	22.3 {78.4}	22.2 {78.0}	21.7 {76.3}	21.0 {73.8}
		-30	19.5 {68.4}	19.4 {68.2}	19.2 {67.6}	19.1 {67.1}	18.5 {65.2}	-
		-40	16.9 {59.5}	16.8 {59.0}	16.6 {58.4}	16.4 {57.8}	16.0 {56.1}	-
	12270DC1C	10	36.4 {128}	38.7 {136}	39.8 {140}	40.1 {141}	40.7 {143}	40.7 {143}
		5	37.3 {131}	39.0 {137}	39.8 {140}	40.1 {141}	39.8 {140}	39.5 {139}
		0	35.6 {125}	36.7 {129}	37.0 {130}	37.0 {130}	37.3 {131}	36.4 {128}
		-5	33.6 {118}	33.6 {118}	34.1 {120}	34.1 {120}	33.6 {118}	33.0 {116}
		-10	31.3 {110}	31.6 {111}	31.6 {111}	31.3 {110}	31.0 {109}	30.4 {107}
		-20	27.3 {96.1}	27.4 {96.3}	27.3 {96.1}	27.1 {95.2}	26.7 {93.7}	25.7 {90.3}
		-30	23.7 {83.2}	23.6 {82.8}	23.4 {82.2}	23.2 {81.5}	22.6 {79.4}	-
		-40	20.6 {72.3}	20.4 {71.6}	20.1 {70.8}	20.0 {70.2}	19.4 {68.1}	-
	12330DC1C	10	44.4 {156}	47.5 {167}	48.6 {171}	49.5 {174}	50.1 {176}	50.1 {176}
		5	45.5 {160}	47.2 {166}	48.4 {170}	48.6 {171}	48.9 {172}	48.6 {171}
		0	43.5 {153}	44.7 {157}	45.5 {160}	45.5 {160}	45.5 {160}	44.7 {157}
		-5	40.7 {143}	41.2 {145}	41.8 {147}	41.5 {146}	41.2 {145}	40.4 {142}
		-10	38.4 {135}	39.0 {137}	39.3 {138}	39.0 {137}	38.4 {135}	37.5 {132}
		-20	33.6 {118}	33.6 {118}	33.6 {118}	33.3 {117}	32.4 {114}	31.6 {111}
		-30	29.0 {102}	29.0 {102}	28.7 {101}	28.7 {101}	27.6 {97.1}	-
		-40	25.2 {88.5}	25.0 {87.8}	24.7 {86.9}	24.5 {86.0}	23.7 {83.4}	-
	12420DC1C	10	56.3 {198}	60.0 {211}	61.7 {217}	62.6 {220}	63.4 {223}	63.4 {223}
		5	57.5 {202}	60.0 {211}	61.1 {215}	61.7 {217}	62.0 {218}	61.7 {217}
		0	56.3 {198}	58.0 {204}	58.6 {206}	58.6 {206}	58.6 {206}	57.7 {203}
		-5	53.2 {187}	54.0 {190}	54.6 {192}	54.3 {191}	53.8 {189}	52.9 {186}
		-10	52.3 {184}	50.9 {179}	51.2 {180}	50.9 {179}	50.3 {177}	49.2 {173}
		-20	44.7 {157}	44.7 {157}	44.7 {157}	44.4 {156}	43.5 {153}	42.1 {148}
		-30	38.7 {136}	38.4 {135}	38.1 {134}	37.8 {133}	36.7 {129}	-
		-40	33.6 {118}	33.6 {118}	33.3 {117}	33.0 {116}	31.9 {112}	-
12500DC1C	10	68.0 {239}	72.2 {254}	74.2 {261}	75.1 {264}	75.9 {267}	75.9 {267}	
	5	69.4 {244}	72.2 {254}	73.7 {259}	73.7 {259}	74.5 {262}	73.7 {259}	
	0	67.7 {238}	70.0 {246}	70.5 {248}	70.5 {248}	70.5 {248}	69.4 {244}	
	-5	64.0 {225}	65.1 {229}	65.7 {231}	65.4 {230}	65.1 {229}	63.7 {224}	
	-10	61.1 {215}	61.7 {217}	62.0 {218}	61.7 {217}	60.9 {214}	59.4 {209}	
	-20	53.8 {189}	53.5 {188}	53.8 {189}	53.2 {187}	52.0 {183}	50.3 {177}	
	-30	46.6 {164}	46.4 {163}	46.1 {162}	45.8 {161}	44.7 {157}	-	
	-40	41.0 {144}	40.1 {141}	39.8 {140}	39.5 {139}	38.1 {134}	-	

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			20	30	38	40	50
ATX-	34006BC1SL 34006DC1SL	-25	0.55 {1.94}	0.57 {1.99}	0.56 {1.98}	0.56 {1.96}	0.53 {1.85}
		-30	0.49 {1.72}	0.50 {1.75}	0.49 {1.73}	0.49 {1.72}	0.46 {1.60}
		-40	0.41 {1.45}	0.42 {1.47}	0.41 {1.44}	0.41 {1.42}	0.38 {1.32}
		-50	0.29 {1.01}	0.29 {1.01}	0.28 {0.99}	0.28 {0.98}	0.26 {0.91}
	34013BC1SL 34013DC1SL	-60	0.20 {0.71}	0.20 {0.72}	0.20 {0.70}	0.20 {0.70}	0.18 {0.64}
		-25	1.31 {4.59}	1.34 {4.72}	1.33 {4.69}	1.32 {4.66}	1.25 {4.38}
		-30	1.23 {4.32}	1.25 {4.40}	1.24 {4.35}	1.23 {4.32}	1.15 {4.04}
		-40	1.06 {3.74}	1.07 {3.78}	1.05 {3.71}	1.05 {3.68}	0.97 {3.41}
	34023BC1SL 34023DC1SL	-50	0.83 {2.91}	0.83 {2.93}	0.81 {2.87}	0.81 {2.84}	0.75 {2.62}
		-60	0.59 {2.09}	0.60 {2.10}	0.59 {2.06}	0.58 {2.04}	0.54 {1.89}
		-25	2.20 {7.74}	2.27 {7.97}	2.25 {7.91}	2.23 {7.86}	2.10 {7.39}
		-30	2.03 {7.12}	2.07 {7.27}	2.04 {7.17}	2.03 {7.12}	1.89 {6.66}
	34035BC1SL 34035DC1SL	-40	1.64 {5.76}	1.66 {5.82}	1.62 {5.71}	1.61 {5.66}	1.49 {5.25}
		-50	1.31 {4.61}	1.32 {4.64}	1.29 {4.54}	1.28 {4.50}	1.18 {4.16}
		-60	0.82 {2.90}	0.83 {2.92}	0.81 {2.86}	0.81 {2.84}	0.75 {2.62}
		-25	3.30 {11.6}	3.40 {11.9}	3.37 {11.9}	3.35 {11.8}	3.15 {11.1}
	34045BC1SL 34045DC1SL	-30	3.03 {10.7}	3.10 {10.9}	3.06 {10.7}	3.03 {10.7}	2.84 {10.0}
		-40	2.47 {8.68}	2.49 {8.77}	2.45 {8.60}	2.42 {8.53}	2.25 {7.91}
		-50	1.87 {6.59}	1.89 {6.63}	1.85 {6.49}	1.83 {6.43}	1.69 {5.94}
		-60	1.46 {5.14}	1.47 {5.18}	1.44 {5.08}	1.43 {5.03}	1.32 {4.65}
	57060DC1SL	-25	4.36 {15.3}	4.48 {15.8}	4.45 {15.6}	4.42 {15.6}	4.16 {14.6}
		-30	3.90 {13.7}	3.98 {14.0}	3.93 {13.8}	3.90 {13.7}	3.65 {12.8}
		-40	3.28 {11.5}	3.32 {11.7}	3.25 {11.4}	3.22 {11.3}	2.99 {10.5}
		-50	2.65 {9.31}	2.67 {9.37}	2.61 {9.17}	2.58 {9.09}	2.39 {8.40}
	57080DC1SL	-60	2.02 {7.11}	2.04 {7.17}	2.00 {7.02}	1.98 {6.96}	1.83 {6.43}
		-25	5.84 {20.5}	6.01 {21.1}	5.97 {21.0}	5.93 {20.8}	5.57 {19.6}
		-30	5.45 {19.2}	5.56 {19.5}	5.49 {19.3}	5.45 {19.2}	5.09 {17.9}
		-40	4.74 {16.7}	4.79 {16.8}	4.70 {16.5}	4.66 {16.4}	4.32 {15.2}
	71110DC1SL	-50	3.73 {13.1}	3.75 {13.2}	3.67 {12.9}	3.64 {12.8}	3.36 {11.8}
		-60	2.56 {9.01}	2.58 {9.08}	2.53 {8.90}	2.51 {8.82}	2.32 {8.15}
		-25	7.89 {27.7}	8.12 {28.6}	8.06 {28.3}	8.01 {28.2}	7.53 {26.5}
		-30	7.32 {25.7}	7.47 {26.3}	7.37 {25.9}	7.32 {25.7}	6.84 {24.1}
	71140DC1SL	-40	6.34 {22.3}	6.41 {22.5}	6.29 {22.1}	6.23 {21.9}	5.78 {20.3}
		-50	5.04 {17.7}	5.07 {17.8}	4.96 {17.4}	4.91 {17.3}	4.54 {16.0}
		-60	3.45 {12.1}	3.48 {12.2}	3.41 {12.0}	3.38 {11.9}	3.12 {11.0}
		-25	9.97 {35.1}	10.3 {36.1}	10.2 {35.8}	10.1 {35.6}	9.51 {33.5}
	71160DC1SL	-30	9.25 {32.5}	9.44 {33.2}	9.32 {32.8}	9.25 {32.5}	8.65 {30.4}
		-40	8.06 {28.4}	8.15 {28.6}	7.99 {28.1}	7.92 {27.9}	7.35 {25.9}
		-50	5.90 {20.7}	5.93 {20.9}	5.81 {20.4}	5.75 {20.2}	5.32 {18.7}
		-60	4.10 {14.4}	4.13 {14.5}	4.05 {14.2}	4.01 {14.1}	3.71 {13.0}
	12220DC1SL	-25	14.0 {49.0}	14.4 {50.5}	14.3 {50.1}	14.2 {49.8}	13.3 {46.8}
		-30	13.0 {45.6}	13.2 {46.5}	13.1 {46.0}	13.0 {45.6}	12.1 {42.6}
		-40	11.4 {40.2}	11.6 {40.6}	11.3 {39.8}	11.2 {39.5}	10.4 {36.6}
		-50	8.57 {30.1}	8.63 {30.3}	8.44 {29.7}	8.36 {29.4}	7.73 {27.2}
	12270DC1SL	-60	5.83 {20.5}	5.88 {20.7}	5.76 {20.2}	5.70 {20.1}	5.27 {18.5}
		-25	19.5 {68.7}	20.1 {70.7}	20.0 {70.2}	19.8 {69.7}	18.6 {65.6}
		-30	18.2 {63.8}	18.5 {65.1}	18.3 {64.3}	18.2 {63.8}	17.0 {59.7}
		-40	16.1 {56.5}	16.2 {57.1}	15.9 {56.0}	15.8 {55.5}	14.7 {51.5}
	12330DC1SL	-50	12.1 {42.6}	12.2 {42.9}	11.9 {42.0}	11.8 {41.6}	10.9 {38.4}
		-60	8.29 {29.2}	8.36 {29.4}	8.19 {28.8}	8.12 {28.5}	7.50 {26.4}
		-25	25.6 {89.9}	26.3 {92.5}	26.1 {91.9}	26.0 {91.3}	24.4 {85.8}
		-30	24.0 {84.3}	24.5 {86.0}	24.1 {84.9}	24.0 {84.3}	22.4 {78.8}
	12420DC1SL	-40	21.0 {74.0}	21.3 {74.7}	20.9 {73.3}	20.7 {72.7}	19.2 {67.4}
		-50	15.9 {56.0}	16.0 {56.3}	15.7 {55.1}	15.5 {54.6}	14.4 {50.5}
		-60	10.9 {38.2}	11.0 {38.5}	10.7 {37.8}	10.6 {37.4}	9.83 {34.6}
		-25	31.0 {109}	31.9 {112}	31.7 {111}	31.5 {111}	29.6 {104}
	12500DC1SL	-30	29.0 {102}	29.6 {104}	29.2 {103}	29.0 {102}	27.1 {95.3}
		-40	25.5 {89.5}	25.7 {90.4}	25.2 {88.7}	25.0 {87.9}	23.2 {81.6}
		-50	19.0 {66.8}	19.1 {67.2}	18.7 {65.8}	18.5 {65.2}	17.1 {60.2}
		-60	13.0 {45.5}	13.1 {45.9}	12.8 {45.0}	12.7 {44.6}	11.7 {41.2}
	12330DC1SL	-25	37.4 {132}	38.5 {135}	38.2 {134}	38.0 {134}	35.7 {126}
		-30	35.0 {123}	35.7 {126}	35.3 {124}	35.0 {123}	32.7 {115}
		-40	30.6 {107}	30.9 {109}	30.3 {107}	30.0 {106}	27.9 {98.0}
		-50	23.1 {81.2}	23.3 {81.8}	22.8 {80.0}	22.5 {79.3}	20.8 {73.2}
	12420DC1SL	-60	15.5 {54.6}	15.7 {55.1}	15.4 {54.0}	15.2 {53.5}	14.1 {49.4}
		-25	49.2 {173}	50.6 {178}	50.3 {177}	49.9 {176}	46.9 {165}
		-30	46.0 {162}	46.9 {165}	46.3 {163}	46.0 {162}	43.0 {151}
		-40	40.5 {142}	40.9 {144}	40.2 {141}	39.8 {140}	36.9 {130}
	12500DC1SL	-50	31.2 {110}	31.4 {110}	30.7 {108}	30.4 {107}	28.1 {98.9}
		-60	21.5 {75.6}	21.7 {76.2}	21.3 {74.7}	21.1 {74}	19.5 {68.4}
		-25	61.9 {218}	63.7 {224}	63.2 {222}	62.8 {221}	59.1 {208}
		-30	57.9 {204}	59.1 {208}	58.4 {205}	57.9 {204}	54.2 {190}
	12500DC1SL	-40	51.3 {180}	51.8 {182}	50.8 {179}	50.4 {177}	46.8 {164}
		-50	39.0 {137}	39.2 {138}	38.4 {135}	38.0 {134}	35.1 {124}
	12500DC1SL	-60	27.1 {95.4}	27.4 {96.2}	26.8 {94.3}	26.6 {93.4}	24.5 {86.3}

VPX / WPX Capacity table

R134a

Charge type : SA <-20~10℃> Superheat change 3~4℃

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
VPX-	3402BMSA 3402DMSA	10	0.14 {0.48}	0.18 {0.64}	0.20 {0.72}	0.21 {0.73}	0.22 {0.78}
		5	0.18 {0.63}	0.22 {0.78}	0.24 {0.85}	0.24 {0.86}	0.26 {0.90}
		0	0.18 {0.65}	0.22 {0.77}	0.23 {0.81}	0.24 {0.83}	0.24 {0.85}
		-5	0.19 {0.66}	0.21 {0.74}	0.22 {0.79}	0.22 {0.79}	0.23 {0.80}
		-10	0.18 {0.63}	0.20 {0.71}	0.21 {0.73}	0.21 {0.74}	0.21 {0.74}
		-20	0.16 {0.58}	0.18 {0.63}	0.18 {0.65}	0.18 {0.65}	0.18 {0.65}
VPX- WPX-	3403BMSA 3403DMSA	10	0.22 {0.76}	0.29 {1.02}	0.33 {1.15}	0.33 {1.17}	0.35 {1.24}
		5	0.29 {1.01}	0.35 {1.24}	0.39 {1.36}	0.39 {1.38}	0.41 {1.43}
		0	0.30 {1.05}	0.35 {1.22}	0.37 {1.30}	0.37 {1.31}	0.39 {1.36}
		-5	0.30 {1.06}	0.34 {1.19}	0.36 {1.27}	0.36 {1.27}	0.36 {1.28}
		-10	0.29 {1.01}	0.32 {1.14}	0.33 {1.17}	0.34 {1.19}	0.34 {1.20}
		-20	0.26 {0.93}	0.29 {1.01}	0.30 {1.05}	0.30 {1.05}	0.29 {1.03}
	3405BMSA 3405DMSA	10	0.36 {1.27}	0.49 {1.71}	0.55 {1.92}	0.56 {1.97}	0.59 {2.07}
		5	0.47 {1.67}	0.59 {2.06}	0.64 {2.26}	0.65 {2.29}	0.68 {2.38}
		0	0.49 {1.74}	0.58 {2.05}	0.62 {2.17}	0.63 {2.20}	0.65 {2.27}
		-5	0.49 {1.73}	0.57 {2.00}	0.60 {2.11}	0.61 {2.13}	0.61 {2.15}
		-10	0.48 {1.70}	0.54 {1.91}	0.56 {1.98}	0.57 {1.99}	0.57 {2.02}
		-20	0.45 {1.57}	0.48 {1.69}	0.49 {1.72}	0.49 {1.73}	0.49 {1.74}
	3408BMSA 3408DMSA	10	0.58 {2.03}	0.78 {2.74}	0.88 {3.08}	0.90 {3.15}	0.95 {3.33}
		5	0.77 {2.70}	0.94 {3.31}	1.03 {3.63}	1.05 {3.69}	1.09 {3.83}
		0	0.79 {2.79}	0.93 {3.27}	0.99 {3.49}	1.00 {3.52}	1.03 {3.63}
		-5	0.80 {2.81}	0.90 {3.17}	0.96 {3.38}	0.97 {3.40}	0.98 {3.43}
		-10	0.79 {2.77}	0.87 {3.05}	0.90 {3.15}	0.90 {3.17}	0.92 {3.22}
		-20	0.71 {2.51}	0.77 {2.71}	0.79 {2.78}	0.79 {2.79}	0.79 {2.78}
	3410BMSA 3410DMSA	10	0.73 {2.55}	0.98 {3.44}	1.10 {3.86}	1.12 {3.93}	1.18 {4.16}
		5	0.96 {3.37}	1.18 {4.15}	1.29 {4.53}	1.31 {4.60}	1.36 {4.79}
		0	1.00 {3.50}	1.16 {4.08}	1.24 {4.36}	1.25 {4.41}	1.29 {4.53}
		-5	1.00 {3.53}	1.13 {3.99}	1.20 {4.22}	1.21 {4.24}	1.23 {4.31}
		-10	0.98 {3.44}	1.08 {3.81}	1.13 {3.97}	1.13 {3.98}	1.15 {4.06}
		-20	0.89 {3.14}	0.96 {3.38}	0.99 {3.49}	1.00 {3.50}	0.99 {3.49}
	3415BMSA 3415DMSA	10	1.09 {3.83}	1.46 {5.15}	1.65 {5.79}	1.68 {5.91}	1.77 {6.24}
		5	1.44 {5.07}	1.77 {6.22}	1.93 {6.80}	1.94 {6.81}	2.04 {7.19}
		0	1.49 {5.23}	1.74 {6.13}	1.87 {6.56}	1.88 {6.62}	1.93 {6.80}
		-5	1.50 {5.28}	1.70 {5.99}	1.80 {6.33}	1.81 {6.37}	1.84 {6.47}
		-10	1.48 {5.19}	1.63 {5.73}	1.69 {5.94}	1.70 {5.98}	1.72 {6.05}
		-20	1.34 {4.72}	1.44 {5.08}	1.48 {5.22}	1.49 {5.24}	1.49 {5.23}
	3420BMSA 3420DMSA	10	1.45 {5.10}	1.95 {6.87}	2.20 {7.72}	2.24 {7.86}	2.37 {8.33}
		5	1.92 {6.76}	2.36 {8.29}	2.58 {9.07}	2.62 {9.20}	2.73 {9.59}
		0	1.99 {6.99}	2.32 {8.16}	2.48 {8.73}	2.51 {8.84}	2.58 {9.07}
		-5	2.00 {7.03}	2.27 {7.99}	2.40 {8.44}	2.42 {8.50}	2.45 {8.62}
		-10	1.97 {6.94}	2.17 {7.64}	2.25 {7.92}	2.27 {7.97}	2.30 {8.07}
		-20	1.79 {6.30}	1.93 {6.79}	1.98 {6.95}	1.99 {6.98}	1.96 {6.90}

R134a

Charge type : C &lt;-30~0℃&gt; Superheat change 4~5℃

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
VPX-	3402BMC 3402DMC	0	0.18 {0.65}	0.22 {0.77}	0.23 {0.81}	0.24 {0.83}	0.24 {0.85}
		-5	0.19 {0.66}	0.21 {0.74}	0.22 {0.79}	0.22 {0.79}	0.23 {0.80}
		-10	0.18 {0.63}	0.20 {0.71}	0.21 {0.73}	0.21 {0.74}	0.21 {0.74}
		-20	0.16 {0.58}	0.18 {0.63}	0.18 {0.65}	0.18 {0.65}	0.18 {0.65}
		-30	0.14 {0.48}	0.14 {0.50}	0.15 {0.53}	0.15 {0.53}	0.15 {0.52}
VPX- WPX-	3403BMC 3403DMC	0	0.30 {1.05}	0.35 {1.22}	0.37 {1.30}	0.37 {1.31}	0.39 {1.36}
		-5	0.30 {1.06}	0.34 {1.19}	0.36 {1.27}	0.36 {1.27}	0.36 {1.28}
		-10	0.29 {1.01}	0.32 {1.14}	0.33 {1.17}	0.34 {1.19}	0.34 {1.20}
		-20	0.26 {0.93}	0.29 {1.01}	0.30 {1.05}	0.30 {1.05}	0.29 {1.03}
		-30	0.22 {0.77}	0.23 {0.80}	0.24 {0.85}	0.24 {0.85}	0.24 {0.84}
	3405BMC 3405DMC	0	0.49 {1.74}	0.58 {2.05}	0.62 {2.17}	0.63 {2.20}	0.65 {2.27}
		-5	0.49 {1.73}	0.57 {2.00}	0.60 {2.11}	0.61 {2.13}	0.61 {2.15}
		-10	0.48 {1.70}	0.54 {1.91}	0.56 {1.98}	0.57 {1.99}	0.57 {2.02}
		-20	0.45 {1.57}	0.48 {1.69}	0.49 {1.72}	0.49 {1.73}	0.49 {1.74}
		-30	0.36 {1.28}	0.39 {1.36}	0.40 {1.40}	0.40 {1.40}	0.39 {1.37}
	3408BMC 3408DMC	0	0.79 {2.79}	0.93 {3.27}	0.99 {3.49}	1.00 {3.52}	1.03 {3.63}
		-5	0.80 {2.81}	0.90 {3.17}	0.96 {3.38}	0.97 {3.40}	0.98 {3.43}
		-10	0.79 {2.77}	0.87 {3.05}	0.90 {3.15}	0.90 {3.17}	0.92 {3.22}
		-20	0.71 {2.51}	0.77 {2.71}	0.79 {2.78}	0.79 {2.79}	0.79 {2.78}
		-30	0.59 {2.06}	0.62 {2.17}	0.63 {2.21}	0.63 {2.21}	0.62 {2.17}
	3410BMC 3410DMC	0	1.00 {3.50}	1.16 {4.08}	1.24 {4.36}	1.25 {4.41}	1.29 {4.53}
		-5	1.00 {3.53}	1.13 {3.99}	1.20 {4.22}	1.21 {4.24}	1.23 {4.31}
		-10	0.98 {3.44}	1.08 {3.81}	1.13 {3.97}	1.13 {3.98}	1.15 {4.06}
		-20	0.89 {3.14}	0.96 {3.38}	0.99 {3.49}	1.00 {3.50}	0.99 {3.49}
		-30	0.73 {2.57}	0.78 {2.73}	0.78 {2.76}	0.79 {2.77}	0.77 {2.72}
	3415BMC 3415DMC	0	1.49 {5.23}	1.74 {6.13}	1.87 {6.56}	1.88 {6.62}	1.93 {6.80}
		-5	1.50 {5.28}	1.70 {5.99}	1.80 {6.33}	1.81 {6.37}	1.84 {6.47}
		-10	1.48 {5.19}	1.63 {5.73}	1.69 {5.94}	1.70 {5.98}	1.72 {6.05}
		-20	1.34 {4.72}	1.44 {5.08}	1.48 {5.22}	1.49 {5.24}	1.49 {5.23}
		-30	1.09 {3.85}	1.17 {4.10}	1.18 {4.16}	1.19 {4.17}	1.17 {4.10}
	3420BMC 3420DMC	0	1.99 {6.99}	2.32 {8.16}	2.48 {8.73}	2.51 {8.84}	2.58 {9.07}
		-5	2.00 {7.03}	2.27 {7.99}	2.40 {8.44}	2.42 {8.50}	2.45 {8.62}
		-10	1.97 {6.94}	2.17 {7.64}	2.25 {7.92}	2.27 {7.97}	2.30 {8.07}
		-20	1.79 {6.30}	1.93 {6.79}	1.98 {6.95}	1.99 {6.98}	1.96 {6.90}
		-30	1.46 {5.13}	1.56 {5.48}	1.57 {5.53}	1.57 {5.53}	1.55 {5.45}

R404A

Charge type : C &lt;-40~0℃&gt; Superheat change 4~5℃

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
VPX-	3402BUC 3402DUC	0	0.19 {0.66}	0.21 {0.73}	0.21 {0.73}	0.20 {0.72}	0.18 {0.64}
		-5	0.20 {0.71}	0.21 {0.75}	0.21 {0.74}	0.21 {0.73}	0.18 {0.64}
		-10	0.20 {0.70}	0.21 {0.73}	0.20 {0.70}	0.20 {0.69}	0.17 {0.60}
		-20	0.18 {0.63}	0.18 {0.62}	0.17 {0.60}	0.17 {0.59}	0.14 {0.50}
		-30	0.15 {0.54}	0.15 {0.52}	0.14 {0.48}	0.14 {0.48}	0.11 {0.39}
VPX- WPX-	3403BUC 3403DUC	-40	0.13 {0.44}	0.12 {0.43}	0.11 {0.39}	0.11 {0.38}	0.09 {0.31}
		0	0.31 {1.09}	0.33 {1.17}	0.34 {1.18}	0.33 {1.17}	0.30 {1.04}
		-5	0.33 {1.17}	0.34 {1.21}	0.34 {1.20}	0.34 {1.18}	0.30 {1.04}
		-10	0.32 {1.13}	0.33 {1.17}	0.32 {1.12}	0.32 {1.11}	0.27 {0.94}
		-20	0.29 {1.02}	0.29 {1.02}	0.27 {0.95}	0.26 {0.92}	0.22 {0.78}
	3405BUC 3405DUC	-30	0.24 {0.84}	0.23 {0.81}	0.22 {0.78}	0.21 {0.75}	0.18 {0.62}
		-40	0.20 {0.70}	0.19 {0.67}	0.18 {0.64}	0.18 {0.62}	0.14 {0.49}
		0	0.51 {1.80}	0.57 {1.99}	0.56 {1.97}	0.55 {1.95}	0.50 {1.75}
		-5	0.55 {1.93}	0.58 {2.05}	0.57 {2.00}	0.56 {1.97}	0.49 {1.74}
		-10	0.54 {1.89}	0.55 {1.93}	0.53 {1.86}	0.52 {1.82}	0.46 {1.60}
	3408BUC 3408DUC	-20	0.48 {1.70}	0.48 {1.68}	0.46 {1.61}	0.45 {1.57}	0.38 {1.34}
		-30	0.41 {1.44}	0.40 {1.39}	0.37 {1.29}	0.36 {1.26}	0.30 {1.04}
		-40	0.34 {1.19}	0.32 {1.14}	0.30 {1.06}	0.29 {1.03}	0.23 {0.82}
		0	0.83 {2.92}	0.90 {3.16}	0.90 {3.15}	0.89 {3.12}	0.79 {2.77}
		-5	0.89 {3.12}	0.93 {3.26}	0.91 {3.20}	0.90 {3.16}	0.78 {2.76}
	3410BUC 3410DUC	-10	0.85 {3.00}	0.88 {3.11}	0.85 {2.99}	0.84 {2.94}	0.73 {2.56}
		-20	0.77 {2.72}	0.77 {2.70}	0.73 {2.55}	0.71 {2.49}	0.60 {2.12}
		-30	0.65 {2.29}	0.63 {2.21}	0.59 {2.08}	0.57 {2.02}	0.47 {1.67}
		-40	0.54 {1.90}	0.52 {1.83}	0.48 {1.68}	0.46 {1.63}	0.37 {1.31}
		0	1.04 {3.65}	1.13 {3.96}	1.12 {3.95}	1.11 {3.89}	0.98 {3.45}
	3415BUC 3415DUC	-5	1.11 {3.90}	1.16 {4.09}	1.14 {4.01}	1.12 {3.94}	0.98 {3.44}
		-10	1.07 {3.75}	1.11 {3.90}	1.07 {3.75}	1.05 {3.68}	0.91 {3.21}
		-20	0.97 {3.40}	0.96 {3.39}	0.92 {3.22}	0.90 {3.15}	0.75 {2.65}
		-30	0.81 {2.85}	0.78 {2.75}	0.74 {2.59}	0.72 {2.52}	0.59 {2.08}
		-40	0.68 {2.39}	0.65 {2.30}	0.59 {2.09}	0.57 {2.02}	0.46 {1.63}
3420BUC 3420DUC	0	1.55 {5.45}	1.68 {5.92}	1.68 {5.92}	1.67 {5.86}	1.48 {5.21}	
	-5	1.66 {5.83}	1.74 {6.11}	1.71 {6.01}	1.69 {5.93}	1.48 {5.19}	
	-10	1.60 {5.64}	1.66 {5.85}	1.60 {5.62}	1.57 {5.52}	1.36 {4.78}	
	-20	1.45 {5.11}	1.44 {5.07}	1.27 {4.47}	1.33 {4.69}	1.14 {4.00}	
	-30	1.22 {4.30}	1.18 {4.15}	1.11 {3.90}	1.08 {3.79}	0.89 {3.12}	
	-40	1.01 {3.55}	0.97 {3.42}	0.90 {3.16}	0.87 {3.06}	0.70 {2.45}	
	0	2.08 {7.30}	2.25 {7.90}	2.25 {7.90}	2.22 {7.80}	1.97 {6.92}	
	-5	2.22 {7.81}	2.32 {8.16}	2.28 {8.02}	2.25 {7.90}	1.96 {6.90}	
	-10	2.13 {7.50}	2.21 {7.78}	2.12 {7.47}	2.09 {7.34}	1.82 {6.40}	
	-20	1.95 {6.84}	1.93 {6.79}	1.82 {6.40}	1.78 {6.26}	1.52 {5.34}	
	-30	1.64 {5.75}	1.58 {5.55}	1.48 {5.20}	1.44 {5.06}	1.19 {4.17}	
	-40	1.35 {4.75}	1.30 {4.57}	1.19 {4.19}	1.16 {4.07}	0.93 {3.26}	

R404A

Charge type : SA &lt;-40~10℃&gt; Superheat change4~5℃

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	40	50
VPX-	3402BUSA 3402DUSA	10	0.17 {0.60}	0.20 {0.69}	0.20 {0.71}	0.20 {0.70}	0.18 {0.64}
		5	0.20 {0.70}	0.23 {0.81}	0.24 {0.83}	0.23 {0.82}	0.21 {0.75}
		0	0.21 {0.73}	0.23 {0.80}	0.22 {0.79}	0.22 {0.79}	0.20 {0.70}
		-10	0.20 {0.70}	0.21 {0.73}	0.20 {0.70}	0.20 {0.69}	0.17 {0.60}
		-20	0.18 {0.63}	0.18 {0.62}	0.17 {0.60}	0.17 {0.59}	0.14 {0.50}
		-30	0.15 {0.54}	0.15 {0.52}	0.14 {0.48}	0.14 {0.48}	0.11 {0.39}
		-40	0.13 {0.44}	0.12 {0.43}	0.11 {0.39}	0.11 {0.38}	0.09 {0.31}
VPX- WPX-	3403BUSA 3403DUSA	10	0.28 {0.97}	0.32 {1.12}	0.32 {1.14}	0.32 {1.14}	0.29 {1.03}
		5	0.32 {1.14}	0.38 {1.32}	0.38 {1.35}	0.38 {1.34}	0.35 {1.22}
		0	0.34 {1.18}	0.37 {1.29}	0.37 {1.29}	0.36 {1.27}	0.32 {1.14}
		-10	0.32 {1.13}	0.33 {1.17}	0.32 {1.12}	0.32 {1.11}	0.27 {0.94}
		-20	0.29 {1.02}	0.29 {1.02}	0.27 {0.95}	0.26 {0.92}	0.22 {0.78}
		-30	0.24 {0.84}	0.23 {0.81}	0.22 {0.78}	0.21 {0.75}	0.18 {0.62}
		-40	0.20 {0.70}	0.19 {0.67}	0.18 {0.64}	0.18 {0.62}	0.14 {0.49}
	3405BUSA 3405DUSA	10	0.46 {1.62}	0.53 {1.87}	0.54 {1.91}	0.54 {1.89}	0.49 {1.72}
		5	0.54 {1.90}	0.63 {2.20}	0.64 {2.24}	0.63 {2.23}	0.57 {2.02}
		0	0.56 {1.96}	0.61 {2.15}	0.61 {2.14}	0.60 {2.12}	0.54 {1.89}
		-10	0.54 {1.89}	0.55 {1.93}	0.53 {1.86}	0.52 {1.82}	0.46 {1.60}
		-20	0.48 {1.70}	0.48 {1.68}	0.46 {1.61}	0.45 {1.57}	0.38 {1.34}
		-30	0.41 {1.44}	0.40 {1.39}	0.37 {1.29}	0.36 {1.26}	0.30 {1.04}
		-40	0.34 {1.19}	0.32 {1.14}	0.30 {1.06}	0.29 {1.03}	0.23 {0.82}
	3408BUSA 3408DUSA	10	0.74 {2.59}	0.85 {3.00}	0.87 {3.06}	0.86 {3.04}	0.78 {2.76}
		5	0.87 {3.05}	1.00 {3.52}	1.02 {3.60}	1.02 {3.58}	0.92 {3.25}
		0	0.89 {3.14}	0.98 {3.44}	0.98 {3.44}	0.97 {3.40}	0.86 {3.03}
		-10	0.85 {3.00}	0.88 {3.11}	0.85 {2.99}	0.84 {2.94}	0.73 {2.56}
		-20	0.77 {2.72}	0.77 {2.70}	0.73 {2.55}	0.71 {2.49}	0.60 {2.12}
		-30	0.65 {2.29}	0.63 {2.21}	0.59 {2.08}	0.57 {2.02}	0.47 {1.67}
		-40	0.54 {1.90}	0.52 {1.83}	0.48 {1.68}	0.46 {1.63}	0.37 {1.31}
	3410BUSA 3410DUSA	10	0.93 {3.26}	1.07 {3.76}	1.09 {3.84}	1.09 {3.82}	0.99 {3.47}
		5	1.09 {3.83}	1.26 {4.43}	1.29 {4.52}	1.28 {4.49}	1.16 {4.08}
		0	1.12 {3.94}	1.23 {4.32}	1.23 {4.31}	1.21 {4.27}	1.08 {3.81}
		-10	1.07 {3.75}	1.11 {3.90}	1.07 {3.75}	1.05 {3.68}	0.91 {3.21}
		-20	0.97 {3.40}	0.96 {3.39}	0.92 {3.22}	0.90 {3.15}	0.75 {2.65}
		-30	0.81 {2.85}	0.78 {2.75}	0.74 {2.59}	0.72 {2.52}	0.59 {2.08}
		-40	0.68 {2.39}	0.65 {2.30}	0.59 {2.09}	0.57 {2.02}	0.46 {1.63}
	3415BUSA 3415DUSA	10	1.39 {4.88}	1.60 {5.64}	1.64 {5.76}	1.63 {5.73}	1.48 {5.20}
		5	1.64 {5.75}	1.89 {6.64}	1.93 {6.78}	1.92 {6.74}	1.74 {6.12}
		0	1.68 {5.91}	1.84 {6.47}	1.84 {6.46}	1.82 {6.40}	1.62 {5.71}
		-10	1.60 {5.64}	1.66 {5.85}	1.60 {5.62}	1.57 {5.52}	1.36 {4.78}
		-20	1.45 {5.11}	1.44 {5.07}	1.37 {4.80}	1.33 {4.69}	1.14 {4.00}
		-30	1.22 {4.30}	1.18 {4.15}	1.11 {3.90}	1.08 {3.79}	0.89 {3.12}
		-40	1.01 {3.55}	0.97 {3.42}	0.90 {3.16}	0.87 {3.06}	0.70 {2.45}
	3420BUSA 3420DUSA	10	1.86 {6.55}	2.15 {7.56}	2.20 {7.72}	2.18 {7.68}	1.98 {6.97}
		5	2.19 {7.70}	2.53 {8.90}	2.59 {9.09}	2.57 {9.03}	2.33 {8.20}
		0	2.25 {7.91}	2.46 {8.66}	2.46 {8.65}	2.43 {8.56}	2.17 {7.64}
		-10	2.13 {7.50}	2.21 {7.78}	2.12 {7.47}	2.09 {7.34}	1.82 {6.40}
		-20	1.95 {6.84}	1.93 {6.79}	1.82 {6.40}	1.78 {6.26}	1.52 {5.34}
		-30	1.64 {5.75}	1.58 {5.55}	1.48 {5.20}	1.44 {5.06}	1.19 {4.17}
		-40	1.35 {4.75}	1.30 {4.57}	1.19 {4.19}	1.16 {4.07}	0.93 {3.26}

R404A

Charge type : SL &lt;-60~-25℃&gt; Superheat change4~5℃

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (℃)					
			20	30	38	40	50	
VPX-	3402BUSL 3402DUSL	-25	0.11 {0.40}	0.11 {0.39}	0.10 {0.36}	0.10 {0.35}	0.09 {0.30}	
		-30	0.15 {0.54}	0.15 {0.52}	0.14 {0.48}	0.14 {0.48}	0.11 {0.39}	
		-40	0.13 {0.44}	0.12 {0.43}	0.11 {0.39}	0.11 {0.38}	0.09 {0.31}	
		-50	0.09 {0.33}	0.09 {0.32}	0.08 {0.29}	0.08 {0.28}	0.06 {0.22}	
		-60	0.07 {0.24}	0.07 {0.23}	0.07 {0.25}	0.07 {0.24}	0.04 {0.15}	
VPX- WPX-	3403BUSL 3403DUSL	-25	0.18 {0.64}	0.18 {0.62}	0.16 {0.58}	0.16 {0.56}	0.14 {0.48}	
		-30	0.24 {0.84}	0.23 {0.81}	0.22 {0.78}	0.21 {0.75}	0.18 {0.62}	
		-40	0.20 {0.70}	0.19 {0.67}	0.18 {0.64}	0.18 {0.62}	0.14 {0.49}	
		-50	0.15 {0.52}	0.14 {0.50}	0.13 {0.45}	0.12 {0.43}	0.10 {0.35}	
		-60	0.11 {0.39}	0.11 {0.37}	0.09 {0.32}	0.09 {0.30}	0.07 {0.24}	
	3405BUSL 3405DUSL	-25	0.30 {1.07}	0.29 {1.03}	0.27 {0.96}	0.27 {0.94}	0.22 {0.79}	
		-30	0.41 {1.44}	0.40 {1.39}	0.37 {1.29}	0.36 {1.26}	0.30 {1.04}	
		-40	0.34 {1.19}	0.32 {1.14}	0.30 {1.06}	0.29 {1.03}	0.23 {0.82}	
		-50	0.25 {0.87}	0.24 {0.84}	0.22 {0.76}	0.21 {0.74}	0.16 {0.57}	
	3408BUSL 3408DUSL	-25	0.49 {1.71}	0.47 {1.65}	0.44 {1.55}	0.43 {1.50}	0.36 {1.26}	
		-30	0.65 {2.29}	0.63 {2.21}	0.59 {2.08}	0.57 {2.02}	0.47 {1.67}	
		-40	0.54 {1.90}	0.52 {1.83}	0.48 {1.68}	0.46 {1.63}	0.37 {1.31}	
		-50	0.40 {1.40}	0.38 {1.34}	0.34 {1.21}	0.33 {1.17}	0.26 {0.92}	
	3410BUSL 3410DUSL	-60	0.29 {1.02}	0.28 {0.98}	0.24 {0.86}	0.24 {0.84}	0.18 {0.64}	
		-25	0.61 {2.14}	0.59 {2.07}	0.55 {1.94}	0.53 {1.88}	0.45 {1.58}	
		-30	0.81 {2.85}	0.78 {2.75}	0.74 {2.59}	0.72 {2.52}	0.59 {2.08}	
		-40	0.68 {2.39}	0.65 {2.30}	0.59 {2.09}	0.57 {2.02}	0.46 {1.63}	
	3415BUSL 3415DUSL	-50	0.50 {1.76}	0.48 {1.69}	0.44 {1.54}	0.42 {1.49}	0.33 {1.15}	
		-60	0.36 {1.27}	0.35 {1.22}	0.31 {1.09}	0.30 {1.04}	0.23 {0.80}	
		-25	0.91 {3.21}	0.88 {3.10}	0.82 {2.90}	0.80 {2.82}	0.67 {2.37}	
		-30	1.22 {4.30}	1.18 {4.15}	1.11 {3.90}	1.08 {3.79}	0.89 {3.12}	
	3420BUSL 3420DUSL	-40	1.01 {3.55}	0.97 {3.42}	0.90 {3.16}	0.87 {3.06}	0.70 {2.45}	
		-50	0.75 {2.63}	0.72 {2.53}	0.65 {2.27}	0.63 {2.20}	0.49 {1.73}	
		-60	0.55 {1.92}	0.52 {1.84}	0.47 {1.64}	0.45 {1.58}	0.34 {1.19}	
		-25	1.21 {4.27}	1.17 {4.13}	1.10 {3.87}	1.07 {3.77}	0.90 {3.15}	
			-30	1.64 {5.75}	1.58 {5.55}	1.48 {5.20}	1.44 {5.06}	1.19 {4.17}
			-40	1.35 {4.75}	1.30 {4.57}	1.19 {4.19}	1.16 {4.07}	0.93 {3.26}
			-50	1.00 {3.52}	0.96 {3.38}	0.87 {3.05}	0.84 {2.95}	0.65 {2.30}
			-60	0.74 {2.59}	0.71 {2.48}	0.63 {2.22}	0.61 {2.13}	0.45 {1.59}



R407C

Charge type : C &lt;-20~10℃&gt; Superheat change3~4℃

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (°C)			
			30	38	40	50
VPX-	3402BPC 3402DPC	10	0.30 {1.06}	0.34 {1.18}	0.34 {1.20}	0.35 {1.24}
		5	0.30 {1.07}	0.33 {1.16}	0.33 {1.16}	0.34 {1.18}
		0	0.30 {1.06}	0.32 {1.12}	0.32 {1.12}	0.32 {1.13}
		-5	0.30 {1.06}	0.31 {1.09}	0.31 {1.08}	0.31 {1.08}
		-10	0.29 {1.01}	0.30 {1.04}	0.30 {1.05}	0.29 {1.01}
		-20	0.25 {0.88}	0.26 {0.92}	0.26 {0.91}	0.25 {0.89}
VPX- WPX-	3403BPC 3403DPC	10	0.48 {1.70}	0.53 {1.88}	0.54 {1.91}	0.56 {1.98}
		5	0.49 {1.71}	0.52 {1.84}	0.53 {1.86}	0.54 {1.89}
		0	0.48 {1.69}	0.51 {1.79}	0.51 {1.80}	0.51 {1.81}
		-5	0.48 {1.69}	0.49 {1.74}	0.49 {1.74}	0.49 {1.72}
		-10	0.46 {1.61}	0.47 {1.66}	0.47 {1.66}	0.46 {1.61}
		-20	0.40 {1.41}	0.42 {1.46}	0.42 {1.46}	0.40 {1.42}
	3405BPC 3405DPC	10	0.81 {2.84}	0.89 {3.14}	0.90 {3.18}	0.94 {3.29}
		5	0.81 {2.86}	0.87 {3.07}	0.88 {3.10}	0.90 {3.17}
		0	0.80 {2.82}	0.85 {2.98}	0.85 {3.00}	0.86 {3.02}
		-5	0.79 {2.78}	0.82 {2.89}	0.82 {2.90}	0.82 {2.87}
		-10	0.76 {2.66}	0.78 {2.73}	0.78 {2.74}	0.77 {2.69}
		-20	0.68 {2.40}	0.69 {2.44}	0.69 {2.44}	0.67 {2.37}
	3408BPC 3408DPC	10	1.29 {4.53}	1.42 {5.01}	1.45 {5.09}	1.50 {5.27}
		5	1.30 {4.58}	1.40 {4.92}	1.41 {4.97}	1.44 {5.06}
		0	1.29 {4.53}	1.36 {4.78}	1.37 {4.81}	1.37 {4.82}
		-5	1.27 {4.47}	1.32 {4.64}	1.33 {4.66}	1.31 {4.60}
		-10	1.21 {4.27}	1.25 {4.39}	1.25 {4.41}	1.22 {4.30}
		-20	1.09 {3.83}	1.10 {3.88}	1.10 {3.87}	1.07 {3.76}
	3410BPC 3410DPC	10	1.63 {5.72}	1.80 {6.33}	1.83 {6.43}	1.89 {6.66}
		5	1.63 {5.72}	1.75 {6.15}	1.77 {6.21}	1.80 {6.33}
		0	1.61 {5.66}	1.70 {5.97}	1.71 {6.01}	1.71 {6.03}
		-5	1.60 {5.61}	1.65 {5.79}	1.65 {5.80}	1.64 {5.75}
		-10	1.52 {5.34}	1.57 {5.52}	1.57 {5.52}	1.53 {5.38}
		-20	1.36 {4.78}	1.38 {4.86}	1.38 {4.85}	1.34 {4.71}
3415BPC 3415DPC	10	2.43 {8.56}	2.69 {9.47}	2.73 {9.61}	2.83 {9.95}	
	5	2.44 {8.59}	2.62 {9.23}	2.65 {9.33}	2.70 {9.50}	
	0	2.42 {8.50}	2.55 {8.96}	2.57 {9.02}	2.57 {9.05}	
	-5	2.39 {8.40}	2.47 {8.68}	2.48 {8.72}	2.45 {8.63}	
	-10	2.28 {8.02}	2.35 {8.26}	2.35 {8.28}	2.30 {8.08}	
	-20	2.04 {7.18}	2.08 {7.30}	2.07 {7.28}	2.01 {7.07}	
3420BPC 3420DPC	10	3.24 {11.4}	3.58 {12.6}	3.64 {12.8}	3.78 {13.3}	
	5	3.27 {11.5}	3.50 {12.3}	3.53 {12.4}	3.61 {12.7}	
	0	3.21 {11.3}	3.38 {11.9}	3.41 {12.0}	3.44 {12.1}	
	-5	3.19 {11.2}	3.30 {11.6}	3.30 {11.6}	3.27 {11.5}	
	-10	3.04 {10.7}	3.13 {11.0}	3.13 {11.0}	3.07 {10.8}	
	-20	2.73 {9.60}	2.76 {9.71}	2.76 {9.70}	2.68 {9.42}	

R407C

Charge type : CL &lt;-40~-10℃&gt;

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (°C)			
			30	38	40	50
VPX-	3402BPCL 3402DPCL	-10	0.29 {1.01}	0.30 {1.04}	0.30 {1.05}	0.29 {1.01}
		-20	0.25 {0.88}	0.26 {0.92}	0.26 {0.91}	0.25 {0.89}
		-30	0.21 {0.75}	0.22 {0.76}	0.22 {0.76}	0.21 {0.73}
		-40	0.18 {0.64}	0.18 {0.64}	0.18 {0.64}	0.17 {0.61}
VPX- WPX-	3403BPCL 3403DPCL	-10	0.46 {1.61}	0.47 {1.66}	0.47 {1.66}	0.46 {1.61}
		-20	0.40 {1.41}	0.42 {1.46}	0.42 {1.46}	0.40 {1.42}
		-30	0.34 {1.19}	0.34 {1.21}	0.34 {1.21}	0.33 {1.16}
	3405BPCL 3405DPCL	-40	0.29 {1.02}	0.30 {1.04}	0.29 {1.03}	0.28 {0.98}
		-10	0.76 {2.66}	0.78 {2.73}	0.78 {2.74}	0.77 {2.70}
		-20	0.68 {2.40}	0.69 {2.44}	0.69 {2.44}	0.66 {2.33}
	3408BPCL 3408DPCL	-30	0.57 {2.00}	0.57 {2.01}	0.57 {2.00}	0.55 {1.94}
		-40	0.49 {1.72}	0.49 {1.73}	0.49 {1.72}	0.46 {1.63}
		-10	1.21 {4.27}	1.25 {4.39}	1.25 {4.41}	1.22 {4.30}
	3410BPCL 3410DPCL	-20	1.09 {3.83}	1.10 {3.88}	1.10 {3.87}	1.07 {3.76}
		-30	0.91 {3.21}	0.92 {3.24}	0.92 {3.23}	0.88 {3.10}
		-40	0.78 {2.73}	0.78 {2.73}	0.77 {2.72}	0.74 {2.61}
3415BPCL 3415DPCL	-10	1.52 {5.34}	1.57 {5.52}	1.57 {5.52}	1.53 {5.38}	
	-20	1.36 {4.78}	1.38 {4.86}	1.38 {4.85}	1.34 {4.71}	
	-30	1.14 {4.01}	1.15 {4.06}	1.15 {4.05}	1.10 {3.88}	
3420BPCL 3420DPCL	-40	0.98 {3.44}	0.97 {3.42}	0.97 {3.41}	0.93 {3.27}	
	-10	2.28 {8.02}	2.35 {8.26}	2.35 {8.28}	2.30 {8.08}	
	-20	2.04 {7.18}	2.08 {7.30}	2.07 {7.28}	2.01 {7.07}	
3420BPCL 3420DPCL	-30	1.71 {6.01}	1.73 {6.08}	1.72 {6.06}	1.66 {5.82}	
	-40	1.47 {5.16}	1.46 {5.15}	1.46 {5.13}	1.39 {4.90}	
	-10	3.04 {10.7}	3.13 {11.0}	3.13 {11.0}	3.07 {10.8}	
3420BPCL 3420DPCL	-20	2.73 {9.60}	2.76 {9.71}	2.76 {9.70}	2.68 {9.42}	
	-30	2.28 {8.02}	2.30 {8.09}	2.29 {8.06}	2.21 {7.76}	
	-40	1.95 {6.87}	1.95 {6.85}	1.94 {6.83}	1.86 {6.53}	

# AEX Capacity table

R23

Extreme low temp. <-100~-70℃> Superheat change 5℃

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (℃)			
			-20	-30	-40	-50
AEX-	2333BCZ	-70	0.32 {1.13}	0.30 {1.05}	0.26 {0.93}	0.22 {0.77}
		-75	0.26 {0.92}	0.24 {0.86}	0.22 {0.78}	0.18 {0.65}
		-80	0.22 {0.79}	0.22 {0.76}	0.20 {0.69}	0.17 {0.59}
		-85	0.20 {0.69}	0.18 {0.65}	0.17 {0.59}	0.15 {0.52}
		-90	0.16 {0.56}	0.15 {0.53}	0.14 {0.49}	0.12 {0.43}
		-95	0.14 {0.49}	0.13 {0.45}	0.12 {0.42}	0.11 {0.37}
	2335BCZ 2345BCZ	-70	0.64 {2.24}	0.59 {2.09}	0.53 {1.86}	0.43 {1.52}
		-75	0.52 {1.83}	0.49 {1.72}	0.44 {1.55}	0.37 {1.30}
		-80	0.45 {1.58}	0.43 {1.50}	0.39 {1.36}	0.33 {1.17}
		-85	0.39 {1.37}	0.37 {1.29}	0.34 {1.19}	0.29 {1.03}
		-90	0.32 {1.12}	0.30 {1.06}	0.28 {0.97}	0.24 {0.85}
		-95	0.28 {0.97}	0.26 {0.91}	0.24 {0.84}	0.21 {0.73}
	2348BCZ	-70	0.94 {3.30}	0.88 {3.09}	0.78 {2.74}	0.64 {2.26}
		-75	0.79 {2.79}	0.75 {2.62}	0.67 {2.35}	0.57 {1.99}
		-80	0.70 {2.45}	0.66 {2.31}	0.60 {2.10}	0.53 {1.85}
		-85	0.60 {2.10}	0.57 {1.99}	0.51 {1.81}	0.45 {1.58}
		-90	0.50 {1.76}	0.47 {1.66}	0.43 {1.51}	0.38 {1.34}
		-95	0.43 {1.51}	0.41 {1.43}	0.37 {1.30}	0.33 {1.15}
	2341BCZ	-70	1.40 {4.93}	1.31 {4.62}	1.16 {4.09}	0.96 {3.36}
		-75	1.19 {4.19}	1.12 {3.93}	1.00 {3.53}	0.85 {2.99}
		-80	1.04 {3.66}	0.98 {3.45}	0.89 {3.13}	0.77 {2.70}
		-85	0.87 {3.06}	0.82 {2.90}	0.75 {2.64}	0.65 {2.30}
		-90	0.73 {2.55}	0.69 {2.41}	0.63 {2.20}	0.55 {1.93}
		-95	0.63 {2.21}	0.59 {2.09}	0.55 {1.92}	0.48 {1.69}
	2342BCZ	-70	2.42 {8.51}	2.27 {7.98}	2.01 {7.07}	1.65 {5.80}
		-75	2.06 {7.23}	1.93 {6.79}	1.73 {6.10}	1.47 {5.16}
		-80	1.78 {6.27}	1.68 {5.92}	1.53 {5.37}	1.32 {4.63}
		-85	1.56 {5.50}	1.48 {5.21}	1.35 {4.76}	1.18 {4.15}
		-90	1.28 {4.51}	1.21 {4.27}	1.11 {3.91}	0.98 {3.43}
		-95	1.09 {3.83}	1.03 {3.62}	0.94 {3.30}	0.83 {2.92}
	2344BCZ 3454BCZ 4564BCZ	-70	4.10 {14.4}	3.87 {13.6}	3.41 {12.0}	2.80 {9.86}
		-75	3.50 {12.3}	3.27 {11.5}	2.96 {10.4}	2.49 {8.77}
		-80	3.04 {10.7}	2.87 {10.1}	2.61 {9.16}	2.25 {7.91}
		-85	2.60 {9.13}	2.46 {8.64}	2.24 {7.87}	1.95 {6.87}
		-90	2.18 {7.65}	2.06 {7.24}	1.89 {6.63}	1.66 {5.83}
		-95	1.85 {6.50}	1.75 {6.14}	1.60 {5.62}	1.41 {4.95}
	4566BCZ	-70	5.66 {19.9}	5.29 {18.6}	4.69 {16.5}	3.87 {13.6}
		-75	4.81 {16.9}	4.49 {15.8}	4.04 {14.2}	3.44 {12.1}
		-80	4.18 {14.7}	3.92 {13.8}	3.58 {12.6}	3.07 {10.8}
		-85	3.58 {12.6}	3.38 {11.9}	3.07 {10.8}	2.69 {9.45}
		-90	2.99 {10.5}	2.84 {9.99}	2.60 {9.13}	2.28 {8.02}
		-95	2.53 {8.90}	2.39 {8.41}	2.19 {7.69}	1.93 {6.78}
4568BCZ	-70	7.54 {26.5}	7.05 {24.8}	6.26 {22.0}	5.12 {18.0}	
	-75	6.37 {22.4}	5.97 {21.0}	5.40 {19.0}	4.55 {16.0}	
	-80	5.60 {19.7}	5.26 {18.5}	4.75 {16.7}	4.10 {14.4}	
	-85	4.75 {16.7}	4.49 {15.8}	4.10 {14.4}	3.58 {12.6}	
	-90	4.01 {14.1}	3.78 {13.3}	3.44 {12.1}	3.04 {10.7}	
	-95	3.33 {11.7}	3.13 {11.0}	2.87 {10.1}	2.53 {8.91}	
		-100	2.82 {9.90}	2.65 {9.31}	2.41 {8.49}	2.13 {7.48}

R134a

Standard &lt;-30~10°C&gt; Superheat change 5°C

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			25	38	50	60	
AEX-	2333BM	10	0.35 {1.22}	0.44 {1.54}	0.48 {1.68}	0.48 {1.68}	
		0	0.34 {1.19}	0.39 {1.36}	0.40 {1.42}	0.40 {1.39}	
		-5	0.32 {1.14}	0.36 {1.27}	0.37 {1.30}	0.36 {1.27}	
		-10	0.31 {1.08}	0.34 {1.18}	0.34 {1.21}	0.33 {1.16}	
		-20	0.25 {0.89}	0.27 {0.94}	0.27 {0.94}	0.26 {0.90}	
	2335BM 2345BM	10	0.69 {2.43}	0.88 {3.08}	0.95 {3.35}	0.95 {3.35}	
		0	0.67 {2.37}	0.77 {2.72}	0.80 {2.83}	0.79 {2.78}	
		-5	0.65 {2.28}	0.72 {2.53}	0.74 {2.60}	0.72 {2.53}	
		-10	0.61 {2.16}	0.67 {2.36}	0.69 {2.41}	0.66 {2.31}	
		-20	0.50 {1.77}	0.53 {1.88}	0.53 {1.88}	0.51 {1.79}	
	2348BM	10	1.04 {3.66}	1.32 {4.64}	1.43 {5.03}	1.44 {5.05}	
		0	1.02 {3.60}	1.17 {4.13}	1.22 {4.30}	1.20 {4.22}	
		-5	0.99 {3.47}	1.10 {3.87}	1.13 {3.98}	1.10 {3.87}	
		-10	0.93 {3.28}	1.02 {3.58}	1.04 {3.64}	1.00 {3.52}	
		-20	0.76 {2.66}	0.81 {2.84}	0.81 {2.84}	0.77 {2.72}	
	2341BM	10	1.49 {5.23}	1.89 {6.63}	2.04 {7.19}	2.05 {7.21}	
		0	1.42 {5.00}	1.62 {5.71}	1.69 {5.95}	1.66 {5.85}	
		-5	1.35 {4.73}	1.50 {5.28}	1.54 {5.41}	1.50 {5.28}	
		-10	1.25 {4.41}	1.37 {4.81}	1.39 {4.90}	1.35 {4.73}	
		-20	1.04 {3.65}	1.10 {3.88}	1.10 {3.88}	1.06 {3.72}	
	2342BM	10	2.54 {8.93}	3.21 {11.3}	3.50 {12.3}	3.50 {12.3}	
		0	2.46 {8.65}	2.82 {9.90}	2.93 {10.3}	2.87 {10.1}	
		-5	2.33 {8.21}	2.60 {9.14}	2.67 {9.40}	2.60 {9.15}	
		-10	2.18 {7.66}	2.38 {8.37}	2.42 {8.51}	2.34 {8.24}	
		-20	1.76 {6.20}	1.87 {6.59}	1.87 {6.59}	1.79 {6.31}	
	2344BM 3454BM 4564BM	10	4.27 {15.0}	5.40 {19.0}	5.86 {20.6}	5.86 {20.6}	
		0	4.10 {14.4}	4.69 {16.5}	4.89 {17.2}	4.86 {17.1}	
		-5	3.98 {14.0}	4.41 {15.5}	4.52 {15.9}	4.41 {15.5}	
		-10	3.70 {13.0}	4.04 {14.2}	4.10 {14.4}	4.01 {14.1}	
		-20	2.99 {10.5}	3.19 {11.2}	3.19 {11.2}	3.04 {10.7}	
	4566BM	10	6.97 {24.5}	8.87 {31.2}	9.58 {33.7}	9.61 {33.8}	
		0	6.85 {24.1}	7.85 {27.6}	8.16 {28.7}	8.05 {28.3}	
		-5	6.48 {22.8}	7.20 {25.3}	7.37 {25.9}	7.20 {25.3}	
		-10	5.97 {21.0}	6.57 {23.1}	6.65 {23.4}	6.46 {22.7}	
		-20	5.23 {18.4}	5.60 {19.7}	5.60 {19.7}	5.32 {18.7}	
	4568BM	10	8.76 {30.8}	10.5 {36.9}	11.4 {40.0}	11.4 {40.1}	
		0	8.76 {30.8}	10.0 {35.3}	10.4 {36.7}	10.3 {36.2}	
		-5	8.59 {30.2}	9.58 {33.7}	9.87 {34.7}	9.58 {33.7}	
		-10	8.36 {29.4}	9.13 {32.1}	9.30 {32.7}	8.96 {31.5}	
		-20	7.14 {25.1}	7.59 {26.7}	7.59 {26.7}	7.28 {25.6}	
			-30	5.35 {18.8}	5.63 {19.8}	5.60 {19.7}	5.29 {18.6}

R404A

Standard &lt;-40~10℃&gt; Superheat change 5℃

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (℃)			
			25	38	50	60
AEX-	2333BU	10	0.37 {1.31}	0.44 {1.54}	0.41 {1.43}	0.32 {1.14}
		0	0.37 {1.30}	0.38 {1.34}	0.34 {1.19}	0.26 {0.91}
		-5	0.34 {1.20}	0.34 {1.20}	0.31 {1.10}	0.22 {0.79}
		-10	0.31 {1.09}	0.30 {1.06}	0.26 {0.91}	0.19 {0.67}
		-20	0.24 {0.86}	0.23 {0.80}	0.19 {0.66}	0.13 {0.47}
		-30	0.18 {0.62}	0.16 {0.57}	-	-
	2335BU 2345BU	10	0.74 {2.61}	0.87 {3.07}	0.81 {2.84}	0.65 {2.27}
		0	0.74 {2.60}	0.76 {2.67}	0.67 {2.37}	0.51 {1.80}
		-5	0.68 {2.39}	0.68 {2.39}	0.62 {2.18}	0.45 {1.57}
		-10	0.62 {2.17}	0.60 {2.11}	0.51 {1.80}	0.38 {1.33}
		-20	0.48 {1.70}	0.46 {1.60}	0.37 {1.30}	0.26 {0.93}
		-30	0.35 {1.23}	0.32 {1.13}	-	-
	2348BU	10	1.17 {4.11}	1.37 {4.80}	1.26 {4.44}	1.00 {3.53}
		0	1.14 {4.02}	1.18 {4.16}	1.04 {3.65}	0.80 {2.81}
		-5	1.04 {3.65}	1.05 {3.69}	0.91 {3.19}	0.69 {2.41}
		-10	0.94 {3.29}	0.92 {3.22}	0.78 {2.74}	0.57 {2.02}
		-20	0.76 {2.67}	0.71 {2.50}	0.59 {2.08}	0.42 {1.48}
		-30	0.57 {2.01}	0.53 {1.85}	-	-
	2341BU	10	1.53 {5.38}	1.79 {6.29}	1.66 {5.82}	1.32 {4.64}
		0	1.48 {5.20}	1.54 {5.41}	1.35 {4.75}	1.04 {3.65}
		-5	1.38 {4.86}	1.40 {4.92}	1.21 {4.25}	0.91 {3.21}
		-10	1.29 {4.53}	1.26 {4.42}	1.07 {3.76}	0.79 {2.77}
		-20	0.98 {3.45}	0.92 {3.24}	0.76 {2.68}	0.54 {1.90}
		-30	0.70 {2.45}	0.63 {2.22}	-	-
	2342BU	10	2.76 {9.70}	3.24 {11.4}	2.99 {10.5}	2.38 {8.38}
		0	2.69 {9.46}	2.79 {9.81}	2.46 {8.66}	1.89 {6.63}
		-5	2.47 {8.70}	2.50 {8.79}	2.17 {7.62}	1.63 {5.74}
		-10	2.26 {7.94}	2.22 {7.79}	1.88 {6.61}	1.38 {4.87}
		-20	1.78 {6.27}	1.68 {5.91}	1.38 {4.86}	0.98 {3.46}
		-30	1.32 {4.64}	1.21 {4.27}	-	-
	2344BU 3454BU 4564BU	10	4.55 {16.0}	5.35 {18.8}	4.95 {17.4}	3.92 {13.8}
		0	4.46 {15.7}	4.64 {16.3}	4.10 {14.4}	3.13 {11.0}
		-5	4.12 {14.5}	4.21 {14.8}	3.61 {12.7}	2.72 {9.55}
		-10	3.78 {13.3}	3.70 {13.0}	3.13 {11.0}	2.31 {8.11}
		-20	3.01 {10.6}	2.82 {9.93}	2.33 {8.19}	1.66 {5.83}
		-30	2.18 {7.65}	1.99 {7.01}	-	-
	4566BU	10	6.65 {23.4}	7.76 {27.3}	7.22 {25.4}	5.74 {20.2}
		0	6.34 {22.3}	6.57 {23.1}	5.80 {20.4}	4.46 {15.7}
		-5	5.94 {20.9}	5.97 {21.0}	5.18 {18.2}	3.90 {13.7}
		-10	5.52 {19.4}	5.37 {18.9}	4.55 {16.0}	3.38 {11.9}
		-20	4.32 {15.2}	5.20 {18.3}	3.36 {11.8}	2.37 {8.35}
		-30	3.21 {11.3}	2.90 {10.2}	-	-
4568BU	10	9.10 {32.0}	10.6 {37.4}	9.87 {34.7}	7.85 {27.6}	
	0	8.79 {30.9}	9.13 {32.1}	8.05 {28.3}	6.17 {21.7}	
	-5	8.13 {28.6}	8.39 {29.5}	7.14 {25.1}	5.40 {19.0}	
	-10	7.51 {26.4}	7.34 {25.8}	6.23 {21.9}	4.64 {16.3}	
	-20	5.83 {20.5}	5.46 {19.2}	4.49 {15.8}	3.19 {11.2}	
	-30	4.41 {15.5}	4.01 {14.1}	-	-	
		-40	3.01 {10.6}	2.72 {9.55}	-	-

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
			1.10 (Equivalent to 20℃)			1.43 (Equivalent to 30℃)		
Type	Model	evaporating temp. (℃)	Condensing pressure (MPa abs)					
			Condensate temp. (℃)			Sub-cooling (℃)		
			-20	-10	0	-20	-10	0
			40	30	20	50	40	30
AEX-	2333BUZ	-20	0.62 {2.19}	0.56 {1.98}	0.51 {1.78}	0.74 {2.61}	0.67 {2.36}	0.60 {2.11}
		-30	0.49 {1.72}	0.44 {1.55}	0.40 {1.39}	0.57 {2.01}	0.52 {1.82}	0.46 {1.63}
		-40	0.37 {1.30}	0.34 {1.18}	0.30 {1.05}	0.43 {1.51}	0.39 {1.36}	0.35 {1.22}
		-50	0.27 {0.96}	0.25 {0.87}	0.22 {0.78}	0.31 {1.10}	0.28 {1.00}	0.25 {0.89}
		-60	0.20 {0.70}	0.18 {0.64}	0.16 {0.57}	0.23 {0.80}	0.21 {0.73}	0.19 {0.66}
	2335BUZ 2345BUZ	-20	1.24 {4.36}	1.12 {3.95}	1.01 {3.54}	1.48 {5.19}	1.34 {4.71}	1.20 {4.21}
		-30	0.98 {3.44}	0.89 {3.12}	0.79 {2.79}	1.15 {4.03}	1.04 {3.65}	0.93 {3.26}
		-40	0.74 {2.59}	0.67 {2.35}	0.57 {2.01}	0.85 {3.00}	0.77 {2.72}	0.69 {2.43}
		-50	0.54 {1.91}	0.49 {1.73}	0.44 {1.54}	0.63 {2.20}	0.57 {1.99}	0.51 {1.78}
		-60	0.39 {1.38}	0.36 {1.25}	0.32 {1.12}	0.45 {1.58}	0.41 {1.44}	0.37 {1.29}
	2348BUZ	-20	1.85 {6.49}	1.67 {5.88}	1.50 {5.26}	2.20 {7.72}	1.99 {7.00}	1.78 {6.26}
		-30	1.46 {5.12}	1.32 {4.63}	1.18 {4.14}	1.70 {5.99}	1.54 {5.42}	1.38 {4.85}
		-40	1.10 {3.86}	0.99 {3.49}	0.89 {3.12}	1.27 {4.47}	1.15 {4.05}	1.03 {3.62}
		-50	0.80 {2.82}	0.73 {2.56}	0.65 {2.29}	0.92 {3.25}	0.84 {2.94}	0.75 {2.63}
		-60	0.58 {2.03}	0.53 {1.85}	0.47 {1.66}	0.66 {2.33}	0.60 {2.12}	0.54 {1.90}
	2341BUZ	-20	2.59 {9.10}	2.35 {8.25}	2.10 {7.39}	3.07 {10.8}	2.79 {9.82}	2.50 {8.79}
		-30	2.04 {7.19}	1.85 {6.51}	1.66 {5.82}	2.39 {8.42}	2.17 {7.62}	1.94 {6.81}
		-40	1.63 {5.73}	1.48 {5.19}	1.32 {4.63}	1.89 {6.64}	1.71 {6.01}	1.53 {5.37}
		-50	1.13 {3.98}	1.02 {3.60}	0.92 {3.22}	1.30 {4.58}	1.18 {4.15}	1.06 {3.71}
		-60	0.82 {2.87}	0.74 {2.61}	0.67 {2.34}	0.94 {3.30}	0.85 {3.00}	0.77 {2.69}
		-70	0.59 {2.06}	0.54 {1.89}	0.48 {1.70}	0.67 {2.36}	0.61 {2.16}	0.55 {1.95}

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
			1.74 (Equivalent to 38℃)			2.31 (Equivalent to 50℃)		
Type	Model	evaporating temp. (℃)	Condensing pressure (MPa abs)					
			Condensate temp. (℃)			Sub-cooling (℃)		
			-20	-10	0	-20	-10	0
			58	48	38	70	60	50
AEX-	2333BUZ	-20	0.84 {2.95}	0.76 {2.67}	0.68 {2.39}	0.99 {3.48}	0.90 {3.15}	0.80 {2.82}
		-30	0.64 {2.26}	0.58 {2.04}	0.52 {1.83}	0.75 {2.64}	0.68 {2.39}	0.61 {2.13}
		-40	0.48 {1.68}	0.43 {1.52}	0.39 {1.36}	0.55 {1.95}	0.50 {1.77}	0.45 {1.58}
		-50	0.35 {1.23}	0.32 {1.11}	0.28 {1.00}	0.40 {1.42}	0.37 {1.29}	0.33 {1.15}
		-60	0.25 {0.89}	0.23 {0.81}	0.20 {0.72}	0.29 {1.03}	0.27 {0.94}	0.24 {0.84}
	2335BUZ 2345BUZ	-20	1.67 {5.88}	1.51 {5.32}	1.36 {4.77}	1.97 {6.93}	1.79 {6.28}	1.60 {5.62}
		-30	1.28 {4.51}	1.16 {4.09}	1.04 {3.65}	1.50 {5.28}	1.36 {4.78}	1.22 {4.28}
		-40	0.95 {3.35}	0.86 {3.03}	0.77 {2.71}	1.11 {3.89}	1.00 {3.52}	0.90 {3.15}
		-50	0.69 {2.43}	0.63 {2.21}	0.56 {1.97}	0.80 {2.82}	0.73 {2.56}	0.65 {2.29}
		-60	0.50 {1.75}	0.45 {1.59}	0.40 {1.42}	0.57 {2.02}	0.52 {1.84}	0.47 {1.65}
	2348BUZ	-20	2.48 {8.73}	2.25 {7.91}	2.01 {7.08}	2.93 {10.3}	2.65 {9.33}	2.38 {8.36}
		-30	1.91 {6.72}	1.73 {6.08}	1.55 {5.44}	2.23 {7.85}	2.02 {7.11}	1.81 {6.36}
		-40	1.42 {4.98}	1.28 {4.51}	1.15 {4.03}	1.65 {5.79}	1.49 {5.24}	1.33 {4.68}
		-50	1.03 {3.61}	0.93 {3.27}	0.83 {2.92}	1.19 {4.18}	1.08 {3.79}	0.96 {3.38}
		-60	0.73 {2.58}	0.67 {2.35}	0.60 {2.11}	0.85 {2.98}	0.77 {2.71}	0.69 {2.43}
	2341BUZ	-20	3.50 {12.3}	3.16 {11.1}	2.83 {9.95}	4.12 {14.5}	3.73 {13.1}	3.33 {11.7}
		-30	2.68 {9.44}	2.43 {8.54}	2.17 {7.64}	3.13 {11.0}	2.84 {9.99}	2.54 {8.93}
		-40	2.10 {7.40}	1.91 {6.70}	1.70 {5.99}	2.45 {8.61}	2.22 {7.79}	1.98 {6.96}
		-50	1.45 {5.09}	1.31 {4.61}	1.17 {4.12}	1.68 {5.89}	1.52 {5.34}	1.36 {4.77}
		-60	1.04 {3.65}	0.94 {3.32}	0.85 {2.98}	1.20 {4.22}	1.09 {3.83}	0.98 {3.44}
		-70	0.74 {2.61}	0.68 {2.39}	0.61 {2.16}	0.86 {3.01}	0.78 {2.76}	0.71 {2.49}

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
			Condensing pressure (MPa abs)					
1.10 (Equivalent to 20℃)			1.43 (Equivalent to 30℃)					
Condensate temp. (℃)								
Type	Model	-20	-10	0	-20	-10	0	
		Sub-cooling (℃)						
		40	30	20	50	40	30	
AEX-	2342BUZ	-20	4.49 {15.8}	4.07 {14.3}	3.64 {12.8}	5.35 {18.8}	4.86 {17.1}	4.35 {15.3}
		-30	3.55 {12.5}	3.21 {11.3}	2.87 {10.1}	4.15 {14.6}	3.75 {13.2}	3.36 {11.8}
		-40	2.68 {9.41}	2.42 {8.52}	2.16 {7.61}	3.10 {10.9}	2.81 {9.87}	2.51 {8.82}
		-50	1.97 {6.91}	1.78 {6.26}	1.59 {5.60}	2.26 {7.96}	2.05 {7.21}	1.83 {6.45}
		-60	1.41 {4.97}	1.29 {4.52}	1.15 {4.06}	1.62 {5.71}	1.48 {5.19}	1.32 {4.65}
	2344BUZ 3454BUZ 4564BUZ	-70	1.02 {3.58}	0.93 {3.28}	0.84 {2.96}	1.16 {4.09}	1.07 {3.75}	0.96 {3.39}
		-20	7.71 {27.1}	6.97 {24.5}	6.26 {22.0}	9.16 {32.2}	8.30 {29.2}	7.42 {26.1}
		-30	6.09 {21.4}	5.52 {19.4}	4.92 {17.3}	7.11 {25.0}	6.46 {22.7}	5.77 {20.3}
		-40	4.58 {16.1}	4.15 {14.6}	3.70 {13.0}	5.29 {18.6}	4.81 {16.9}	4.29 {15.1}
		-50	3.36 {11.8}	3.04 {10.7}	2.72 {9.58}	3.87 {13.6}	3.50 {12.3}	3.13 {11.0}
	4566BUZ	-60	2.42 {8.52}	2.20 {7.75}	1.98 {6.95}	2.78 {9.78}	2.53 {8.89}	2.27 {7.97}
		-70	1.74 {6.13}	1.60 {5.62}	1.44 {5.07}	1.99 {7.01}	1.83 {6.43}	1.65 {5.80}
		-20	10.7 {37.6}	9.67 {34.0}	8.67 {30.5}	12.7 {44.7}	11.5 {40.5}	10.3 {36.3}
		-30	8.76 {30.8}	7.93 {27.9}	7.08 {24.9}	10.3 {36.1}	9.30 {32.7}	8.30 {29.2}
		-40	6.34 {22.3}	5.74 {20.2}	5.15 {18.1}	7.37 {25.9}	6.65 {23.4}	5.94 {20.9}
	4568BUZ	-50	4.66 {16.4}	4.24 {14.9}	3.78 {13.3}	5.37 {18.9}	4.86 {17.1}	4.35 {15.3}
		-60	3.44 {12.1}	3.13 {11.0}	2.81 {9.88}	3.95 {13.9}	3.58 {12.6}	3.21 {11.3}
		-70	2.42 {8.51}	2.22 {7.80}	2.00 {7.04}	2.77 {9.73}	2.54 {8.92}	2.29 {8.06}
		-20	15.2 {53.5}	13.8 {48.4}	12.3 {43.4}	18.1 {63.6}	16.4 {57.7}	14.7 {51.6}
		-30	12.0 {42.2}	10.9 {38.2}	9.70 {34.1}	14.1 {49.4}	12.7 {44.7}	11.4 {40.0}
		-40	9.04 {31.8}	8.19 {28.8}	7.31 {25.7}	10.5 {36.9}	9.50 {33.4}	8.47 {29.8}
		-50	6.63 {23.3}	6.00 {21.1}	5.37 {18.9}	7.62 {26.8}	6.91 {24.3}	6.17 {21.7}
		-60	4.81 {16.9}	4.35 {15.3}	3.92 {13.8}	5.52 {19.4}	5.01 {17.6}	4.49 {15.8}
		-70	3.47 {12.2}	3.16 {11.1}	2.87 {10.1}	3.95 {13.9}	3.61 {12.7}	3.27 {11.5}

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}					
			Condensing pressure (MPa abs)					
1.74 (Equivalent to 38℃)			2.31 (Equivalent to 50℃)					
Condensate temp. (℃)								
Type	Model	-20	-10	0	-20	-10	0	
		Sub-cooling (℃)						
		58	48	38	70	60	50	
AEX-	2342BUZ	-20	6.06 {21.3}	5.49 {19.3}	4.92 {17.3}	7.14 {25.1}	6.48 {22.8}	5.80 {20.4}
		-30	4.66 {16.4}	4.21 {14.8}	3.75 {13.2}	5.43 {19.1}	4.92 {17.3}	4.41 {15.5}
		-40	3.47 {12.2}	3.13 {11.0}	2.80 {9.84}	4.01 {14.1}	3.64 {12.8}	3.24 {11.4}
		-50	2.51 {8.84}	2.28 {8.01}	2.04 {7.16}	2.90 {10.2}	2.64 {9.27}	2.36 {8.29}
		-60	1.80 {6.32}	1.64 {5.75}	1.46 {5.15}	2.08 {7.30}	1.89 {6.64}	1.69 {5.96}
	2344BUZ 3454BUZ 4564BUZ	-70	1.29 {4.53}	1.18 {4.15}	1.07 {3.75}	1.48 {5.22}	1.36 {4.79}	1.23 {4.32}
		-20	10.4 {36.4}	9.38 {33.0}	8.39 {29.5}	12.2 {43.0}	11.1 {38.9}	9.93 {34.9}
		-30	7.96 {28.0}	7.22 {25.4}	6.46 {22.7}	9.33 {32.8}	8.45 {29.7}	7.56 {26.6}
		-40	5.92 {20.8}	5.35 {18.8}	4.78 {16.8}	6.85 {24.1}	6.23 {21.9}	5.55 {19.5}
		-50	4.29 {15.1}	3.90 {13.7}	3.47 {12.2}	4.98 {17.5}	4.52 {15.9}	4.04 {14.2}
	4566BUZ	-60	3.07 {10.8}	2.80 {9.85}	2.51 {8.83}	3.55 {12.5}	3.24 {11.4}	2.90 {10.2}
		-70	2.21 {7.76}	2.02 {7.11}	1.83 {6.42}	2.54 {8.94}	2.33 {8.20}	2.10 {7.40}
		-20	14.4 {50.6}	13.0 {45.8}	11.7 {41.0}	17.0 {59.6}	15.4 {54.1}	13.8 {48.4}
		-30	11.5 {40.4}	10.4 {36.6}	9.30 {32.7}	13.5 {47.3}	12.2 {42.8}	10.9 {38.3}
		-40	8.22 {28.9}	7.42 {26.1}	6.65 {23.4}	9.53 {33.5}	8.62 {30.3}	7.71 {27.1}
	4568BUZ	-50	5.97 {21.0}	5.40 {19.0}	4.83 {17.0}	6.91 {24.3}	6.26 {22.0}	5.60 {19.7}
		-60	4.38 {15.4}	3.98 {14.0}	3.55 {12.5}	5.06 {17.8}	4.61 {16.2}	4.12 {14.5}
		-70	3.07 {10.8}	2.81 {9.87}	2.54 {8.92}	3.53 {12.4}	3.24 {11.4}	2.93 {10.3}
		-20	20.5 {71.9}	18.5 {65.2}	16.6 {58.3}	24.1 {84.9}	21.9 {76.9}	19.6 {68.9}
		-30	15.8 {55.4}	14.3 {50.1}	12.7 {44.8}	18.4 {64.7}	16.7 {58.6}	14.9 {52.4}
		-40	11.7 {41.1}	10.6 {37.2}	9.44 {33.2}	13.6 {47.8}	12.3 {43.2}	11.0 {38.6}
		-50	8.47 {29.8}	7.68 {27.0}	6.88 {24.2}	9.81 {34.5}	8.90 {31.3}	7.93 {27.9}
		-60	6.09 {21.4}	5.55 {19.5}	4.95 {17.4}	7.05 {24.8}	6.40 {22.5}	5.74 {20.2}
		-70	4.35 {15.3}	4.01 {14.1}	3.61 {12.7}	5.03 {17.7}	4.64 {16.3}	4.18 {14.7}

# CEX Capacity table

R23

Extreme low temp. <-100~-70℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (℃)			
			-20	-30	-40	-50
CEX-	2333BCZ	-70	0.32 {1.13}	0.30 {1.05}	0.26 {0.93}	0.22 {0.77}
		-75	0.26 {0.92}	0.24 {0.86}	0.22 {0.78}	0.18 {0.65}
		-80	0.22 {0.79}	0.22 {0.76}	0.20 {0.69}	0.17 {0.59}
		-85	0.20 {0.69}	0.18 {0.65}	0.17 {0.59}	0.15 {0.52}
		-90	0.16 {0.56}	0.15 {0.53}	0.14 {0.49}	0.12 {0.43}
		-95	0.14 {0.49}	0.13 {0.45}	0.12 {0.42}	0.11 {0.37}
	2335BCZ 2345BCZ	-70	0.64 {2.24}	0.59 {2.09}	0.53 {1.86}	0.43 {1.52}
		-75	0.52 {1.83}	0.49 {1.72}	0.44 {1.55}	0.37 {1.30}
		-80	0.45 {1.58}	0.43 {1.50}	0.39 {1.36}	0.33 {1.17}
		-85	0.39 {1.37}	0.37 {1.29}	0.34 {1.19}	0.29 {1.03}
		-90	0.32 {1.12}	0.30 {1.06}	0.28 {0.97}	0.24 {0.85}
		-95	0.28 {0.97}	0.26 {0.91}	0.24 {0.84}	0.21 {0.73}
	2348BCZ	-70	0.94 {3.30}	0.88 {3.09}	0.78 {2.74}	0.64 {2.26}
		-75	0.79 {2.79}	0.75 {2.62}	0.67 {2.35}	0.57 {1.99}
		-80	0.70 {2.45}	0.66 {2.31}	0.60 {2.10}	0.53 {1.85}
		-85	0.60 {2.10}	0.57 {1.99}	0.51 {1.81}	0.45 {1.58}
		-90	0.50 {1.76}	0.47 {1.66}	0.43 {1.51}	0.38 {1.34}
		-95	0.43 {1.51}	0.41 {1.43}	0.37 {1.30}	0.33 {1.15}
	2341BCZ	-70	1.40 {4.93}	1.31 {4.62}	1.16 {4.09}	0.96 {3.36}
		-75	1.19 {4.19}	1.12 {3.93}	1.00 {3.53}	0.85 {2.99}
		-80	1.04 {3.66}	0.98 {3.45}	0.89 {3.13}	0.77 {2.70}
		-85	0.87 {3.06}	0.82 {2.90}	0.75 {2.64}	0.65 {2.30}
		-90	0.73 {2.55}	0.69 {2.41}	0.63 {2.20}	0.55 {1.93}
		-95	0.63 {2.21}	0.59 {2.09}	0.55 {1.92}	0.48 {1.69}
	2342BCZ	-70	2.42 {8.51}	2.27 {7.98}	2.01 {7.07}	1.65 {5.80}
		-75	2.06 {7.23}	1.93 {6.79}	1.73 {6.10}	1.47 {5.16}
		-80	1.78 {6.27}	1.68 {5.92}	1.53 {5.37}	1.32 {4.63}
		-85	1.56 {5.50}	1.48 {5.21}	1.35 {4.76}	1.18 {4.15}
		-90	1.28 {4.51}	1.21 {4.27}	1.11 {3.91}	0.98 {3.43}
		-95	1.09 {3.83}	1.03 {3.62}	0.94 {3.30}	0.83 {2.92}
	2344BCZ 3454BCZ 4564BCZ	-70	4.10 {14.4}	3.87 {13.6}	3.41 {12.0}	2.80 {9.86}
		-75	3.50 {12.3}	3.27 {11.5}	2.96 {10.4}	2.49 {8.77}
		-80	3.04 {10.7}	2.87 {10.1}	2.61 {9.16}	2.25 {7.91}
		-85	2.60 {9.13}	2.46 {8.64}	2.24 {7.87}	1.95 {6.87}
		-90	2.18 {7.65}	2.06 {7.24}	1.89 {6.63}	1.66 {5.83}
		-95	1.85 {6.50}	1.75 {6.14}	1.60 {5.62}	1.41 {4.95}
	4566BCZ	-70	5.66 {19.9}	5.29 {18.6}	4.69 {16.5}	3.87 {13.6}
		-75	4.81 {16.9}	4.49 {15.8}	4.04 {14.2}	3.44 {12.1}
		-80	4.18 {14.7}	3.92 {13.8}	3.58 {12.6}	3.07 {10.8}
		-85	3.58 {12.6}	3.38 {11.9}	3.07 {10.8}	2.69 {9.45}
		-90	2.99 {10.5}	2.84 {9.99}	2.60 {9.13}	2.28 {8.02}
		-95	2.53 {8.90}	2.39 {8.41}	2.19 {7.69}	1.93 {6.78}
4568BCZ	-70	7.54 {26.5}	7.05 {24.8}	6.26 {22.0}	5.12 {18.0}	
	-75	6.37 {22.4}	5.97 {21.0}	5.40 {19.0}	4.55 {16.0}	
	-80	5.60 {19.7}	5.26 {18.5}	4.75 {16.7}	4.10 {14.4}	
	-85	4.75 {16.7}	4.49 {15.8}	4.10 {14.4}	3.58 {12.6}	
	-90	4.01 {14.1}	3.78 {13.3}	3.44 {12.1}	3.04 {10.7}	
	-95	3.33 {11.7}	3.13 {11.0}	2.87 {10.1}	2.53 {8.91}	
		-100	2.82 {9.90}	2.65 {9.31}	2.41 {8.49}	2.13 {7.48}

R134a  
Standard <-30~10°C>

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (°C)				
			25	38	50	60	
CEX-	2333BM	10	0.35 {1.22}	0.44 {1.55}	0.47 {1.67}	0.47 {1.67}	
		0	0.34 {1.19}	0.39 {1.36}	0.40 {1.42}	0.40 {1.40}	
		-5	0.32 {1.14}	0.36 {1.27}	0.37 {1.30}	0.36 {1.27}	
		-10	0.31 {1.08}	0.34 {1.19}	0.34 {1.21}	0.33 {1.16}	
		-20	0.25 {0.88}	0.27 {0.94}	0.27 {0.94}	0.26 {0.90}	
	2335BM 2345BM	10	0.69 {2.43}	0.88 {3.08}	0.95 {3.35}	0.95 {3.35}	
		0	0.67 {2.37}	0.77 {2.72}	0.80 {2.83}	0.79 {2.78}	
		-5	0.65 {2.28}	0.72 {2.54}	0.74 {2.61}	0.72 {2.54}	
		-10	0.61 {2.16}	0.67 {2.36}	0.69 {2.41}	0.66 {2.31}	
		-20	0.50 {1.77}	0.53 {1.88}	0.53 {1.88}	0.51 {1.79}	
	2348BM	10	1.04 {3.66}	1.32 {4.64}	1.43 {5.04}	1.44 {5.05}	
		0	1.03 {3.61}	1.17 {4.13}	1.22 {4.30}	1.20 {4.22}	
		-5	0.99 {3.47}	1.10 {3.87}	1.13 {3.98}	1.10 {3.87}	
		-10	0.93 {3.28}	1.02 {3.58}	1.04 {3.64}	1.00 {3.52}	
		-20	0.76 {2.66}	0.81 {2.84}	0.81 {2.84}	0.77 {2.72}	
	2341BM	10	1.49 {5.23}	1.89 {6.63}	2.04 {7.19}	2.02 {7.12}	
		0	1.42 {5.00}	1.62 {5.71}	1.69 {5.95}	1.66 {5.85}	
		-5	1.35 {4.73}	1.50 {5.28}	1.54 {5.41}	1.50 {5.28}	
		-10	1.25 {4.41}	1.37 {4.81}	1.39 {4.90}	1.35 {4.73}	
		-20	1.04 {3.65}	1.10 {3.88}	1.10 {3.88}	1.06 {3.72}	
	2342BM	10	2.54 {8.93}	3.21 {11.3}	3.50 {12.3}	3.50 {12.3}	
		0	2.46 {8.65}	2.82 {9.90}	2.93 {10.3}	2.87 {10.1}	
		-5	2.33 {8.21}	2.60 {9.14}	2.67 {9.40}	2.60 {9.15}	
		-10	2.18 {7.66}	2.38 {8.37}	2.42 {8.51}	2.35 {8.25}	
		-20	1.76 {6.20}	1.87 {6.59}	1.87 {6.59}	1.80 {6.32}	
	2344BM 3454BM 4564BM	10	4.27 {15.0}	5.40 {19.0}	5.86 {20.6}	5.86 {20.6}	
		0	4.10 {14.4}	4.69 {16.5}	4.89 {17.2}	4.86 {17.1}	
		-5	3.98 {14.0}	4.41 {15.5}	4.52 {15.9}	4.41 {15.5}	
		-10	3.70 {13.0}	4.04 {14.2}	4.10 {14.4}	4.01 {14.1}	
		-20	2.99 {10.5}	3.19 {11.2}	3.19 {11.2}	3.04 {10.7}	
	4566BM	10	6.97 {24.5}	8.87 {31.2}	9.58 {33.7}	9.61 {33.8}	
		0	6.85 {24.1}	7.85 {27.6}	8.16 {28.7}	8.05 {28.3}	
		-5	6.48 {22.8}	7.22 {25.4}	7.37 {25.9}	7.22 {25.4}	
		-10	6.00 {21.1}	6.57 {23.1}	6.65 {23.4}	6.46 {22.7}	
		-20	5.23 {18.4}	5.60 {19.7}	5.60 {19.7}	5.32 {18.7}	
	4568BM	10	8.76 {30.8}	10.5 {36.9}	11.4 {40.0}	11.4 {40.1}	
		0	8.76 {30.8}	10.1 {35.4}	10.5 {36.8}	10.3 {36.2}	
		-5	8.59 {30.2}	9.58 {33.7}	9.87 {34.7}	9.58 {33.7}	
		-10	8.36 {29.4}	9.13 {32.1}	9.30 {32.7}	8.96 {31.5}	
		-20	7.14 {25.1}	7.62 {26.8}	7.62 {26.8}	7.28 {25.6}	
			-30	5.35 {18.8}	5.63 {19.8}	5.60 {19.7}	5.29 {18.6}



R404A  
Standard <-40~0℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (℃)			
			30	38	40	60
CEX-	2333BU	0	0.37 {1.30}	0.38 {1.34}	0.34 {1.19}	0.26 {0.91}
		-5	0.34 {1.20}	0.34 {1.20}	0.31 {1.10}	0.22 {0.79}
		-10	0.31 {1.09}	0.30 {1.06}	0.26 {0.91}	0.19 {0.67}
		-20	0.24 {0.86}	0.23 {0.80}	0.19 {0.66}	0.13 {0.47}
		-30	0.18 {0.62}	0.16 {0.57}	-	-
		-40	0.12 {0.42}	0.11 {0.37}	-	-
	2335BU 2345BU	0	0.74 {2.60}	0.76 {2.67}	0.67 {2.37}	0.51 {1.80}
		-5	0.68 {2.39}	0.68 {2.39}	0.62 {2.18}	0.45 {1.57}
		-10	0.62 {2.17}	0.60 {2.11}	0.51 {1.80}	0.38 {1.33}
		-20	0.48 {1.70}	0.46 {1.60}	0.37 {1.30}	0.26 {0.93}
		-30	0.35 {1.23}	0.32 {1.13}	-	-
		-40	0.24 {0.84}	0.21 {0.75}	-	-
	2348BU	0	1.14 {4.02}	1.18 {4.16}	1.04 {3.65}	0.80 {2.81}
		-5	1.04 {3.65}	1.05 {3.69}	0.91 {3.19}	0.69 {2.41}
		-10	0.94 {3.29}	0.92 {3.22}	0.78 {2.74}	0.57 {2.02}
		-20	0.76 {2.67}	0.71 {2.50}	0.59 {2.08}	0.42 {1.48}
		-30	0.57 {2.01}	0.53 {1.85}	-	-
		-40	0.39 {1.37}	0.30 {1.07}	-	-
	2341BU	0	1.48 {5.20}	1.54 {5.41}	1.35 {4.75}	1.04 {3.65}
		-5	1.38 {4.86}	1.40 {4.92}	1.21 {4.25}	0.91 {3.21}
		-10	1.29 {4.53}	1.26 {4.42}	1.07 {3.76}	0.79 {2.77}
		-20	0.98 {3.45}	0.92 {3.24}	0.76 {2.68}	0.54 {1.90}
		-30	0.70 {2.45}	0.63 {2.22}	-	-
		-40	0.50 {1.77}	0.46 {1.60}	-	-
	2342BU	0	2.69 {9.46}	2.79 {9.81}	2.46 {8.66}	1.89 {6.63}
		-5	2.47 {8.70}	2.50 {8.79}	2.17 {7.62}	1.63 {5.74}
		-10	2.26 {7.94}	2.22 {7.79}	1.88 {6.61}	1.38 {4.87}
		-20	1.78 {6.27}	1.68 {5.91}	1.38 {4.86}	0.98 {3.46}
		-30	1.32 {4.64}	1.21 {4.27}	-	-
		-40	0.90 {3.16}	0.80 {2.83}	-	-
	2344BU 3454BU 4564BU	0	4.46 {15.7}	4.64 {16.3}	4.10 {14.4}	3.13 {11.0}
		-5	4.12 {14.5}	4.21 {14.8}	3.61 {12.7}	2.72 {9.55}
		-10	3.78 {13.3}	3.70 {13.0}	3.13 {11.0}	2.31 {8.11}
		-20	3.01 {10.6}	2.82 {9.93}	2.33 {8.19}	1.66 {5.83}
		-30	2.18 {7.65}	1.99 {7.01}	-	-
		-40	1.51 {5.32}	1.36 {4.77}	-	-
	4566BU	0	6.34 {22.3}	6.57 {23.1}	5.80 {20.4}	4.46 {15.7}
		-5	5.94 {20.9}	5.97 {21.0}	5.18 {18.2}	3.90 {13.7}
		-10	5.52 {19.4}	5.37 {18.9}	4.55 {16.0}	3.38 {11.9}
		-20	4.32 {15.2}	5.20 {18.3}	3.36 {11.8}	2.37 {8.35}
		-30	3.21 {11.3}	2.90 {10.2}	-	-
		-40	2.28 {8.01}	2.05 {7.20}	-	-
4568BU	0	8.79 {30.9}	9.13 {32.1}	8.05 {28.3}	6.17 {21.7}	
	-5	8.13 {28.6}	8.39 {29.5}	7.14 {25.1}	5.40 {19.0}	
	-10	7.51 {26.4}	7.34 {25.8}	6.23 {21.9}	4.64 {16.3}	
	-20	5.83 {20.5}	5.46 {19.2}	4.49 {15.8}	3.19 {11.2}	
	-30	4.41 {15.5}	4.01 {14.1}	-	-	
	-40	3.01 {10.6}	2.72 {9.55}	-	-	

R407C  
Standard <-40~0℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (℃)			
			25	38	50	60
CEX-	2333BP	0	0.45 {1.59}	0.56 {1.96}	0.60 {2.10}	0.64 {2.24}
		-5	0.41 {1.44}	0.51 {1.81}	0.55 {1.95}	0.59 {2.08}
		-10	0.36 {1.26}	0.45 {1.59}	0.50 {1.75}	0.54 {1.91}
		-20	0.26 {0.92}	0.36 {1.26}	0.39 {1.36}	0.40 {1.40}
		-30	0.17 {0.59}	0.24 {0.83}	0.26 {0.91}	0.26 {0.90}
	2335BP 2345BP	0	0.88 {3.09}	1.08 {3.80}	1.16 {4.09}	1.23 {4.31}
		-5	0.79 {2.77}	0.98 {3.44}	1.06 {3.71}	1.14 {4.00}
		-10	0.69 {2.43}	0.87 {3.07}	0.95 {3.33}	1.04 {3.67}
		-20	0.51 {1.78}	0.69 {2.44}	0.75 {2.63}	0.77 {2.69}
		-30	0.32 {1.11}	0.46 {1.60}	0.49 {1.71}	0.48 {1.70}
	2348BP	0	1.40 {4.91}	1.54 {5.40}	1.64 {5.76}	1.66 {5.85}
		-5	1.31 {4.60}	1.44 {5.07}	1.52 {5.35}	1.54 {5.42}
		-10	1.23 {4.34}	1.35 {4.73}	1.40 {4.93}	1.42 {4.99}
		-20	1.02 {3.57}	1.06 {3.73}	1.09 {3.82}	1.16 {4.08}
		-30	0.75 {2.63}	0.76 {2.68}	0.79 {2.79}	0.88 {3.10}
	2341BP	0	1.72 {6.04}	2.15 {7.56}	2.44 {8.59}	2.46 {8.66}
		-5	1.60 {5.63}	1.96 {6.88}	2.20 {7.74}	2.26 {7.95}
		-10	1.48 {5.19}	1.76 {6.20}	1.96 {6.88}	2.06 {7.24}
		-20	1.22 {4.28}	1.39 {4.89}	1.47 {5.18}	1.53 {5.37}
		-30	0.84 {2.94}	0.91 {3.19}	0.98 {3.46}	0.98 {3.45}
	2342BP	0	3.30 {11.6}	4.15 {14.6}	4.52 {15.9}	4.69 {16.5}
		-5	3.04 {10.7}	3.78 {13.3}	4.18 {14.7}	4.35 {15.3}
		-10	2.84 {10.0}	3.41 {12.0}	3.75 {13.2}	4.01 {14.1}
		-20	2.31 {8.12}	2.67 {9.38}	2.84 {10.0}	2.93 {10.3}
		-30	1.60 {5.61}	1.78 {6.25}	1.89 {6.63}	1.92 {6.75}
	2344BP 3454BP 4564BP	0	5.32 {18.7}	6.74 {23.7}	7.45 {26.2}	7.62 {26.8}
		-5	4.98 {17.5}	6.17 {21.7}	6.83 {24.0}	7.02 {24.7}
		-10	4.66 {16.4}	5.55 {19.5}	6.14 {21.6}	6.43 {22.6}
		-20	3.81 {13.4}	4.35 {15.3}	4.66 {16.4}	4.78 {16.8}
		-30	2.61 {9.16}	2.87 {10.1}	3.07 {10.8}	3.13 {11.0}
	4566BP	0	9.27 {32.6}	10.5 {36.9}	11.0 {38.5}	11.2 {39.2}
		-5	8.70 {30.6}	9.87 {34.7}	10.0 {35.2}	10.2 {36.0}
		-10	8.08 {28.4}	8.96 {31.5}	9.10 {32.0}	9.30 {32.7}
		-20	6.65 {23.4}	7.08 {24.9}	7.11 {25.0}	7.39 {26.0}
		-30	3.95 {13.9}	4.32 {15.2}	4.64 {16.3}	4.75 {16.7}
	4568BP	0	12.6 {44.2}	13.9 {48.7}	14.6 {51.3}	14.9 {52.4}
		-5	12.1 {42.6}	13.2 {46.4}	13.9 {48.8}	13.9 {48.7}
		-10	11.6 {40.8}	12.5 {43.8}	13.2 {46.3}	12.8 {45.0}
		-20	9.95 {35.0}	10.3 {36.2}	10.7 {37.7}	10.5 {36.8}
		-30	7.65 {26.9}	7.91 {27.8}	8.11 {28.5}	7.93 {27.9}
		-40	4.46 {15.7}	4.49 {15.8}	5.01 {17.6}	4.32 {15.2}

R448A  
Standard <-40~0℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (℃)			
			25	38	50	60
CEX-	2333BC1	0	0.42 {1.46}	0.50 {1.74}	0.52 {1.82}	0.53 {1.87}
		-5	0.39 {1.37}	0.47 {1.65}	0.49 {1.73}	0.50 {1.77}
		-10	0.33 {1.15}	0.40 {1.41}	0.43 {1.51}	0.45 {1.58}
		-20	0.24 {0.84}	0.32 {1.11}	0.33 {1.17}	0.33 {1.16}
		-30	0.15 {0.53}	0.21 {0.73}	0.22 {0.78}	0.21 {0.73}
	2335BC1 2345BC1	0	0.81 {2.83}	0.96 {3.37}	1.01 {3.54}	1.03 {3.61}
		-5	0.75 {2.63}	0.89 {3.14}	0.93 {3.28}	0.97 {3.42}
		-10	0.63 {2.21}	0.77 {2.72}	0.82 {2.87}	0.87 {3.05}
		-20	0.46 {1.62}	0.61 {2.15}	0.64 {2.25}	0.63 {2.21}
		-30	0.28 {1.00}	0.40 {1.40}	0.41 {1.46}	0.39 {1.39}
	2348BC1	0	1.28 {4.50}	1.36 {4.79}	1.42 {4.99}	1.39 {4.89}
		-5	1.24 {4.37}	1.31 {4.62}	1.35 {4.73}	1.32 {4.62}
		-10	1.12 {3.95}	1.19 {4.19}	1.21 {4.25}	1.18 {4.14}
		-20	0.92 {3.24}	0.93 {3.29}	0.93 {3.28}	0.96 {3.36}
		-30	0.67 {2.37}	0.67 {2.35}	0.67 {2.37}	0.72 {2.52}
	2341BC1	0	1.57 {5.53}	1.91 {6.71}	2.12 {7.44}	2.06 {7.24}
		-5	1.52 {5.34}	1.78 {6.27}	1.95 {6.86}	1.93 {6.78}
		-10	1.34 {4.73}	1.56 {5.49}	1.69 {5.93}	1.71 {6.01}
		-20	1.11 {3.89}	1.23 {4.31}	1.26 {4.44}	1.26 {4.43}
		-30	0.75 {2.65}	0.80 {2.80}	0.84 {2.94}	0.80 {2.81}
	2342BC1	0	3.03 {10.6}	3.68 {12.9}	3.92 {13.8}	3.93 {13.8}
		-5	2.90 {10.2}	3.47 {12.2}	3.70 {13.0}	3.72 {13.1}
		-10	2.59 {9.09}	3.02 {10.6}	3.25 {11.4}	3.33 {11.7}
		-20	2.09 {7.37}	2.35 {8.27}	2.44 {8.59}	2.42 {8.52}
		-30	1.44 {5.06}	1.56 {5.48}	1.60 {5.64}	1.56 {5.50}
	2344BC1 3454BC1 4564BC1	0	4.87 {17.1}	6.00 {21.1}	6.47 {22.7}	6.38 {22.4}
		-5	4.72 {16.6}	5.63 {19.8}	6.04 {21.2}	5.99 {21.1}
		-10	4.25 {14.9}	4.91 {17.3}	5.30 {18.6}	5.34 {18.8}
		-20	3.46 {12.2}	3.82 {13.5}	3.99 {14.0}	3.94 {13.8}
		-30	2.35 {8.26}	2.52 {8.87}	2.61 {9.19}	2.54 {8.94}
	4566BC1	0	8.50 {29.9}	9.31 {32.7}	9.48 {33.3}	9.32 {32.8}
		-5	8.24 {29.0}	9.03 {31.7}	8.86 {31.1}	8.74 {30.7}
		-10	7.35 {25.8}	7.93 {27.9}	7.84 {27.6}	7.72 {27.2}
		-20	6.03 {21.2}	6.24 {21.9}	6.10 {21.4}	6.09 {21.4}
		-30	3.57 {12.6}	3.80 {13.4}	3.93 {13.8}	3.86 {13.6}
	4568BC1	0	11.5 {40.5}	12.3 {43.3}	12.6 {44.4}	12.5 {43.8}
		-5	11.5 {40.4}	12.0 {43.3}	12.3 {43.2}	11.8 {41.6}
		-10	10.6 {37.1}	11.0 {38.8}	11.4 {39.9}	10.6 {37.4}
		-20	9.03 {31.7}	9.09 {32.0}	9.19 {32.3}	8.63 {30.3}
		-30	6.90 {24.3}	6.93 {24.4}	6.90 {24.3}	6.47 {22.7}
4568BC1	-40	4.01 {14.1}	3.91 {13.7}	4.21 {14.8}	3.47 {12.2}	

R449A  
Standard <-40~0℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}			
Type	Model		Condensing temp. (℃)			
			25	38	50	60
CEX-	2333BC1	0	0.40 {1.42}	0.49 {1.72}	0.51 {1.72}	0.52 {1.84}
		-5	0.37 {1.29}	0.45 {1.59}	0.47 {1.59}	0.48 {1.70}
		-10	0.32 {1.12}	0.39 {1.39}	0.42 {1.39}	0.44 {1.55}
		-20	0.23 {0.82}	0.31 {1.09}	0.33 {1.09}	0.32 {1.13}
		-30	0.15 {0.52}	0.20 {0.71}	0.22 {0.71}	0.20 {0.71}
		-40	0.08 {0.29}	0.14 {0.49}	0.15 {0.49}	0.14 {0.49}
	2335BC1 2345BC1	0	0.79 {2.76}	0.95 {3.33}	0.99 {3.33}	1.01 {3.54}
		-5	0.70 {2.47}	0.86 {3.01}	0.90 {3.01}	0.93 {3.27}
		-10	0.61 {2.16}	0.76 {2.68}	0.80 {2.68}	0.85 {2.98}
		-20	0.45 {1.58}	0.60 {2.12}	0.63 {2.12}	0.62 {2.16}
		-30	0.28 {0.98}	0.39 {1.38}	0.41 {1.38}	0.39 {1.35}
		-40	0.16 {0.57}	0.27 {0.96}	0.28 {0.96}	0.27 {0.93}
	2348BC1	0	1.25 {4.38}	1.35 {4.73}	1.40 {4.73}	1.36 {4.80}
		-5	1.17 {4.11}	1.26 {4.43}	1.29 {4.43}	1.26 {4.43}
		-10	1.10 {3.86}	1.17 {4.13}	1.19 {4.13}	1.15 {4.05}
		-20	0.90 {3.17}	0.92 {3.24}	0.92 {3.24}	0.93 {3.29}
		-30	0.66 {2.32}	0.66 {2.31}	0.66 {2.31}	0.70 {2.46}
		-40	0.43 {1.52}	0.43 {1.51}	0.41 {1.51}	0.38 {1.34}
	2341BC1	0	1.53 {5.39}	1.88 {6.62}	2.08 {6.62}	2.02 {7.10}
		-5	1.43 {5.02}	1.71 {6.02}	1.87 {6.02}	1.85 {6.50}
		-10	1.31 {4.62}	1.54 {5.41}	1.66 {5.41}	1.67 {5.88}
		-20	1.08 {3.80}	1.21 {4.25}	1.24 {4.25}	1.23 {4.33}
		-30	0.74 {2.60}	0.78 {2.75}	0.82 {2.75}	0.78 {2.75}
		-40	0.50 {1.75}	0.56 {1.96}	0.55 {1.96}	0.54 {1.88}
	2342BC1	0	2.95 {10.4}	3.63 {12.8}	3.86 {12.8}	3.85 {13.6}
		-5	2.73 {9.58}	3.33 {11.7}	3.56 {11.7}	3.56 {12.5}
		-10	2.53 {8.88}	2.98 {10.5}	3.19 {10.5}	3.26 {11.5}
		-20	2.05 {7.21}	2.32 {8.15}	2.40 {8.15}	2.37 {8.33}
		-30	1.41 {4.95}	1.53 {5.39}	1.57 {5.39}	1.53 {5.37}
		-40	0.96 {3.37}	1.07 {3.75}	1.06 {3.75}	1.03 {3.62}
	2344BC1 3454BC1 4564BC1	0	4.74 {16.7}	5.92 {20.8}	6.37 {20.8}	6.25 {22.0}
		-5	4.44 {15.6}	5.41 {19.0}	5.80 {19.0}	5.74 {20.2}
		-10	4.15 {14.6}	4.84 {17.0}	5.21 {17.0}	5.23 {18.4}
		-20	3.39 {11.9}	3.77 {13.3}	3.92 {13.3}	3.85 {13.5}
		-30	2.30 {8.09}	2.48 {8.73}	2.56 {8.73}	2.48 {8.73}
		-40	1.56 {5.47}	1.73 {6.08}	1.73 {6.08}	1.67 {5.87}
	4566BC1	0	8.28 {29.1}	9.18 {32.3}	9.33 {32.3}	9.14 {32.2}
		-5	7.75 {27.3}	8.66 {30.5}	8.51 {30.5}	8.37 {29.4}
		-10	7.18 {25.3}	7.82 {27.5}	7.71 {27.5}	7.56 {26.6}
		-20	5.90 {20.7}	6.15 {21.6}	5.99 {21.6}	5.96 {21.0}
		-30	3.50 {12.3}	3.74 {13.2}	3.86 {13.2}	3.77 {13.2}
		-40	2.36 {8.30}	2.64 {9.29}	2.61 {9.29}	2.51 {8.82}
	4568BC1	0	11.2 {39.5}	12.1 {42.7}	12.4 {42.7}	12.2 {43.0}
		-5	10.8 {38.0}	11.5 {40.5}	11.8 {40.5}	11.3 {39.8}
		-10	10.3 {36.3}	10.9 {38.3}	11.2 {38.3}	10.4 {36.6}
		-20	8.83 {31.1}	8.95 {31.5}	9.04 {31.5}	8.44 {29.7}
		-30	6.75 {23.8}	6.83 {24.0}	6.77 {24.0}	6.31 {22.2}
		-40	3.92 {13.8}	3.84 {13.5}	4.12 {13.5}	3.37 {11.9}

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}						
			Condensing pressure (Mpa abs)						
1.10 (Equivalent to 20℃)			1.43 (Equivalent to 30℃)						
Condensate temp. (℃)									
Type			Model		-20	-10	0	-20	-10
						Sub-cooling (℃)			
				40	30	20	50	40	30
CEX-	2333BUZ	-20	0.62 {2.19}	0.56 {1.98}	0.51 {1.78}	0.74 {2.61}	0.67 {2.36}	0.60 {2.11}	
		-30	0.49 {1.72}	0.44 {1.55}	0.40 {1.39}	0.57 {2.01}	0.52 {1.82}	0.46 {1.63}	
		-40	0.37 {1.30}	0.34 {1.18}	0.30 {1.05}	0.43 {1.51}	0.39 {1.36}	0.35 {1.22}	
		-50	0.27 {0.96}	0.25 {0.87}	0.22 {0.78}	0.31 {1.10}	0.28 {1.00}	0.25 {0.89}	
		-60	0.20 {0.70}	0.18 {0.64}	0.16 {0.57}	0.23 {0.80}	0.21 {0.73}	0.19 {0.66}	
	2335BUZ 2345BUZ	-20	1.24 {4.36}	1.12 {3.95}	1.01 {3.54}	1.48 {5.19}	1.34 {4.71}	1.20 {4.21}	
		-30	0.98 {3.44}	0.89 {3.12}	0.79 {2.79}	1.15 {4.03}	1.04 {3.65}	0.93 {3.26}	
		-40	0.74 {2.59}	0.67 {2.35}	0.57 {2.01}	0.85 {3.00}	0.77 {2.72}	0.69 {2.43}	
		-50	0.54 {1.91}	0.49 {1.73}	0.44 {1.54}	0.63 {2.20}	0.57 {1.99}	0.51 {1.78}	
		-60	0.39 {1.38}	0.36 {1.25}	0.32 {1.12}	0.45 {1.58}	0.41 {1.44}	0.37 {1.29}	
	2348BUZ	-20	1.85 {6.49}	1.67 {5.88}	1.50 {5.26}	2.20 {7.72}	1.99 {7.00}	1.78 {6.26}	
		-30	1.46 {5.12}	1.32 {4.63}	1.18 {4.14}	1.70 {5.99}	1.54 {5.42}	1.38 {4.85}	
		-40	1.10 {3.86}	0.99 {3.49}	0.89 {3.12}	1.27 {4.47}	1.15 {4.05}	1.03 {3.62}	
		-50	0.80 {2.82}	0.73 {2.56}	0.65 {2.29}	0.92 {3.25}	0.84 {2.94}	0.75 {2.63}	
		-60	0.58 {2.03}	0.53 {1.85}	0.47 {1.66}	0.66 {2.33}	0.60 {2.12}	0.54 {1.90}	
	2341BUZ	-20	2.59 {9.10}	2.35 {8.25}	2.10 {7.39}	3.07 {10.8}	2.79 {9.82}	2.50 {8.79}	
		-30	2.04 {7.19}	1.85 {6.51}	1.66 {5.82}	2.39 {8.42}	2.17 {7.62}	1.94 {6.81}	
		-40	1.63 {5.73}	1.48 {5.19}	1.32 {4.63}	1.89 {6.64}	1.71 {6.01}	1.53 {5.37}	
		-50	1.13 {3.98}	1.02 {3.60}	0.92 {3.22}	1.30 {4.58}	1.18 {4.15}	1.06 {3.71}	
		-60	0.82 {2.87}	0.74 {2.61}	0.67 {2.34}	0.94 {3.30}	0.85 {3.00}	0.77 {2.69}	
	2342BUZ	-20	4.49 {15.8}	4.07 {14.3}	3.64 {12.8}	5.35 {18.8}	4.86 {17.1}	4.35 {15.3}	
		-30	3.55 {12.5}	3.21 {11.3}	2.87 {10.1}	4.15 {14.6}	3.75 {13.2}	3.36 {11.8}	
		-40	2.68 {9.41}	2.42 {8.52}	2.16 {7.61}	3.10 {10.9}	2.81 {9.87}	2.51 {8.82}	
		-50	1.97 {6.91}	1.78 {6.26}	1.59 {5.60}	2.26 {7.96}	2.05 {7.21}	1.83 {6.45}	
		-60	1.41 {4.97}	1.29 {4.52}	1.15 {4.06}	1.62 {5.71}	1.48 {5.19}	1.32 {4.65}	
	2344BUZ 3454BUZ 4564BUZ	-20	7.71 {27.1}	6.97 {24.5}	6.26 {22.0}	9.16 {32.2}	8.30 {29.2}	7.42 {26.1}	
		-30	6.09 {21.4}	5.52 {19.4}	4.92 {17.3}	7.11 {25.0}	6.46 {22.7}	5.77 {20.3}	
		-40	4.58 {16.1}	4.15 {14.6}	3.70 {13.0}	5.29 {18.6}	4.81 {16.9}	4.29 {15.1}	
		-50	3.36 {11.8}	3.04 {10.7}	2.72 {9.58}	3.87 {13.6}	3.50 {12.3}	3.13 {11.0}	
		-60	2.42 {8.52}	2.20 {7.75}	1.98 {6.95}	2.78 {9.78}	2.53 {8.89}	2.27 {7.97}	
	4566BUZ	-20	10.7 {37.6}	9.67 {34.0}	8.67 {30.5}	12.7 {44.7}	11.5 {40.5}	10.3 {36.3}	
		-30	8.76 {30.8}	7.93 {27.9}	7.08 {24.9}	10.3 {36.1}	9.30 {32.7}	8.30 {29.2}	
		-40	6.34 {22.3}	5.74 {20.2}	5.15 {18.1}	7.37 {25.9}	6.65 {23.4}	5.94 {20.9}	
		-50	4.66 {16.4}	4.24 {14.9}	3.78 {13.3}	5.37 {18.9}	4.86 {17.1}	4.35 {15.3}	
		-60	3.44 {12.1}	3.13 {11.0}	2.81 {9.88}	3.95 {13.9}	3.58 {12.6}	3.21 {11.3}	
	4568BUZ	-20	15.2 {53.5}	13.8 {48.4}	12.3 {43.4}	18.1 {63.6}	16.4 {57.7}	14.7 {51.6}	
		-30	12.0 {42.2}	10.9 {38.2}	9.70 {34.1}	14.1 {49.4}	12.7 {44.7}	11.4 {40.0}	
		-40	9.04 {31.8}	8.19 {28.8}	7.31 {25.7}	10.5 {36.9}	9.50 {33.4}	8.47 {29.8}	
		-50	6.63 {23.3}	6.00 {21.1}	5.37 {18.9}	7.62 {26.8}	6.91 {24.3}	6.17 {21.7}	
		-60	4.81 {16.9}	4.35 {15.3}	3.92 {13.8}	5.52 {19.4}	5.01 {17.6}	4.49 {15.8}	
		-70	3.47 {12.2}	3.16 {11.1}	2.87 {10.1}	3.95 {13.9}	3.61 {12.7}	3.27 {11.5}	

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
			Condensing pressure (Mpa abs)					
1.74 (Equivalent to 38°C)			2.31 (Equivalent to 50°C)					
Condensate temp. (°C)								
Type	Model	-20	-10	0	-20	-10	0	
		Sub-cooling (°C)						
		58	48	38	70	60	50	
CEX-	2333BUZ	-20	0.84 {2.95}	0.76 {2.67}	0.68 {2.39}	0.99 {3.48}	0.90 {3.15}	0.80 {2.82}
		-30	0.64 {2.26}	0.58 {2.04}	0.52 {1.83}	0.75 {2.64}	0.68 {2.39}	0.61 {2.13}
		-40	0.48 {1.68}	0.43 {1.52}	0.39 {1.36}	0.55 {1.95}	0.50 {1.77}	0.45 {1.58}
		-50	0.35 {1.23}	0.32 {1.11}	0.28 {1.00}	0.40 {1.42}	0.37 {1.29}	0.33 {1.15}
		-60	0.25 {0.89}	0.23 {0.81}	0.20 {0.72}	0.29 {1.03}	0.27 {0.94}	0.24 {0.84}
	2335BUZ 2345BUZ	-20	1.67 {5.88}	1.51 {5.32}	1.36 {4.77}	1.97 {6.93}	1.79 {6.28}	1.60 {5.62}
		-30	1.28 {4.51}	1.16 {4.09}	1.04 {3.65}	1.50 {5.28}	1.36 {4.78}	1.22 {4.28}
		-40	0.95 {3.35}	0.86 {3.03}	0.77 {2.71}	1.11 {3.89}	1.00 {3.52}	0.90 {3.15}
		-50	0.69 {2.43}	0.63 {2.21}	0.56 {1.97}	0.80 {2.82}	0.73 {2.56}	0.65 {2.29}
		-60	0.50 {1.75}	0.45 {1.59}	0.40 {1.42}	0.57 {2.02}	0.52 {1.84}	0.47 {1.65}
	2348BUZ	-20	2.48 {8.73}	2.25 {7.91}	2.01 {7.08}	2.93 {10.3}	2.65 {9.33}	2.38 {8.36}
		-30	1.91 {6.72}	1.73 {6.08}	1.55 {5.44}	2.23 {7.85}	2.02 {7.11}	1.81 {6.36}
		-40	1.42 {4.98}	1.28 {4.51}	1.15 {4.03}	1.65 {5.79}	1.49 {5.24}	1.33 {4.68}
		-50	1.03 {3.61}	0.93 {3.27}	0.83 {2.92}	1.19 {4.18}	1.08 {3.79}	0.96 {3.38}
		-60	0.73 {2.58}	0.67 {2.35}	0.60 {2.11}	0.85 {2.98}	0.77 {2.71}	0.69 {2.43}
	2341BUZ	-20	3.50 {12.3}	3.16 {11.1}	2.83 {9.95}	4.12 {14.5}	3.73 {13.1}	3.33 {11.7}
		-30	2.68 {9.44}	2.43 {8.54}	2.17 {7.64}	3.13 {11.0}	2.84 {9.99}	2.54 {8.93}
		-40	2.10 {7.40}	1.91 {6.70}	1.70 {5.99}	2.45 {8.61}	2.22 {7.79}	1.98 {6.96}
		-50	1.45 {5.09}	1.31 {4.61}	1.17 {4.12}	1.68 {5.89}	1.52 {5.34}	1.36 {4.77}
		-60	1.04 {3.65}	0.94 {3.32}	0.85 {2.98}	1.20 {4.22}	1.09 {3.83}	0.98 {3.44}
	2342BUZ	-20	6.06 {21.3}	5.49 {19.3}	4.92 {17.3}	7.14 {25.1}	6.48 {22.8}	5.80 {20.4}
		-30	4.66 {16.4}	4.21 {14.8}	3.75 {13.2}	5.43 {19.1}	4.92 {17.3}	4.41 {15.5}
		-40	3.47 {12.2}	3.13 {11.0}	2.80 {9.84}	4.01 {14.1}	3.64 {12.8}	3.24 {11.4}
		-50	2.51 {8.84}	2.28 {8.01}	2.04 {7.16}	2.90 {10.2}	2.64 {9.27}	2.36 {8.29}
		-60	1.80 {6.32}	1.64 {5.75}	1.46 {5.15}	2.08 {7.30}	1.89 {6.64}	1.69 {5.96}
	2344BUZ 3454BUZ 4564BUZ	-20	10.4 {36.4}	9.38 {33.0}	8.39 {29.5}	12.2 {43.0}	11.1 {38.9}	9.93 {34.9}
		-30	7.96 {28.0}	7.22 {25.4}	6.46 {22.7}	9.33 {32.8}	8.45 {29.7}	7.56 {26.6}
		-40	5.92 {20.8}	5.35 {18.8}	4.78 {16.8}	6.85 {24.1}	6.23 {21.9}	5.55 {19.5}
		-50	4.29 {15.1}	3.90 {13.7}	3.47 {12.2}	4.98 {17.5}	4.52 {15.9}	4.04 {14.2}
		-60	3.07 {10.8}	2.80 {9.85}	2.51 {8.83}	3.55 {12.5}	3.24 {11.4}	2.90 {10.2}
	4566BUZ	-20	14.4 {50.6}	13.0 {45.8}	11.7 {41.0}	17.0 {59.6}	15.4 {54.1}	13.8 {48.4}
		-30	11.5 {40.4}	10.4 {36.6}	9.30 {32.7}	13.5 {47.3}	12.2 {42.8}	10.9 {38.3}
		-40	8.22 {28.9}	7.42 {26.1}	6.65 {23.4}	9.53 {33.5}	8.62 {30.3}	7.71 {27.1}
		-50	5.97 {21.0}	5.40 {19.0}	4.83 {17.0}	6.91 {24.3}	6.26 {22.0}	5.60 {19.7}
		-60	4.38 {15.4}	3.98 {14.0}	3.55 {12.5}	5.06 {17.8}	4.61 {16.2}	4.12 {14.5}
	4568BUZ	-20	20.5 {71.9}	18.5 {65.2}	16.6 {58.3}	24.1 {84.9}	21.9 {76.9}	19.6 {68.9}
		-30	15.8 {55.4}	14.3 {50.1}	12.7 {44.8}	18.4 {64.7}	16.7 {58.6}	14.9 {52.4}
		-40	11.7 {41.1}	10.6 {37.2}	9.44 {33.2}	13.6 {47.8}	12.3 {43.2}	11.0 {38.6}
		-50	8.47 {29.8}	7.68 {27.0}	6.88 {24.2}	9.81 {34.5}	8.90 {31.3}	7.93 {27.9}
		-60	6.09 {21.4}	5.55 {19.5}	4.95 {17.4}	7.05 {24.8}	6.40 {22.5}	5.74 {20.2}
		-70	4.35 {15.3}	4.01 {14.1}	3.61 {12.7}	5.03 {17.7}	4.64 {16.3}	4.18 {14.7}

CTX Capacity table

R134a

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
CTX-	34006BM 34006DM	10	0.67 {2.34}	0.71 {2.49}	0.73 {2.58}	0.74 {2.61}	0.78 {2.73}	0.79 {2.79}
		0	0.63 {2.21}	0.65 {2.29}	0.67 {2.35}	0.67 {2.37}	0.69 {2.41}	0.69 {2.43}
		-5	0.59 {2.07}	0.61 {2.13}	0.62 {2.19}	0.63 {2.20}	0.63 {2.21}	0.63 {2.22}
		-10	0.53 {1.86}	0.55 {1.93}	0.56 {1.97}	0.56 {1.98}	0.57 {2.00}	0.56 {1.98}
		-20	0.41 {1.44}	0.43 {1.50}	0.43 {1.51}	0.43 {1.51}	0.43 {1.51}	0.42 {1.49}
	-30	0.39 {1.36}	0.39 {1.38}	0.40 {1.40}	0.40 {1.40}	0.40 {1.40}	0.39 {1.37}	
	34013BM 34013DM	10	1.52 {5.33}	1.65 {5.79}	1.71 {6.00}	1.74 {6.11}	1.80 {6.34}	1.83 {6.43}
		0	1.33 {4.66}	1.39 {4.90}	1.42 {5.01}	1.44 {5.05}	1.47 {5.16}	1.48 {5.21}
		-5	1.20 {4.22}	1.24 {4.37}	1.27 {4.45}	1.28 {4.49}	1.29 {4.54}	1.31 {4.59}
		-10	1.10 {3.88}	1.13 {3.97}	1.14 {4.02}	1.15 {4.05}	1.16 {4.07}	1.16 {4.07}
		-20	0.92 {3.22}	0.92 {3.24}	0.93 {3.28}	0.93 {3.27}	0.93 {3.28}	0.93 {3.27}
	-30	0.74 {2.59}	0.80 {2.80}	0.83 {2.93}	0.83 {2.93}	0.83 {2.93}	0.82 {2.90}	
	34023BM 34023DM	10	2.64 {9.29}	2.87 {10.1}	2.96 {10.4}	3.01 {10.6}	3.13 {11.0}	3.21 {11.3}
		0	2.37 {8.32}	2.59 {9.09}	2.54 {8.92}	2.56 {9.00}	2.61 {9.19}	2.63 {9.26}
		-5	2.15 {7.57}	2.23 {7.85}	2.27 {7.99}	2.29 {8.05}	2.22 {7.79}	2.33 {8.18}
		-10	1.91 {6.72}	1.97 {6.92}	1.99 {7.01}	2.00 {7.05}	2.02 {7.11}	2.02 {7.09}
		-20	1.66 {5.84}	1.69 {5.95}	1.71 {6.00}	1.71 {6.02}	1.71 {6.02}	1.69 {5.95}
	-30	1.52 {5.34}	1.54 {5.41}	1.55 {5.45}	1.55 {5.44}	1.55 {5.44}	1.53 {5.37}	
	34035BM 34035DM	10	4.07 {14.3}	4.41 {15.5}	4.55 {16.0}	4.64 {16.3}	4.81 {16.9}	4.95 {17.4}
		0	3.61 {12.7}	3.78 {13.3}	3.87 {13.6}	3.90 {13.7}	3.98 {14.0}	4.01 {14.1}
		-5	3.38 {11.9}	3.50 {12.3}	3.58 {12.6}	3.61 {12.7}	3.64 {12.8}	3.64 {12.8}
		-10	3.01 {10.6}	3.10 {10.9}	3.13 {11.0}	3.16 {11.1}	3.19 {11.2}	3.19 {11.2}
		-20	2.62 {9.22}	2.68 {9.42}	2.70 {9.49}	2.70 {9.51}	2.71 {9.54}	2.69 {9.47}
	-30	2.29 {8.06}	2.32 {8.15}	2.33 {8.20}	2.33 {8.19}	2.33 {8.19}	2.30 {8.08}	
	34045BM 34045DM	10	5.26 {18.5}	5.63 {19.8}	5.86 {20.6}	5.92 {20.8}	6.14 {21.6}	6.34 {22.3}
		0	4.61 {16.2}	4.83 {17.0}	4.95 {17.4}	4.95 {17.4}	5.06 {17.8}	5.12 {18.0}
		-5	4.32 {15.2}	4.46 {15.7}	4.61 {16.2}	4.61 {16.2}	4.66 {16.4}	4.66 {16.4}
		-10	3.87 {13.6}	3.98 {14.0}	4.04 {14.2}	4.01 {14.1}	4.07 {14.3}	4.07 {14.3}
		-20	3.38 {11.9}	3.44 {12.1}	3.47 {12.2}	3.47 {12.2}	3.47 {12.2}	3.47 {12.2}
	-30	3.07 {10.8}	3.10 {10.9}	3.10 {10.9}	3.13 {11.0}	3.13 {11.0}	3.10 {10.9}	
	57060DM	10	6.97 {24.5}	7.54 {26.5}	7.85 {27.6}	7.93 {27.9}	8.28 {29.1}	8.47 {29.8}
		0	6.26 {22.0}	6.51 {22.9}	6.71 {23.6}	6.74 {23.7}	6.88 {24.2}	6.94 {24.4}
		-5	5.83 {20.5}	6.03 {21.2}	6.11 {21.5}	6.14 {21.6}	6.23 {21.9}	6.26 {22.0}
		-10	5.35 {18.8}	5.49 {19.3}	5.60 {19.7}	5.63 {19.8}	5.69 {20.0}	5.66 {19.9}
		-20	4.44 {15.6}	4.49 {15.8}	4.52 {15.9}	4.52 {15.9}	4.55 {16.0}	4.49 {15.8}
	-30	4.04 {14.2}	4.07 {14.3}	4.10 {14.4}	4.10 {14.4}	4.10 {14.4}	4.04 {14.2}	
	57080DM	10	9.19 {32.3}	9.93 {34.9}	10.3 {36.3}	10.5 {36.9}	10.9 {38.4}	11.2 {39.3}
		0	8.25 {29.0}	8.67 {30.5}	8.87 {31.2}	8.96 {31.5}	9.10 {32.0}	9.16 {32.2}
		-5	7.68 {27.0}	7.99 {28.1}	8.13 {28.6}	8.19 {28.8}	8.30 {29.2}	8.30 {29.2}
		-10	6.97 {24.5}	7.22 {25.4}	7.31 {25.7}	7.31 {25.7}	7.74 {27.2}	7.37 {25.9}
		-20	5.89 {20.7}	6.00 {21.1}	6.06 {21.3}	6.06 {21.3}	6.06 {21.3}	6.03 {21.2}
	-30	5.35 {18.8}	5.40 {19.0}	5.43 {19.1}	5.46 {19.2}	5.43 {19.1}	5.35 {18.8}	
	71110DM	10	12.4 {43.5}	13.4 {47.1}	13.9 {48.8}	14.1 {49.7}	14.7 {51.6}	15.0 {52.8}
		0	11.4 {40.2}	11.9 {42.0}	12.2 {43.0}	12.3 {43.4}	12.6 {44.3}	12.7 {44.7}
		-5	10.6 {37.1}	11.0 {38.5}	11.2 {39.2}	11.2 {39.5}	11.4 {39.9}	11.4 {40.0}
		-10	9.61 {33.8}	9.90 {34.8}	10.0 {35.2}	10.1 {35.5}	10.2 {35.7}	10.1 {35.6}
		-20	7.91 {27.8}	7.99 {28.1}	8.13 {28.6}	8.16 {28.7}	8.16 {28.7}	8.13 {28.6}
	-30	7.28 {25.6}	7.37 {25.9}	7.42 {26.1}	7.45 {26.2}	7.42 {26.1}	7.31 {25.7}	
	71140DM	10	15.8 {55.4}	17.0 {59.9}	17.7 {62.1}	18.0 {63.3}	18.7 {65.7}	19.1 {67.1}
		0	14.6 {51.3}	15.3 {53.7}	15.6 {54.9}	15.8 {55.5}	16.1 {56.5}	16.2 {57.0}
		-5	13.5 {47.3}	13.9 {49.0}	14.2 {49.8}	14.2 {50.0}	14.4 {50.6}	14.2 {50.0}
		-10	12.1 {42.6}	12.5 {43.8}	12.6 {44.4}	12.7 {44.5}	12.8 {45.0}	12.5 {44.0}
		-20	9.95 {35.0}	10.6 {37.1}	10.6 {37.4}	10.6 {37.4}	10.6 {37.3}	10.5 {37.0}
	-30	8.99 {31.6}	9.10 {32.0}	9.16 {32.2}	9.19 {32.3}	9.13 {32.1}	9.02 {31.7}	
	71160DM	10	18.1 {63.8}	19.7 {69.2}	20.4 {71.8}	20.7 {72.9}	21.3 {75.0}	21.7 {76.2}
		0	16.6 {58.4}	17.4 {61.3}	17.8 {62.6}	18.0 {63.3}	18.3 {64.4}	18.2 {64.0}
		-5	15.2 {53.6}	15.8 {55.7}	16.1 {56.6}	16.2 {57.1}	16.4 {57.7}	16.5 {58.0}
		-10	13.8 {48.5}	14.3 {50.2}	14.5 {50.9}	14.6 {51.2}	14.7 {51.6}	14.5 {51.0}
		-20	11.8 {41.3}	12.0 {42.1}	12.1 {42.6}	12.1 {42.6}	12.1 {42.7}	11.9 {42.0}
	-30	10.3 {36.2}	10.4 {36.5}	10.5 {36.8}	10.5 {36.9}	10.5 {36.8}	10.3 {36.3}	
	12220DM	10	25.8 {90.8}	28.0 {98.4}	29.0 {102}	29.6 {104}	30.7 {108}	31.3 {110}
		0	20.3 {71.2}	23.8 {83.5}	24.2 {85.2}	24.5 {86.2}	25.0 {87.9}	25.2 {88.5}
		-5	21.0 {73.9}	21.8 {76.8}	22.2 {78.0}	22.4 {78.7}	22.6 {79.4}	22.7 {79.8}
		-10	19.1 {67.1}	19.7 {69.1}	19.9 {69.9}	20.0 {70.4}	20.2 {70.9}	20.1 {70.8}
		-20	15.9 {55.8}	16.4 {57.6}	16.6 {58.2}	16.9 {59.5}	16.6 {58.3}	16.2 {57.1}
	-30	14.5 {51.1}	14.7 {51.8}	14.8 {52.1}	14.8 {52.1}	14.5 {51.0}	14.6 {51.3}	
	12270DM	10	31.0 {109}	33.3 {117}	34.7 {122}	35.3 {124}	36.7 {129}	37.8 {133}
		0	27.8 {97.8}	29.0 {102}	29.9 {105}	30.2 {106}	30.7 {108}	31.0 {109}
		-5	25.7 {90.5}	26.7 {94.0}	27.2 {95.6}	27.4 {96.3}	27.7 {97.3}	27.8 {97.8}
		-10	23.3 {81.8}	24.1 {84.7}	24.4 {85.7}	24.5 {86.3}	24.7 {87.0}	24.7 {86.8}
		-20	19.5 {68.5}	19.9 {69.9}	20.1 {70.5}	20.1 {70.6}	20.1 {70.8}	19.9 {70.1}
	-30	17.8 {62.6}	18.0 {63.3}	18.1 {63.7}	18.1 {63.8}	18.1 {63.6}	17.9 {62.8}	
	12330DM	10	38.1 {134}	40.7 {143}	42.4 {149}	42.9 {151}	44.9 {158}	46.1 {162}
		0	34.1 {120}	35.8 {126}	36.4 {128}	36.7 {129}	37.3 {131}	37.8 {133}
		-5	31.6 {111}	32.7 {115}	33.3 {117}	33.8 {119}	34.1 {120}	34.1 {120}
		-10	28.4 {100}	29.3 {103}	29.9 {105}	29.9 {105}	30.2 {106}	30.2 {106}
		-20	23.9 {84.0}	24.3 {85.6}	24.5 {86.3}	24.6 {86.5}	24.6 {86.6}	24.4 {85.9}
	-30	21.8 {76.6}	22.1 {77.6}	22.2 {78.0}	22.2 {78.2}	22.2 {77.9}	21.9 {76.9}	
	12420DM	10	48.9 {172}	52.6 {185}	54.9 {193}	55.5 {195}	58.0 {204}	60.6 {213}
		0	43.2 {152}	45.2 {159}	46.4 {163}	46.6 {164}	47.5 {167}	48.4 {170}
		-5	39.8 {140}	41.2 {145}	42.4 {149}	42.7 {150}	42.9 {151}	42.9 {151}
		-10	36.4 {128}	37.3 {131}	38.1 {134}	38.1 {134}	38.4 {135}	38.4 {135}
		-20	30.2 {106}	31.0 {109}	31.3 {110}	31.3 {110}	31.3 {110}	31.3 {110}
	-30	27.0 {95.0}	27.4 {96.2}	27.6 {96.9}	27.6 {97.0}	27.5 {96.6}	27.1 {95.4}	
	12500DM	10	57.5 {202}	62.3 {219}	64.8 {228}	65.4 {230}	68.5 {241}	69.7 {245}
		0	52.0 {183}	54.0 {190}	55.2 {194}	55.5 {195}	56.9 {200}	57.5 {202}
		-5	48.4 {170}	50.1 {176}	50.9 {179}	51.2 {180}	51.5 {181}	52.0 {183}
		-10	44.7 {157}	45.5 {160}	46.4 {163}	46.6 {164}	46.6 {164}	46.9 {165}
		-20	36.7 {129}	37.3 {131}	37.8 {133}	37.8 {133}	37.8 {133}	37.8 {133}
	-30	32.1 {113}	32.4 {114}	32.7 {115}	32.7 {115}	32.7 {115}	32.4 {114}	

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) (kW)					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
CTX-	34006BU 34006DU	-5	0.59 {2.06}	0.58 {2.04}	0.57 {2.01}	0.56 {1.97}	0.53 {1.88}	0.50 {1.75}
		-10	0.53 {1.88}	0.52 {1.84}	0.51 {1.81}	0.50 {1.77}	0.47 {1.67}	0.44 {1.53}
		-20	0.44 {1.56}	0.44 {1.53}	0.43 {1.50}	0.41 {1.45}	0.39 {1.36}	0.34 {1.21}
		-30	0.36 {1.25}	0.34 {1.20}	0.33 {1.16}	0.32 {1.12}	0.30 {1.04}	-
	-40	0.27 {0.94}	0.26 {0.90}	0.25 {0.87}	0.24 {0.83}	0.22 {0.76}	-	
	34013BU 34013DU	-5	1.25 {4.40}	1.25 {4.38}	1.23 {4.33}	1.21 {4.26}	1.15 {4.05}	1.06 {3.74}
		-10	1.19 {4.18}	1.17 {4.12}	1.15 {4.05}	1.13 {3.97}	1.06 {3.74}	0.97 {3.42}
		-20	1.03 {3.61}	1.00 {3.51}	0.97 {3.42}	0.95 {3.34}	0.88 {3.11}	0.80 {2.80}
		-30	0.88 {3.10}	0.85 {2.99}	0.82 {2.90}	0.80 {2.82}	0.74 {2.59}	-
	-40	0.74 {2.59}	0.70 {2.45}	0.67 {2.37}	0.65 {2.30}	0.59 {2.08}	-	
	34023BU 34023DU	-5	2.32 {8.16}	2.30 {8.08}	2.27 {7.97}	2.24 {7.86}	2.12 {7.46}	1.96 {6.90}
		-10	2.06 {7.23}	2.02 {7.10}	1.99 {6.98}	1.95 {6.85}	1.84 {6.46}	1.69 {5.95}
		-20	1.78 {6.25}	1.73 {6.07}	1.68 {5.92}	1.64 {5.78}	1.53 {5.38}	1.39 {4.88}
		-30	1.46 {5.13}	1.40 {4.92}	1.36 {4.78}	1.32 {4.65}	1.21 {4.27}	-
	-40	1.14 {4.00}	1.08 {3.81}	1.05 {3.68}	1.01 {3.56}	0.92 {3.25}	-	
	34035BU 34035DU	-5	3.33 {11.7}	3.30 {11.6}	3.27 {11.5}	3.19 {11.2}	3.04 {10.7}	2.57 {9.03}
		-10	3.07 {10.8}	3.01 {10.6}	2.96 {10.4}	2.90 {10.2}	2.75 {9.67}	2.52 {8.87}
		-20	2.60 {9.14}	2.53 {8.88}	2.46 {8.65}	2.41 {8.46}	2.24 {7.87}	2.03 {7.14}
		-30	2.19 {7.69}	2.11 {7.41}	2.04 {7.19}	1.99 {6.99}	1.83 {6.44}	-
	-40	1.71 {6.01}	1.63 {5.73}	1.57 {5.53}	1.52 {5.36}	1.39 {4.88}	-	
	34045BU 34045DU	-5	4.27 {15.0}	4.24 {14.9}	4.21 {14.8}	4.12 {14.5}	3.92 {13.8}	3.61 {12.7}
		-10	3.92 {13.8}	3.87 {13.6}	3.81 {13.4}	3.73 {13.1}	3.53 {12.4}	3.24 {11.4}
		-20	3.33 {11.7}	3.21 {11.3}	3.16 {11.1}	3.07 {10.8}	2.87 {10.1}	2.61 {9.18}
		-30	2.81 {9.88}	2.71 {9.52}	2.62 {9.23}	2.55 {8.98}	2.35 {8.27}	-
	-40	2.20 {7.72}	2.10 {7.37}	2.02 {7.10}	1.96 {6.89}	1.78 {6.27}	-	
	57060DU	-5	5.83 {20.5}	5.80 {20.4}	5.72 {20.1}	5.60 {19.7}	5.35 {18.8}	4.95 {17.4}
		-10	5.46 {19.2}	5.37 {18.9}	5.29 {18.6}	5.18 {18.2}	4.89 {17.2}	4.49 {15.8}
		-20	4.64 {16.3}	4.52 {15.9}	4.41 {15.5}	4.29 {15.1}	3.98 {14.0}	3.61 {12.7}
		-30	3.92 {13.8}	3.78 {13.3}	3.67 {12.9}	3.55 {12.5}	3.27 {11.5}	-
	-40	3.27 {11.5}	3.13 {11.0}	3.04 {10.7}	2.93 {10.3}	2.68 {9.42}	-	
	57080DU	-5	7.76 {27.3}	7.71 {27.1}	7.62 {26.8}	7.48 {26.3}	7.11 {25.0}	6.60 {23.2}
		-10	7.31 {25.7}	7.22 {25.4}	7.08 {24.9}	6.97 {24.5}	6.57 {23.1}	6.00 {21.1}
		-20	6.20 {21.8}	6.03 {21.2}	5.89 {20.7}	5.72 {20.1}	5.35 {18.8}	4.83 {17.0}
		-30	5.26 {18.5}	5.06 {17.8}	4.92 {17.3}	4.78 {16.8}	4.38 {15.4}	-
	-40	4.38 {15.4}	4.21 {14.8}	4.07 {14.3}	3.92 {13.8}	3.55 {12.5}	-	
	71110DU	-5	11.0 {38.7}	10.9 {38.4}	10.8 {38.0}	10.6 {37.3}	10.1 {35.5}	9.30 {32.7}
		-10	10.1 {35.5}	9.81 {34.5}	9.67 {34.0}	9.47 {33.3}	8.93 {31.4}	8.28 {29.1}
		-20	8.93 {31.4}	8.67 {30.5}	8.45 {29.7}	8.22 {28.9}	7.68 {27.0}	6.97 {24.5}
		-30	7.45 {26.2}	7.14 {25.1}	6.94 {24.4}	6.74 {23.7}	6.20 {21.8}	-
	-40	6.26 {22.0}	5.94 {20.9}	5.74 {20.2}	5.55 {19.5}	5.06 {17.8}	-	
	71140DU	-5	13.8 {48.5}	13.7 {48.2}	13.5 {47.6}	13.3 {46.8}	12.7 {44.5}	11.7 {41.1}
		-10	13.0 {45.6}	12.8 {45.0}	12.6 {44.2}	12.3 {43.4}	11.6 {40.9}	10.7 {37.5}
		-20	11.2 {39.3}	10.8 {38.1}	10.6 {37.2}	10.4 {36.4}	9.61 {33.8}	8.73 {30.7}
		-30	9.36 {32.9}	8.99 {31.6}	8.73 {30.7}	8.47 {29.8}	7.79 {27.4}	-
	-40	7.96 {28.0}	7.59 {26.7}	7.31 {25.7}	7.05 {24.8}	6.43 {22.6}	-	
	71160DU	-5	15.7 {55.2}	15.6 {54.7}	15.4 {54.0}	15.1 {53.2}	14.4 {50.5}	13.3 {46.8}
		-10	14.7 {51.6}	14.4 {50.7}	14.2 {49.8}	13.9 {48.9}	13.1 {46.2}	12.1 {42.4}
		-20	12.7 {44.7}	12.4 {43.5}	12.1 {42.4}	11.8 {41.5}	11.0 {38.6}	9.93 {34.9}
		-30	10.6 {37.4}	10.2 {36.0}	9.78 {34.4}	9.70 {34.1}	8.87 {31.2}	-
	-40	9.07 {31.9}	8.62 {30.3}	8.39 {29.5}	8.13 {28.6}	7.34 {25.8}	-	
	12220DU	-5	21.6 {76.0}	21.4 {75.4}	21.2 {74.5}	20.9 {73.4}	19.8 {69.6}	18.3 {64.4}
		-10	20.2 {71.1}	19.9 {70.0}	19.6 {68.8}	19.2 {67.5}	18.1 {63.7}	16.6 {58.5}
		-20	17.3 {60.7}	16.8 {59.0}	16.4 {57.5}	16.0 {56.2}	14.9 {52.3}	13.5 {47.3}
		-30	14.7 {51.7}	14.1 {49.7}	13.7 {48.2}	13.3 {46.9}	12.3 {43.1}	-
	-40	12.4 {43.7}	11.9 {41.7}	11.4 {40.2}	11.1 {38.9}	10.1 {35.4}	-	
	12270DU	-5	26.7 {93.7}	26.5 {93.1}	26.1 {91.9}	25.7 {90.5}	24.4 {85.9}	22.6 {79.4}
		-10	24.9 {87.4}	24.5 {86.0}	24.1 {84.6}	23.6 {83.1}	22.3 {78.3}	20.4 {71.8}
		-20	21.3 {75.0}	20.7 {72.9}	20.2 {71.0}	19.8 {69.5}	18.4 {64.6}	16.6 {58.5}
		-30	18.1 {63.6}	17.4 {61.2}	16.9 {59.3}	16.4 {57.7}	15.1 {53.1}	-
	-40	15.2 {53.6}	14.5 {51.1}	14.0 {49.3}	13.6 {47.8}	12.4 {43.5}	-	
	12330DU	-5	32.4 {114}	31.9 {112}	31.9 {112}	31.0 {109}	29.6 {104}	27.4 {96.4}
		-10	30.4 {107}	30.2 {106}	29.6 {104}	29.0 {102}	27.3 {95.9}	25.0 {88.0}
		-20	26.0 {91.5}	25.3 {88.9}	24.6 {86.6}	24.1 {84.7}	22.4 {78.8}	20.3 {71.3}
		-30	22.1 {77.6}	21.2 {74.7}	20.6 {72.4}	20.0 {70.4}	18.5 {64.9}	-
	-40	18.6 {65.4}	17.8 {62.4}	17.1 {60.1}	16.6 {58.3}	15.1 {53.1}	-	
	12420DU	-5	42.7 {150}	42.1 {148}	41.8 {147}	41.0 {144}	39.0 {137}	36.1 {127}
		-10	40.4 {142}	39.8 {140}	39.0 {137}	38.1 {134}	36.1 {127}	33.0 {116}
		-20	34.7 {122}	33.6 {118}	33.0 {116}	32.1 {113}	30.2 {106}	27.2 {95.6}
		-30	29.6 {104}	28.4 {100}	27.6 {97.1}	26.9 {94.5}	24.7 {87.0}	-
	-40	25.2 {88.6}	24.0 {84.4}	23.2 {81.4}	22.4 {78.8}	20.4 {71.8}	-	
	12500DU	-5	50.9 {179}	50.3 {177}	49.8 {175}	48.9 {172}	46.4 {163}	42.9 {151}
		-10	48.1 {169}	47.2 {166}	46.4 {163}	45.5 {160}	42.7 {150}	39.5 {139}
		-20	41.5 {146}	40.1 {141}	39.5 {139}	38.7 {136}	35.8 {126}	32.7 {115}
		-30	35.3 {124}	34.1 {120}	33.0 {116}	31.9 {112}	29.6 {104}	-
	-40	30.2 {106}	28.7 {101}	27.7 {97.3}	26.9 {94.4}	24.4 {85.8}	-	



Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
CTX-	34006BP 34006DP	0	0.90 {3.15}	0.93 {3.27}	0.94 {3.32}	0.95 {3.34}	0.96 {3.37}	0.96 {3.36}
		-5	0.87 {3.07}	0.89 {3.13}	0.90 {3.17}	0.90 {3.18}	0.91 {3.19}	0.89 {3.14}
		-10	0.80 {2.81}	0.71 {2.49}	0.83 {2.91}	0.83 {2.91}	0.83 {2.91}	0.81 {2.86}
		-20	0.68 {2.40}	0.69 {2.43}	0.69 {2.44}	0.69 {2.43}	0.69 {2.41}	0.67 {2.37}
		-30	0.56 {1.96}	0.55 {1.95}	0.56 {1.96}	0.55 {1.95}	0.55 {1.94}	-
		-40	0.47 {1.64}	0.46 {1.61}	0.46 {1.61}	0.46 {1.61}	0.45 {1.57}	-
	34013BP 34013DP	0	1.88 {6.62}	1.96 {6.90}	1.99 {7.01}	2.01 {7.06}	2.02 {7.12}	2.01 {7.08}
		-5	1.71 {6.03}	1.76 {6.19}	1.78 {6.27}	1.79 {6.28}	1.79 {6.30}	1.78 {6.25}
		-10	1.65 {5.80}	1.44 {5.05}	1.69 {5.93}	1.69 {5.93}	1.68 {5.92}	1.66 {5.85}
		-20	1.44 {5.08}	1.46 {5.13}	1.46 {5.15}	1.46 {5.14}	1.45 {5.10}	1.42 {4.99}
		-30	1.28 {4.50}	1.28 {4.51}	1.28 {4.51}	1.28 {4.49}	1.26 {4.43}	-
		-40	1.11 {3.90}	1.10 {3.88}	1.10 {3.88}	1.10 {3.86}	1.08 {3.79}	-
	34023BP 34023DP	0	3.24 {11.4}	3.38 {11.9}	3.44 {12.1}	3.44 {12.1}	3.47 {12.2}	3.47 {12.2}
		-5	3.10 {10.9}	3.21 {11.3}	3.24 {11.4}	3.24 {11.4}	3.27 {11.5}	3.21 {11.3}
		-10	2.79 {9.80}	2.84 {9.99}	2.87 {10.1}	2.87 {10.1}	2.87 {10.1}	2.80 {9.86}
		-20	2.47 {8.69}	2.49 {8.75}	2.50 {8.78}	2.49 {8.75}	2.47 {8.68}	2.42 {8.51}
		-30	2.09 {7.34}	2.09 {7.34}	2.09 {7.34}	2.08 {7.31}	2.05 {7.21}	-
		-40	1.68 {5.90}	1.68 {5.90}	1.68 {5.89}	1.67 {5.86}	1.64 {5.76}	-
	34035BP 34035DP	0	5.01 {17.6}	5.15 {18.1}	5.26 {18.5}	5.26 {18.5}	5.35 {18.8}	5.32 {18.7}
		-5	4.58 {16.1}	4.66 {16.4}	4.75 {16.7}	4.75 {16.7}	4.78 {16.8}	4.72 {16.6}
		-10	4.24 {14.9}	4.32 {15.2}	4.35 {15.3}	4.32 {15.2}	4.35 {15.3}	4.29 {15.1}
		-20	3.67 {12.9}	3.70 {13.0}	3.70 {13.0}	3.70 {13.0}	3.64 {12.8}	3.58 {12.6}
		-30	3.19 {11.2}	3.21 {11.3}	3.19 {11.2}	3.19 {11.2}	3.13 {11.0}	-
		-40	2.58 {9.07}	2.58 {9.07}	2.57 {9.05}	2.56 {9.00}	2.52 {8.85}	-
	34045BP 34045DP	0	6.40 {22.5}	6.65 {23.4}	6.77 {23.8}	6.80 {23.9}	6.85 {24.1}	6.83 {24.0}
		-5	5.89 {20.7}	6.03 {21.2}	6.11 {21.5}	6.11 {21.5}	6.14 {21.6}	6.09 {21.4}
		-10	5.46 {19.2}	5.55 {19.5}	5.57 {19.6}	5.57 {19.6}	5.55 {19.5}	5.52 {19.4}
		-20	4.69 {16.5}	4.72 {16.6}	4.75 {16.7}	4.72 {16.6}	4.69 {16.5}	4.61 {16.2}
		-30	4.07 {14.3}	4.10 {14.4}	4.10 {14.4}	4.10 {14.4}	4.04 {14.2}	-
		-40	3.33 {11.7}	3.33 {11.7}	3.30 {11.6}	3.30 {11.6}	3.24 {11.4}	-
	57060DP	0	8.87 {31.2}	9.21 {32.4}	9.38 {33.0}	9.41 {33.1}	9.53 {33.5}	9.47 {33.3}
		-5	8.28 {29.1}	8.53 {30.0}	8.62 {30.3}	8.62 {30.3}	8.67 {30.5}	8.59 {30.2}
		-10	7.82 {27.5}	7.99 {28.1}	8.05 {28.3}	8.02 {28.2}	8.05 {28.3}	7.93 {27.9}
		-20	6.80 {23.9}	6.85 {24.1}	6.88 {24.2}	6.83 {24.0}	6.80 {23.9}	6.65 {23.4}
		-30	5.92 {20.8}	5.92 {20.8}	5.92 {20.8}	5.89 {20.7}	5.83 {20.5}	-
		-40	5.15 {18.1}	5.12 {18.0}	5.12 {18.0}	5.12 {18.0}	5.01 {17.6}	-
	57080DP	0	11.9 {41.9}	12.4 {43.5}	12.6 {44.2}	12.6 {44.4}	12.8 {44.9}	12.7 {44.6}
		-5	11.0 {38.7}	11.3 {39.7}	11.4 {40.2}	11.5 {40.3}	11.5 {40.4}	11.4 {40.0}
		-10	10.5 {36.8}	10.7 {37.5}	10.8 {37.8}	10.8 {37.8}	10.7 {37.7}	10.6 {37.2}
		-20	9.04 {31.8}	9.16 {32.2}	9.16 {32.2}	9.16 {32.2}	9.04 {31.8}	8.87 {31.2}
		-30	7.93 {27.9}	7.96 {28.0}	7.93 {27.9}	7.91 {27.8}	7.79 {27.4}	-
		-40	6.85 {24.1}	6.83 {24.0}	6.83 {24.0}	6.80 {23.9}	6.65 {23.4}	-
	71110DP	0	16.5 {58.1}	17.2 {60.3}	17.4 {61.3}	17.6 {61.7}	17.7 {62.1}	17.6 {61.8}
		-5	15.5 {54.5}	15.9 {55.9}	16.1 {56.6}	16.2 {56.8}	16.2 {56.9}	16.0 {56.4}
		-10	14.4 {50.5}	14.7 {51.5}	14.8 {51.9}	14.8 {52.0}	14.7 {51.8}	14.6 {51.2}
		-20	13.0 {45.7}	13.1 {46.1}	13.1 {46.2}	13.1 {46.1}	13.0 {45.6}	12.7 {44.8}
		-30	11.2 {39.3}	11.2 {39.3}	11.2 {39.3}	11.1 {39.1}	11.0 {38.6}	-
		-40	9.70 {34.1}	9.70 {34.1}	9.70 {34.1}	9.64 {33.9}	9.50 {33.4}	-
	71140DP	0	20.7 {72.7}	21.5 {75.5}	21.8 {76.7}	21.9 {77.1}	22.1 {77.8}	22.0 {77.4}
		-5	19.4 {68.2}	19.8 {69.6}	20.0 {70.4}	20.1 {70.7}	20.2 {70.9}	20.1 {70.5}
		-10	18.4 {64.7}	18.8 {66.1}	18.9 {66.5}	18.9 {66.5}	18.9 {66.4}	18.7 {65.6}
		-20	16.2 {57.1}	16.4 {57.6}	16.4 {57.8}	16.4 {57.6}	16.2 {57.1}	15.9 {56.0}
		-30	14.0 {49.2}	14.1 {49.4}	14.1 {49.4}	14.0 {49.1}	13.8 {48.5}	-
		-40	12.3 {43.3}	12.3 {43.3}	12.3 {43.2}	12.3 {43.2}	12.0 {42.2}	-
	71160DP	0	23.9 {84.0}	24.8 {87.2}	25.2 {88.5}	25.3 {89.0}	25.5 {89.8}	25.5 {89.5}
		-5	22.2 {78.1}	22.8 {80.3}	23.1 {81.2}	23.2 {81.4}	23.2 {81.6}	23.0 {80.8}
		-10	20.9 {73.6}	21.4 {75.1}	21.5 {75.7}	21.5 {75.7}	21.5 {75.5}	21.2 {74.5}
		-20	18.5 {64.9}	18.8 {66.1}	18.8 {66.2}	18.8 {66.1}	18.6 {65.4}	18.3 {64.2}
		-30	16.0 {56.3}	16.2 {56.8}	16.1 {56.5}	16.0 {56.2}	15.8 {55.5}	-
		-40	14.1 {49.6}	14.2 {49.8}	14.1 {49.5}	14.0 {49.3}	13.8 {48.4}	-
	12220DP	0	32.7 {115}	34.1 {120}	34.7 {122}	34.7 {122}	35.0 {123}	35.0 {123}
		-5	30.7 {108}	31.6 {111}	31.9 {112}	31.9 {112}	32.1 {113}	31.6 {111}
		-10	29.0 {102}	29.6 {104}	29.9 {105}	29.9 {105}	29.6 {104}	29.3 {103}
		-20	25.3 {88.8}	25.5 {89.6}	25.5 {89.8}	25.5 {89.7}	25.3 {88.8}	24.7 {87.0}
		-30	22.1 {77.7}	22.2 {78.1}	22.2 {78.0}	22.1 {77.7}	21.8 {76.6}	-
		-40	19.4 {68.2}	19.4 {68.2}	19.3 {68.0}	19.3 {67.7}	18.9 {66.6}	-
	12270DP	0	39.8 {140}	41.2 {145}	42.1 {148}	42.4 {149}	42.7 {150}	42.7 {150}
		-5	37.5 {132}	38.1 {134}	38.7 {136}	38.7 {136}	38.7 {136}	38.4 {135}
		-10	35.3 {124}	35.6 {125}	36.1 {127}	35.8 {126}	35.8 {126}	35.8 {126}
		-20	30.7 {108}	31.3 {110}	31.3 {110}	31.3 {110}	31.0 {109}	30.2 {106}
		-30	26.9 {94.5}	27.0 {94.9}	27.0 {94.8}	26.9 {94.4}	26.5 {93.1}	-
		-40	23.5 {82.7}	23.5 {82.7}	23.5 {82.5}	23.4 {82.1}	23.0 {80.8}	-
	12330DP	0	48.9 {172}	50.6 {178}	51.8 {182}	51.8 {182}	52.3 {184}	52.0 {183}
		-5	45.8 {161}	46.6 {164}	47.5 {167}	47.5 {167}	47.8 {168}	47.2 {166}
		-10	43.2 {152}	44.1 {155}	44.7 {157}	44.4 {156}	44.4 {156}	43.8 {154}
		-20	37.8 {133}	38.4 {135}	38.4 {135}	38.1 {134}	37.8 {133}	37.3 {131}
		-30	33.0 {116}	33.3 {117}	33.0 {116}	33.0 {116}	32.4 {114}	-
		-40	28.7 {101}	28.7 {101}	28.7 {101}	28.7 {101}	28.2 {99.0}	-
	12420DP	0	63.1 {222}	65.7 {231}	66.6 {234}	66.8 {235}	67.4 {237}	67.1 {236}
		-5	59.7 {210}	61.4 {216}	62.0 {218}	62.0 {218}	62.3 {219}	61.7 {217}
		-10	56.9 {200}	57.7 {203}	58.6 {206}	58.6 {206}	58.0 {204}	57.7 {203}
		-20	50.6 {178}	50.9 {179}	51.2 {180}	50.9 {179}	50.6 {178}	49.8 {175}
		-30	44.1 {155}	44.1 {155}	44.1 {155}	43.8 {154}	43.2 {152}	-
		-40	38.7 {136}	38.7 {136}	39.0 {137}	38.7 {136}	37.8 {133}	-
	12500DP	0	75.7 {266}	78.8 {277}	80.2 {282}	80.5 {283}	81.1 {285}	80.8 {284}
		-5	72.0 {253}	73.7 {259}	74.5 {262}	74.8 {263}	75.1 {264}	74.2 {261}
		-10	68.5 {241}	70.0 {246}	70.5 {248}	70.5 {248}	70.5 {248}	69.4 {244}
		-20	60.9 {214}	60.9 {214}	61.4 {216}	60.9 {214}	60.6 {213}	59.4 {209}
		-30	52.9 {186}	53.2 {187}	53.2 {187}	52.9 {186}	52.3 {184}	-
		-40	46.9 {165}	46.6 {164}	46.6 {164}	46.4 {163}	45.5 {160}	-

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
CTX-	34006BC1 34006DC1	0	0.83 {2.91}	0.86 {3.02}	0.86 {3.02}	0.86 {3.04}	0.86 {3.02}	0.85 {2.99}
		-5	0.80 {2.83}	0.82 {2.87}	0.82 {2.87}	0.82 {2.87}	0.81 {2.83}	0.80 {2.80}
		-10	0.71 {2.49}	0.72 {2.53}	0.72 {2.53}	0.72 {2.52}	0.71 {2.48}	0.70 {2.45}
		-20	0.56 {1.96}	0.55 {1.94}	0.55 {1.93}	0.54 {1.92}	0.53 {1.87}	0.52 {1.82}
		-30	0.45 {1.58}	0.44 {1.56}	0.44 {1.56}	0.44 {1.54}	0.43 {1.50}	-
		-40	0.37 {1.31}	0.36 {1.28}	0.36 {1.27}	0.36 {1.26}	0.34 {1.21}	-
	34013BC1 34013DC1	0	1.70 {5.98}	1.78 {6.25}	1.78 {6.26}	1.79 {6.29}	1.78 {6.25}	1.75 {6.17}
		-5	1.60 {5.62}	1.64 {5.75}	1.63 {5.75}	1.63 {5.74}	1.61 {5.66}	1.58 {5.56}
		-10	1.43 {5.02}	1.45 {5.1}	1.44 {5.08}	1.44 {5.08}	1.42 {4.99}	1.39 {4.89}
		-20	1.18 {4.15}	1.19 {4.19}	1.18 {4.16}	1.18 {4.14}	1.14 {4.02}	1.12 {3.92}
		-30	1.03 {3.62}	1.03 {3.61}	1.02 {3.57}	1.01 {3.54}	0.98 {3.43}	-
		-40	0.89 {3.12}	0.88 {3.08}	0.87 {3.05}	0.86 {3.03}	0.83 {2.91}	-
	34023BC1 34023DC1	0	2.94 {10.3}	3.06 {10.7}	3.05 {10.7}	3.08 {10.8}	3.05 {10.7}	3.01 {10.6}
		-5	2.78 {9.79}	2.83 {9.95}	2.83 {9.95}	2.83 {9.96}	2.80 {9.86}	2.74 {9.64}
		-10	2.39 {8.40}	2.43 {8.53}	2.42 {8.50}	2.41 {8.48}	2.37 {8.33}	2.33 {8.19}
		-20	2.08 {7.30}	2.10 {7.37}	2.08 {7.30}	2.07 {7.27}	2.01 {7.07}	1.96 {6.88}
		-30	1.68 {5.90}	1.67 {5.88}	1.65 {5.82}	1.64 {5.78}	1.59 {5.59}	-
		-40	1.34 {4.71}	1.33 {4.68}	1.32 {4.63}	1.31 {4.59}	1.26 {4.43}	-
	34035BC1 34035DC1	0	4.47 {15.7}	4.62 {16.3}	4.67 {16.4}	4.66 {16.4}	4.67 {16.4}	4.59 {16.1}
		-5	4.41 {15.5}	4.46 {15.7}	4.46 {15.7}	4.47 {15.7}	4.40 {15.5}	4.33 {15.2}
		-10	3.77 {13.3}	3.81 {13.4}	3.82 {13.4}	3.79 {13.3}	3.74 {13.1}	3.66 {12.9}
		-20	3.32 {11.7}	3.34 {11.7}	3.31 {11.6}	3.28 {11.6}	3.19 {11.2}	3.12 {11.0}
		-30	2.55 {8.97}	2.56 {9.01}	2.52 {8.87}	2.53 {8.88}	2.42 {8.52}	-
		-40	2.06 {7.25}	2.05 {7.2}	2.02 {7.11}	2.01 {7.05}	1.93 {6.80}	-
	34045BC1 34045DC1	0	5.75 {20.2}	6.01 {21.1}	6.00 {21.1}	6.03 {21.2}	5.98 {21.0}	5.87 {20.7}
		-5	5.68 {20.0}	5.77 {20.3}	5.74 {20.2}	5.72 {20.1}	5.66 {19.9}	5.56 {19.6}
		-10	4.80 {16.9}	4.91 {17.3}	4.91 {17.3}	4.90 {17.2}	4.79 {16.8}	4.69 {16.5}
		-20	4.22 {14.9}	4.25 {14.9}	4.24 {14.9}	4.20 {14.8}	4.10 {14.4}	3.99 {14.0}
		-30	3.26 {11.5}	3.28 {11.5}	3.26 {11.5}	3.23 {11.4}	3.13 {11.0}	-
		-40	2.66 {9.35}	2.64 {9.29}	2.60 {9.15}	2.58 {9.08}	2.50 {8.78}	-
	57060DC1	0	8.02 {28.2}	8.34 {29.3}	8.37 {29.4}	8.38 {29.5}	8.35 {29.4}	8.24 {29.0}
		-5	7.71 {27.1}	7.92 {27.8}	7.88 {27.7}	7.89 {27.7}	7.77 {27.3}	7.65 {26.9}
		-10	6.93 {24.4}	7.02 {24.7}	7.00 {24.6}	6.97 {24.5}	6.83 {24.0}	6.74 {23.7}
		-20	5.70 {20.0}	5.73 {20.2}	5.70 {20.0}	5.65 {19.9}	5.51 {19.4}	5.37 {18.9}
		-30	4.75 {16.7}	4.75 {16.7}	4.70 {16.5}	4.66 {16.4}	4.52 {15.9}	-
		-40	4.09 {14.4}	4.08 {14.3}	4.04 {14.2}	4.01 {14.1}	3.85 {13.5}	-
	57080DC1	0	10.7 {37.5}	11.1 {39.1}	11.1 {39.1}	11.2 {39.2}	11.1 {39.1}	10.9 {38.4}
		-5	10.3 {36.1}	10.5 {36.9}	10.5 {36.9}	10.5 {37.0}	10.3 {36.4}	10.2 {35.7}
		-10	9.08 {31.9}	8.86 {31.1}	8.84 {31.1}	8.82 {31.0}	8.67 {30.5}	8.84 {31.1}
		-20	7.65 {26.9}	7.69 {27.0}	7.65 {26.9}	7.61 {26.8}	7.39 {26.0}	7.21 {25.4}
		-30	6.37 {22.4}	6.36 {22.4}	6.29 {22.1}	6.23 {21.9}	6.04 {21.2}	-
		-40	5.48 {19.3}	5.42 {19.1}	5.37 {18.9}	5.32 {18.7}	5.12 {18.0}	-
	71110DC1	0	14.7 {51.6}	15.2 {53.5}	15.3 {53.7}	15.3 {53.9}	15.3 {53.7}	15.1 {53.0}
		-5	14.0 {49.3}	14.3 {50.3}	14.3 {50.2}	14.3 {50.3}	14.1 {49.6}	13.8 {48.6}
		-10	12.4 {43.7}	12.6 {44.4}	12.6 {44.2}	12.6 {44.2}	12.3 {43.4}	12.1 {42.5}
		-20	10.3 {36.3}	10.4 {36.4}	10.3 {36.1}	10.2 {35.9}	9.93 {34.9}	9.68 {34.0}
		-30	8.97 {31.5}	8.94 {31.4}	8.86 {31.1}	8.78 {30.9}	8.50 {29.9}	-
		-40	7.74 {27.2}	7.72 {27.1}	7.63 {26.8}	7.56 {26.6}	7.29 {25.6}	-
71140DC1	0	18.7 {65.6}	19.5 {68.4}	19.5 {68.5}	19.5 {68.7}	19.5 {68.4}	19.2 {67.4}	
	-5	17.8 {62.7}	18.2 {64.0}	18.2 {63.9}	18.2 {63.9}	17.9 {63.0}	17.6 {61.8}	
	-10	15.6 {54.9}	15.9 {55.9}	15.8 {55.7}	15.8 {55.5}	15.5 {54.6}	15.2 {53.4}	
	-20	13.4 {47.1}	13.5 {47.5}	13.4 {47.1}	13.3 {46.8}	13.0 {45.7}	12.6 {44.4}	
	-30	11.3 {39.6}	11.3 {39.5}	11.1 {39.1}	11.0 {38.8}	10.7 {37.6}	-	
	-40	9.86 {34.7}	9.78 {34.4}	9.66 {34.0}	9.64 {33.9}	9.22 {32.4}	-	
71160DC1	0	21.4 {75.3}	22.3 {78.5}	22.3 {78.5}	22.4 {78.8}	22.3 {78.5}	22.0 {77.4}	
	-5	20.4 {71.8}	20.9 {73.5}	20.8 {73.2}	20.8 {73.3}	20.6 {72.3}	20.2 {70.9}	
	-10	18.0 {63.3}	18.3 {64.5}	18.3 {64.2}	18.3 {64.2}	17.9 {63.0}	17.5 {61.6}	
	-20	15.4 {54.0}	15.4 {54.3}	15.3 {53.9}	15.3 {53.6}	14.8 {52.1}	14.5 {50.8}	
	-30	12.9 {45.2}	12.9 {45.2}	12.7 {44.8}	12.6 {44.4}	12.2 {43.0}	-	
	-40	11.3 {39.6}	11.2 {39.4}	11.1 {38.9}	11.0 {38.6}	10.6 {37.2}	-	
12220DC1	0	29.2 {102}	30.3 {107}	30.2 {106}	30.3 {106}	30.3 {106}	29.9 {105}	
	-5	28.1 {98.8}	28.8 {101}	28.8 {101}	28.9 {101}	28.3 {99.5}	27.7 {97.3}	
	-10	24.8 {87.2}	25.3 {88.8}	25.1 {88.4}	25.1 {88.3}	24.7 {86.8}	24.1 {84.9}	
	-20	20.7 {72.7}	20.8 {73.2}	20.7 {72.7}	20.6 {72.3}	20.0 {70.3}	19.5 {68.5}	
	-30	17.8 {62.4}	17.8 {62.5}	17.6 {61.8}	17.5 {61.4}	16.9 {59.3}	-	
	-40	15.5 {54.4}	15.4 {54.1}	15.2 {53.5}	15.1 {53.0}	14.5 {51.1}	-	
12270DC1	0	35.6 {125}	36.7 {129}	37.0 {130}	37.0 {130}	37.1 {130}	36.5 {128}	
	-5	34.2 {120}	34.8 {122}	34.7 {122}	34.7 {122}	34.2 {120}	33.7 {119}	
	-10	30.0 {105}	30.5 {107}	30.8 {108}	30.5 {107}	29.9 {105}	29.3 {103}	
	-20	25.2 {88.5}	25.3 {89.0}	25.1 {88.4}	25.0 {88.0}	24.4 {85.6}	23.7 {83.3}	
	-30	21.6 {76.0}	21.6 {75.9}	21.4 {75.2}	21.2 {74.6}	20.5 {72.2}	-	
	-40	18.8 {66.1}	18.7 {65.7}	18.5 {64.9}	18.3 {64.3}	17.6 {62.0}	-	
12330DC1	0	43.6 {153}	45.2 {159}	45.4 {159}	45.5 {160}	45.2 {159}	44.7 {157}	
	-5	41.9 {147}	42.7 {150}	42.7 {150}	42.9 {151}	42.2 {148}	41.5 {146}	
	-10	37.2 {131}	37.6 {132}	37.5 {132}	37.2 {131}	36.9 {130}	36.1 {127}	
	-20	30.9 {109}	31.3 {110}	31.1 {109}	30.8 {108}	29.9 {105}	29.3 {103}	
	-30	26.4 {93.0}	26.5 {93.3}	26.2 {92.0}	26.2 {92.0}	25.1 {88.3}	-	
	-40	23.0 {81.0}	22.9 {80.6}	22.6 {79.6}	22.4 {78.9}	21.6 {76.0}	-	
12420DC1	0	55.4 {195}	57.4 {202}	57.6 {203}	57.7 {203}	57.5 {202}	56.8 {200}	
	-5	53.7 {189}	55.0 {193}	55.0 {193}	54.8 {193}	54.3 {191}	53.3 {188}	
	-10	46.7 {164}	47.6 {167}	47.5 {167}	47.4 {167}	46.4 {163}	45.4 {160}	
	-20	39.6 {139}	39.6 {139}	39.5 {139}	39.2 {138}	38.0 {134}	37.3 {131}	
	-30	35.4 {125}	35.2 {124}	34.9 {123}	34.6 {122}	33.5 {118}	-	
	-40	30.8 {108}	30.8 {108}	30.6 {108}	30.3 {107}	29.1 {102}	-	
12500DC1	0	66.6 {234}	68.8 {242}	69.1 {243}	69.1 {243}	68.9 {242}	68.4 {240}	
	-5	64.5 {227}	65.9 {232}	66.0 {232}	65.7 {231}	64.8 {228}	63.4 {223}	
	-10	56.0 {197}	56.8 {200}	56.9 {200}	56.7 {199}	55.6 {195}	54.4 {191}	
	-20	47.5 {167}	47.7 {168}	47.5 {167}	47.1 {166}	46.0 {162}	44.8 {157}	
	-30	42.5 {149}	42.6 {150}	42.2 {148}	41.9 {147}	40.5 {143}	-	
	-40	37.4 {132}	36.8 {130}	36.5 {128}	36.2 {127}	34.8 {122}	-	

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
CTX-	34006BC1	0	0.82 {2.87}	0.84 {2.95}	0.85 {2.98}	0.85 {3.00}	0.85 {2.99}	0.84 {2.94}
		-5	0.77 {2.70}	0.78 {2.73}	0.78 {2.76}	0.78 {2.75}	0.78 {2.73}	0.76 {2.69}
	34006DC1	-10	0.70 {2.46}	0.71 {2.48}	0.71 {2.49}	0.70 {2.48}	0.70 {2.45}	0.68 {2.41}
		-20	0.55 {1.93}	0.54 {1.91}	0.54 {1.90}	0.54 {1.89}	0.53 {1.85}	0.51 {1.79}
		-30	0.44 {1.55}	0.44 {1.54}	0.44 {1.53}	0.43 {1.52}	0.42 {1.49}	-
		-40	0.37 {1.29}	0.36 {1.25}	0.35 {1.25}	0.35 {1.23}	0.34 {1.19}	-
	34013BC1	0	1.68 {5.91}	1.74 {6.12}	1.76 {6.18}	1.76 {6.20}	1.76 {6.18}	1.73 {6.08}
		-5	1.53 {5.37}	1.56 {5.48}	1.57 {5.51}	1.56 {5.50}	1.55 {5.46}	1.52 {5.35}
	34013DC1	-10	1.41 {4.95}	1.42 {5.00}	1.42 {5.01}	1.42 {5.00}	1.40 {4.93}	1.37 {4.81}
		-20	1.16 {4.09}	1.17 {4.11}	1.17 {4.10}	1.16 {4.07}	1.13 {3.98}	1.10 {3.85}
		-30	1.01 {3.57}	1.01 {3.55}	1.00 {3.52}	0.99 {3.48}	0.97 {3.4}	-
		-40	0.87 {3.07}	0.86 {3.02}	0.85 {3.00}	0.84 {2.97}	0.82 {2.87}	-
	34023BC1	0	2.90 {10.2}	2.99 {10.5}	3.01 {10.6}	3.03 {10.7}	3.02 {10.6}	2.97 {10.4}
		-5	2.66 {9.35}	2.69 {9.47}	2.72 {9.55}	2.72 {9.56}	2.71 {9.51}	2.64 {9.27}
34023DC1	-10	2.36 {8.29}	2.38 {8.36}	2.38 {8.37}	2.38 {8.36}	2.34 {8.24}	2.29 {8.05}	
	-20	2.05 {7.20}	2.06 {7.24}	2.05 {7.20}	2.04 {7.16}	1.99 {7.00}	1.92 {6.77}	
	-30	1.65 {5.82}	1.64 {5.77}	1.63 {5.73}	1.62 {5.68}	1.57 {5.53}	-	
	-40	1.32 {4.64}	1.31 {4.60}	1.29 {4.55}	1.28 {4.51}	1.24 {4.37}	-	
34035BC1	0	4.41 {15.5}	4.52 {15.9}	4.60 {16.2}	4.59 {16.1}	4.61 {16.2}	4.52 {15.9}	
	-5	4.21 {14.8}	4.25 {14.9}	4.28 {15.0}	4.29 {15.1}	4.24 {14.9}	4.16 {14.6}	
34035DC1	-10	3.72 {13.1}	3.74 {13.1}	3.77 {13.3}	3.74 {13.1}	3.70 {13.0}	3.60 {12.7}	
	-20	3.28 {11.5}	3.28 {11.5}	3.26 {11.5}	3.23 {11.4}	3.15 {11.1}	3.07 {10.8}	
	-30	2.51 {8.84}	2.52 {8.84}	2.48 {8.73}	2.48 {8.73}	2.40 {8.43}	-	
	-40	2.03 {7.13}	2.01 {7.07}	1.99 {6.99}	1.97 {6.92}	1.91 {6.72}	-	
34045BC1	0	5.68 {20.0}	5.88 {20.7}	5.92 {20.8}	5.94 {20.9}	5.91 {20.8}	5.78 {20.3}	
	-5	5.42 {19.1}	5.49 {19.3}	5.51 {19.4}	5.49 {19.3}	5.46 {19.2}	5.34 {18.8}	
34045DC1	-10	4.74 {16.7}	4.82 {16.9}	4.84 {17.0}	4.82 {17.0}	4.73 {16.6}	4.61 {16.2}	
	-20	4.16 {14.6}	4.17 {14.7}	4.17 {14.7}	4.14 {14.5}	4.06 {14.3}	3.92 {13.8}	
	-30	3.21 {11.3}	3.22 {11.3}	3.21 {11.3}	3.18 {11.2}	3.10 {10.9}	-	
	-40	2.62 {9.20}	2.59 {9.11}	2.56 {9.00}	2.53 {8.91}	2.47 {8.67}	-	
57060DC1	0	7.92 {27.9}	8.16 {28.7}	8.26 {29.0}	8.26 {29.1}	8.25 {29.0}	8.12 {28.5}	
	-5	7.37 {25.9}	7.54 {26.5}	7.56 {26.6}	7.57 {26.6}	7.50 {26.4}	7.35 {25.9}	
	-10	6.83 {24.0}	6.88 {24.2}	6.90 {24.3}	6.87 {24.2}	6.76 {23.8}	6.63 {23.3}	
	-20	5.62 {19.8}	5.63 {19.8}	5.62 {19.7}	5.56 {19.6}	5.45 {19.2}	5.28 {18.6}	
	-30	4.68 {16.4}	4.66 {16.4}	4.63 {16.3}	4.59 {16.1}	4.47 {15.7}	-	
	-40	4.03 {14.2}	4.00 {14.1}	3.97 {14.0}	3.93 {13.8}	3.81 {13.4}	-	
57080DC1	0	10.5 {37.0}	10.9 {38.2}	11.0 {38.6}	11.0 {38.6}	11.0 {38.7}	10.8 {37.9}	
	-5	9.82 {34.5}	10.0 {35.2}	10.1 {35.4}	10.1 {35.5}	9.98 {35.1}	9.77 {34.4}	
	-10	8.96 {31.5}	8.68 {30.5}	8.71 {30.6}	8.69 {30.5}	8.58 {30.2}	8.69 {30.6}	
	-20	7.55 {26.5}	7.55 {26.6}	7.54 {26.5}	7.49 {26.4}	7.31 {25.7}	7.09 {24.9}	
	-30	6.28 {22.1}	6.24 {21.9}	6.19 {21.8}	6.13 {21.6}	5.97 {21.0}	-	
	-40	5.39 {19.0}	5.32 {18.7}	5.27 {18.5}	5.22 {18.4}	5.06 {17.8}	-	
71110DC1	0	14.5 {51.0}	14.9 {52.4}	15.1 {53.0}	15.1 {53.2}	15.1 {53.0}	14.9 {52.2}	
	-5	13.4 {47.1}	13.6 {47.9}	13.7 {48.2}	13.7 {48.2}	13.6 {47.8}	13.3 {46.7}	
	-10	12.3 {43.1}	12.4 {43.5}	12.4 {43.6}	12.4 {43.5}	12.2 {42.9}	11.9 {41.8}	
	-20	10.2 {35.8}	10.2 {35.7}	10.1 {35.6}	10.1 {35.3}	9.83 {34.6}	9.51 {33.4}	
	-30	8.84 {31.1}	8.78 {30.9}	8.72 {30.7}	8.63 {30.4}	8.41 {29.6}	-	
	-40	7.62 {26.8}	7.57 {26.6}	7.50 {26.4}	7.42 {26.1}	7.20 {25.3}	-	
71140DC1	0	18.4 {64.8}	19.0 {66.9}	19.2 {67.6}	19.3 {67.7}	19.2 {67.6}	18.9 {66.4}	
	-5	17.0 {59.9}	17.3 {60.9}	17.4 {61.3}	17.4 {61.3}	17.3 {60.8}	16.9 {59.4}	
	-10	15.4 {54.1}	15.6 {54.8}	15.6 {54.9}	15.6 {54.7}	15.4 {54.0}	14.9 {52.5}	
	-20	13.2 {46.5}	13.3 {46.6}	13.2 {46.4}	13.1 {46.1}	12.9 {45.2}	12.4 {43.7}	
	-30	11.1 {39.0}	11.0 {38.8}	11.0 {38.5}	10.9 {38.1}	10.6 {37.2}	-	
	-40	9.70 {34.1}	9.59 {33.7}	9.49 {33.4}	9.47 {33.3}	9.11 {32.0}	-	
71160DC1	0	21.2 {74.4}	21.8 {76.8}	22.0 {77.5}	22.1 {77.7}	22.1 {77.6}	21.7 {76.2}	
	-5	19.5 {68.6}	19.9 {70.0}	20.0 {70.3}	20.0 {70.3}	19.8 {69.7}	19.4 {68.1}	
	-10	17.8 {62.4}	18.0 {63.2}	18.0 {63.3}	18.0 {63.2}	17.7 {62.3}	17.2 {60.6}	
	-20	15.2 {53.3}	15.2 {53.3}	15.1 {53.1}	15.0 {52.8}	14.7 {51.6}	14.2 {49.9}	
	-30	12.7 {44.6}	12.6 {44.4}	12.5 {44.1}	12.4 {43.7}	12.1 {42.5}	-	
	-40	11.1 {39.0}	11.0 {38.7}	10.9 {38.3}	10.8 {37.9}	10.5 {36.7}	-	
12220DC1	0	28.8 {101}	29.6 {104}	29.8 {105}	29.8 {105}	29.9 {105}	29.4 {103}	
	-5	26.9 {94.4}	27.5 {96.6}	27.7 {97.3}	27.7 {97.4}	27.3 {96.0}	26.6 {93.5}	
	-10	24.5 {86.0}	24.8 {87.1}	24.8 {87.2}	24.7 {86.9}	24.4 {85.8}	23.8 {83.5}	
	-20	20.4 {71.8}	20.5 {71.9}	20.4 {71.6}	20.2 {71.1}	19.8 {69.6}	19.1 {67.3}	
	-30	17.5 {61.5}	17.5 {61.3}	17.3 {60.8}	17.2 {60.4}	16.7 {58.7}	-	
	-40	15.2 {53.6}	15.1 {53.1}	15.0 {52.6}	14.8 {52.0}	14.4 {50.5}	-	
12270DC1	0	35.1 {123}	35.9 {126}	36.5 {128}	36.5 {128}	36.6 {129}	36.0 {126}	
	-5	32.6 {115}	33.2 {117}	33.3 {117}	33.3 {117}	33.0 {116}	32.4 {114}	
	-10	29.6 {104}	29.9 {105}	30.3 {107}	30.1 {106}	29.6 {104}	28.8 {101}	
	-20	24.8 {87.3}	24.9 {87.4}	24.8 {87.1}	24.6 {86.6}	24.1 {84.8}	23.3 {81.9}	
	-30	21.3 {74.9}	21.2 {74.5}	21.1 {74.0}	20.9 {73.4}	20.3 {71.4}	-	
	-40	18.5 {65.0}	18.3 {64.4}	18.1 {63.8}	18.0 {63.1}	17.4 {61.3}	-	
12330DC1	0	43.0 {151}	44.2 {155}	44.8 {157}	44.9 {158}	44.6 {157}	44.0 {155}	
	-5	40.0 {141}	40.7 {143}	41.0 {144}	41.2 {145}	40.7 {143}	39.9 {140}	
	-10	36.7 {129}	36.8 {130}	36.9 {130}	36.6 {129}	36.5 {128}	35.5 {125}	
	-20	30.5 {107}	30.7 {108}	30.6 {108}	30.3 {107}	29.6 {104}	28.8 {101}	
	-30	26.1 {91.6}	26.1 {91.7}	25.7 {90.5}	25.7 {90.5}	24.9 {87.4}	-	
	-40	22.7 {79.7}	22.5 {79.1}	22.2 {78.2}	22.0 {77.4}	21.4 {75.1}	-	
12420DC1	0	54.7 {192}	56.2 {197}	56.8 {200}	56.9 {200}	56.8 {200}	55.9 {197}	
	-5	51.3 {180}	52.3 {184}	52.8 {186}	52.6 {185}	52.4 {184}	51.3 {180}	
	-10	46.1 {162}	46.6 {164}	46.9 {165}	46.7 {164}	45.9 {161}	44.7 {157}	
	-20	39.0 {137}	38.9 {137}	39.0 {137}	38.6 {136}	37.7 {132}	36.6 {129}	
	-30	34.9 {123}	34.5 {121}	34.3 {121}	34.0 {120}	33.1 {117}	-	
	-40	30.3 {107}	30.2 {106}	30.1 {106}	29.8 {105}	28.8 {101}	-	
12500DC1	0	65.8 {231}	67.3 {237}	68.2 {240}	68.1 {239}	68.1 {239}	67.3 {237}	
	-5	61.6 {217}	62.7 {220}	63.3 {223}	63.0 {222}	62.6 {220}	61.0 {214}	
	-10	55.3 {194}	55.7 {196}	56.0 {197}	55.8 {196}	55.0 {193}	53.5 {188}	
	-20	46.9 {165}	46.8 {165}	46.8 {165}	46.4 {163}	45.5 {160}	44.0 {155}	
	-30	41.9 {147}	41.8 {147}	41.6 {146}	41.2 {145}	40.1 {141}	-	
	-40	36.8 {129}	36.1 {127}	35.9 {126}	35.6 {125}	34.4 {121}	-	

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}					
Type	Model		Condensing temp. (°C)					
			30	35	38	40	45	50
CTX-	34006BC2 34006DC2	0	0.92 {3.25}	0.98 {3.44}	1.02 {3.59}	1.04 {3.65}	1.05 {3.68}	1.06 {3.74}
		-5	0.91 {3.21}	0.95 {3.34}	0.98 {3.45}	0.99 {3.49}	1.00 {3.52}	1.00 {3.52}
	-10	0.85 {2.98}	0.76 {2.68}	0.91 {3.19}	0.91 {3.21}	0.92 {3.23}	0.92 {3.23}	
	-20	0.76 {2.68}	0.78 {2.73}	0.79 {2.76}	0.78 {2.76}	0.79 {2.76}	0.78 {2.75}	
	-30	0.63 {2.21}	0.63 {2.22}	0.64 {2.25}	0.64 {2.24}	0.64 {2.26}	-	
	-40	0.54 {1.90}	0.54 {1.88}	0.54 {1.90}	0.54 {1.91}	0.54 {1.89}	-	
	34013BC2 34013DC2	0	1.94 {6.82}	2.07 {7.27}	2.15 {7.57}	2.19 {7.71}	2.21 {7.78}	2.24 {7.88}
		-5	1.80 {6.31}	1.88 {6.60}	1.94 {6.82}	1.96 {6.89}	1.98 {6.95}	1.99 {7.01}
	-10	1.75 {6.14}	1.55 {5.44}	1.85 {6.49}	1.86 {6.54}	1.87 {6.58}	1.88 {6.61}	
	-20	1.61 {5.68}	1.64 {5.77}	1.66 {5.83}	1.66 {5.83}	1.66 {5.84}	1.65 {5.79}	
	-30	1.44 {5.07}	1.46 {5.13}	1.47 {5.17}	1.47 {5.16}	1.47 {5.16}	-	
	-40	1.28 {4.51}	1.29 {4.54}	1.30 {4.58}	1.30 {4.57}	1.30 {4.56}	-	
	34023BC2 34023DC2	0	3.34 {11.8}	3.57 {12.5}	3.72 {13.1}	3.76 {13.2}	3.79 {13.3}	3.86 {13.6}
		-5	3.25 {11.4}	3.43 {12.0}	3.53 {12.4}	3.56 {12.5}	3.61 {12.7}	3.60 {12.7}
	-10	2.95 {10.4}	3.06 {10.8}	3.14 {11.1}	3.17 {11.1}	3.19 {11.2}	3.17 {11.1}	
	-20	2.76 {9.71}	2.80 {9.84}	2.83 {9.94}	2.82 {9.93}	2.83 {9.95}	2.81 {9.87}	
	-30	2.35 {8.28}	2.38 {8.35}	2.39 {8.41}	2.39 {8.40}	2.39 {8.40}	-	
	-40	1.94 {6.82}	1.96 {6.90}	1.98 {6.95}	1.97 {6.94}	1.97 {6.93}	-	
	34035BC2 34035DC2	0	5.16 {18.1}	5.42 {19.1}	5.68 {20.0}	5.74 {20.2}	5.85 {20.6}	5.92 {20.8}
		-5	4.79 {16.9}	4.97 {17.5}	5.17 {18.2}	5.21 {18.3}	5.27 {18.5}	5.29 {18.6}
	-10	4.49 {15.8}	4.65 {16.4}	4.76 {16.7}	4.77 {16.8}	4.83 {17.0}	4.85 {17.1}	
	-20	4.10 {14.4}	4.16 {14.6}	4.18 {14.7}	4.20 {14.8}	4.17 {14.7}	4.15 {14.6}	
	-30	3.59 {12.6}	3.66 {12.9}	3.65 {12.8}	3.66 {12.9}	3.64 {12.8}	-	
	-40	2.98 {10.5}	3.02 {10.6}	3.04 {10.7}	3.03 {10.7}	3.03 {10.7}	-	
	34045BC2 34045DC2	0	6.60 {23.2}	7.01 {24.7}	7.31 {25.7}	7.42 {26.1}	7.49 {26.3}	7.59 {26.7}
		-5	6.16 {21.7}	6.43 {22.6}	6.65 {23.4}	6.71 {23.6}	6.77 {23.8}	6.82 {24.0}
	-10	5.78 {20.3}	5.97 {21.0}	6.10 {21.5}	6.15 {21.6}	6.16 {21.7}	6.23 {21.9}	
	-20	5.24 {18.4}	5.31 {18.7}	5.38 {18.9}	5.36 {18.8}	5.38 {18.9}	5.34 {18.8}	
	-30	4.59 {16.1}	4.66 {16.4}	4.69 {16.5}	4.71 {16.5}	4.70 {16.5}	-	
	-40	3.85 {13.5}	3.89 {13.7}	3.89 {13.7}	3.91 {13.7}	3.90 {13.7}	-	
	57060DC2	0	9.15 {32.2}	9.71 {34.1}	10.1 {35.7}	10.3 {36.1}	10.4 {36.6}	10.5 {37.1}
		-5	8.66 {30.5}	9.10 {32.0}	9.38 {33.0}	9.46 {33.3}	9.56 {33.6}	9.63 {33.9}
	-10	8.29 {29.1}	8.60 {30.3}	8.81 {31.0}	8.84 {31.1}	8.94 {31.4}	8.96 {31.5}	
	-20	7.59 {26.7}	7.71 {27.1}	7.79 {27.4}	7.74 {27.2}	7.79 {27.4}	7.72 {27.1}	
	-30	6.67 {23.5}	6.73 {23.7}	6.78 {23.8}	6.77 {23.8}	6.79 {23.9}	-	
	-40	5.95 {20.9}	5.99 {21.1}	6.04 {21.2}	6.06 {21.3}	6.02 {21.2}	-	
	57080DC2	0	12.3 {43.2}	13.0 {45.8}	13.6 {47.8}	13.8 {48.5}	14.0 {49.1}	14.1 {49.6}
		-5	11.5 {40.5}	12.0 {42.3}	12.4 {43.7}	12.6 {44.2}	12.7 {44.5}	12.8 {44.9}
	-10	11.1 {39.0}	11.5 {40.4}	11.8 {41.4}	11.9 {41.7}	11.9 {41.9}	12.0 {42.0}	
	-20	10.1 {35.5}	10.3 {36.2}	10.4 {36.4}	10.4 {36.5}	10.4 {36.4}	10.3 {36.2}	
-30	8.95 {31.5}	9.06 {31.9}	9.09 {32.0}	9.09 {31.9}	9.08 {31.9}	-		
-40	7.92 {27.9}	7.98 {28.1}	8.05 {28.3}	8.05 {28.3}	8.01 {28.2}	-		
71110DC2	0	17.0 {59.9}	18.1 {63.5}	18.8 {66.2}	19.2 {67.4}	19.3 {67.9}	19.6 {68.8}	
	-5	16.2 {57.1}	17.0 {59.6}	17.5 {61.6}	17.7 {62.3}	17.8 {62.7}	18.0 {63.2}	
-10	15.2 {53.5}	15.8 {55.4}	16.2 {56.8}	16.3 {57.3}	16.4 {57.5}	16.4 {57.8}		
-20	14.5 {51.1}	14.8 {51.9}	14.9 {52.3}	14.9 {52.3}	14.9 {52.2}	14.8 {51.9}		
-30	12.6 {44.3}	12.7 {44.7}	12.8 {45.0}	12.8 {44.9}	12.8 {45.0}	-		
-40	11.2 {39.4}	11.3 {39.9}	11.4 {40.2}	11.4 {40.1}	11.4 {40.2}	-		
71140DC2	0	21.3 {74.9}	22.6 {79.5}	23.6 {82.9}	23.9 {84.2}	24.2 {85.1}	24.5 {86.1}	
	-5	20.3 {71.4}	21.1 {74.2}	21.8 {76.6}	22.1 {77.6}	22.2 {78.2}	22.5 {79.1}	
-10	19.5 {68.5}	20.2 {71.2}	20.7 {72.8}	20.9 {73.3}	21.0 {73.8}	21.1 {74.1}		
-20	18.1 {63.8}	18.4 {64.8}	18.6 {65.4}	18.6 {65.4}	18.6 {65.4}	18.5 {64.9}		
-30	15.8 {55.5}	16.0 {56.2}	16.1 {56.6}	16.1 {56.4}	16.1 {56.5}	-		
-40	14.2 {50.0}	14.4 {50.6}	14.5 {51.0}	14.6 {51.2}	14.5 {50.8}	-		
71160DC2	0	24.6 {86.6}	26.1 {91.9}	27.2 {95.6}	27.6 {97.2}	27.9 {98.2}	28.3 {99.6}	
	-5	23.3 {81.8}	24.4 {85.6}	25.1 {88.3}	25.4 {89.3}	25.6 {90.0}	25.8 {90.6}	
-10	22.2 {78.0}	23.0 {80.9}	23.6 {82.9}	23.7 {83.5}	23.9 {83.9}	23.9 {84.1}		
-20	20.6 {72.5}	21.1 {74.3}	21.3 {74.9}	21.3 {75.0}	21.3 {74.9}	21.2 {74.4}		
-30	18.1 {63.5}	18.4 {64.6}	18.4 {64.7}	18.4 {64.6}	18.4 {64.7}	-		
-40	16.3 {57.3}	16.6 {58.3}	16.6 {58.4}	16.6 {58.4}	16.6 {58.3}	-		
12220DC2	0	33.7 {119}	36.0 {126}	37.5 {132}	37.9 {133}	38.2 {134}	38.9 {137}	
	-5	32.2 {113}	33.7 {118}	34.7 {122}	35.0 {123}	35.4 {125}	35.4 {124}	
-10	30.7 {108}	31.8 {112}	32.7 {115}	32.9 {116}	32.9 {116}	33.1 {116}		
-20	28.2 {99.2}	28.7 {101}	28.9 {102}	29.0 {102}	28.9 {102}	28.7 {101}		
-30	24.9 {87.6}	25.3 {88.9}	25.4 {89.4}	25.4 {89.3}	25.4 {89.2}	-		
-40	22.4 {78.8}	22.7 {79.8}	22.8 {80.2}	22.8 {80.2}	22.8 {80.2}	-		
12270DC2	0	41.0 {144}	43.4 {153}	45.5 {160}	46.3 {163}	46.6 {164}	47.5 {167}	
	-5	39.3 {138}	40.6 {143}	42.1 {148}	42.5 {149}	42.6 {150}	43.1 {151}	
-10	37.4 {131}	38.3 {135}	39.5 {139}	39.5 {139}	39.8 {140}	40.5 {142}		
-20	34.3 {121}	35.2 {124}	35.4 {125}	35.5 {125}	35.5 {125}	35.0 {123}		
-30	30.3 {107}	30.7 {108}	30.9 {109}	30.9 {108}	30.8 {108}	-		
-40	27.2 {95.6}	27.5 {96.7}	27.7 {97.3}	27.7 {97.2}	27.7 {97.3}	-		
12330DC2	0	50.4 {177}	53.3 {188}	55.9 {197}	56.5 {199}	57.2 {201}	57.9 {204}	
	-5	47.9 {169}	49.7 {175}	51.7 {182}	52.1 {183}	52.7 {185}	52.9 {186}	
-10	45.8 {161}	47.5 {167}	48.9 {172}	48.9 {172}	49.3 {173}	49.5 {174}		
-20	42.3 {149}	43.2 {152}	43.5 {153}	43.2 {152}	43.3 {152}	43.2 {152}		
-30	37.2 {131}	37.9 {133}	37.8 {133}	37.9 {133}	37.8 {133}	-		
-40	33.2 {117}	33.6 {118}	33.9 {119}	34.0 {120}	33.9 {119}	-		
12420DC2	0	65.1 {229}	69.2 {243}	71.9 {253}	73.0 {257}	73.7 {259}	74.7 {263}	
	-5	62.5 {220}	65.5 {230}	67.5 {237}	68.0 {239}	68.7 {241}	69.2 {243}	
-10	60.3 {212}	62.2 {219}	64.1 {226}	64.6 {227}	64.5 {227}	65.2 {229}		
-20	56.6 {199}	57.3 {201}	57.9 {204}	57.8 {203}	58.0 {204}	57.7 {203}		
-30	49.7 {175}	50.2 {176}	50.5 {178}	50.3 {177}	50.4 {177}	-		
-40	44.7 {157}	45.2 {159}	46.0 {162}	45.8 {161}	45.5 {160}	-		
12500DC2	0	78.0 {274}	83.0 {292}	86.6 {305}	87.9 {309}	88.6 {312}	89.9 {316}	
	-5	75.3 {265}	78.5 {276}	81.1 {285}	82.1 {289}	82.8 {291}	83.2 {293}	
-10	72.6 {255}	75.3 {265}	77.2 {271}	77.8 {273}	78.4 {275}	78.4 {276}		
-20	68.0 {239}	68.5 {241}	69.5 {245}	69.1 {243}	69.4 {244}	68.9 {242}		
-30	59.7 {210}	60.5 {213}	60.9 {214}	60.8 {214}	61.0 {214}	-		
-40	54.2 {191}	54.6 {192}	55.0 {193}	54.9 {193}	54.8 {193}	-		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}									
			Inlet pressure (MPa)									
			1.32 (Equivalent to 30°C)			1.70 (Equivalent to 40°C)			2.22 (Equivalent to 50°C)			
Type	Model	Hot gas temp. (°C)										
		60	80	100	60	80	100	60	80	100		
CTX-	34006BU 34006DU	0	0.11 {0.37}	0.11 {0.37}	0.10 {0.35}	0.13 {0.45}	0.12 {0.42}	0.12 {0.42}	0.15 {0.53}	0.14 {0.50}	0.14 {0.50}	
		-10	0.11 {0.37}	0.10 {0.35}	0.10 {0.35}	0.12 {0.42}	0.12 {0.42}	0.11 {0.40}	0.17 {0.60}	0.14 {0.50}	0.13 {0.47}	
		-20	0.10 {0.35}	0.10 {0.35}	0.10 {0.35}	0.12 {0.42}	0.11 {0.40}	0.11 {0.40}	0.17 {0.60}	0.13 {0.47}	0.13 {0.45}	
		-30	0.10 {0.35}	0.10 {0.35}	0.09 {0.32}	0.11 {0.40}	0.11 {0.40}	0.11 {0.37}	0.13 {0.47}	0.13 {0.45}	0.13 {0.45}	
	34013BU 34013DU	0	0.22 {0.77}	0.21 {0.75}	0.20 {0.72}	0.25 {0.87}	0.25 {0.87}	0.25 {0.87}	0.23 {0.82}	0.30 {1.05}	0.29 {1.02}	0.28 {1.00}
		-10	0.21 {0.75}	0.20 {0.72}	0.20 {0.72}	0.25 {0.87}	0.24 {0.85}	0.23 {0.82}	0.29 {1.02}	0.28 {1.00}	0.28 {0.97}	
		-20	0.20 {0.72}	0.20 {0.72}	0.20 {0.70}	0.23 {0.82}	0.23 {0.80}	0.23 {0.80}	0.28 {1.00}	0.27 {0.95}	0.26 {0.92}	
		-30	0.20 {0.72}	0.20 {0.70}	0.19 {0.67}	0.23 {0.80}	0.23 {0.80}	0.22 {0.77}	0.27 {0.95}	0.26 {0.92}	0.26 {0.90}	
	34023BU 34023DU	0	0.38 {1.32}	0.36 {1.27}	0.36 {1.25}	0.43 {1.52}	0.42 {1.47}	0.40 {1.42}	0.51 {1.80}	0.49 {1.74}	0.48 {1.70}	
		-10	0.37 {1.30}	0.36 {1.25}	0.35 {1.22}	0.42 {1.47}	0.40 {1.42}	0.40 {1.40}	0.49 {1.73}	0.48 {1.70}	0.47 {1.65}	
-20		0.36 {1.25}	0.35 {1.22}	0.33 {1.17}	0.40 {1.42}	0.39 {1.37}	0.38 {1.35}	0.48 {1.68}	0.46 {1.63}	0.46 {1.60}		
-30		0.35 {1.22}	0.33 {1.17}	0.33 {1.15}	0.39 {1.37}	0.38 {1.35}	0.37 {1.30}	0.46 {1.63}	0.45 {1.58}	0.44 {1.54}		
34035BU 34035DU	0	0.53 {1.87}	0.52 {1.82}	0.51 {1.78}	0.61 {2.14}	0.59 {2.07}	0.57 {2.02}	0.72 {2.52}	0.70 {2.47}	0.68 {2.39}		
	-10	0.52 {1.82}	0.51 {1.78}	0.49 {1.73}	0.59 {2.07}	0.57 {2.02}	0.56 {1.95}	0.69 {2.44}	0.68 {2.39}	0.66 {2.32}		
	-20	0.51 {1.78}	0.49 {1.73}	0.48 {1.68}	0.57 {2.02}	0.55 {1.95}	0.55 {1.92}	0.67 {2.37}	0.66 {2.32}	0.64 {2.24}		
	-30	0.49 {1.73}	0.48 {1.68}	0.46 {1.63}	0.55 {1.95}	0.54 {1.90}	0.53 {1.85}	0.65 {2.29}	0.63 {2.22}	0.62 {2.17}		
34045BU 34045DU	0	0.68 {2.40}	0.67 {2.34}	0.65 {2.27}	0.79 {2.78}	0.76 {2.68}	0.74 {2.59}	0.92 {3.24}	0.90 {3.17}	0.87 {3.07}		
	-10	0.67 {2.34}	0.65 {2.27}	0.63 {2.22}	0.76 {2.68}	0.74 {2.59}	0.72 {2.54}	0.90 {3.15}	0.87 {3.07}	1.13 {3.99}		
	-20	0.65 {2.27}	0.63 {2.20}	0.61 {2.14}	0.74 {2.59}	0.71 {2.49}	0.70 {2.47}	0.87 {3.05}	0.85 {2.99}	0.82 {2.90}		
	-30	0.63 {2.22}	0.61 {2.14}	0.59 {2.09}	0.71 {2.49}	0.69 {2.44}	0.67 {2.37}	0.84 {2.95}	0.81 {2.85}	0.80 {2.80}		
57060DU	0	0.84 {2.95}	0.81 {2.85}	0.79 {2.78}	0.95 {3.34}	0.93 {3.27}	0.90 {3.17}	1.13 {3.97}	1.10 {3.87}	1.07 {3.75}		
	-10	0.82 {2.88}	0.80 {2.80}	0.77 {2.70}	0.93 {3.27}	0.90 {3.17}	0.88 {3.10}	1.09 {3.85}	1.07 {3.75}	1.04 {3.65}		
	-20	0.80 {2.80}	0.77 {2.70}	0.75 {2.63}	0.90 {3.17}	0.87 {3.07}	0.85 {3.00}	1.07 {3.75}	1.03 {3.61}	1.00 {3.51}		
	-30	0.77 {2.70}	0.75 {2.63}	0.72 {2.54}	0.87 {3.07}	0.85 {3.00}	0.82 {2.90}	1.05 {3.70}	1.00 {3.50}	0.97 {3.42}		
57080DU	0	1.08 {3.80}	1.05 {3.68}	1.01 {3.56}	1.23 {4.31}	1.15 {4.05}	1.15 {4.03}	1.45 {5.11}	1.42 {5.00}	1.38 {4.85}		
	-10	1.05 {3.70}	1.02 {3.60}	0.99 {3.49}	1.20 {4.22}	1.17 {4.12}	1.14 {4.00}	1.41 {4.97}	1.38 {4.85}	1.34 {4.72}		
	-20	1.02 {3.60}	0.99 {3.49}	0.96 {3.39}	1.17 {4.10}	1.13 {3.97}	1.10 {3.87}	1.37 {4.82}	1.33 {4.66}	1.29 {4.54}		
	-30	0.99 {3.49}	0.96 {3.39}	0.94 {3.29}	1.13 {3.97}	1.09 {3.85}	1.07 {3.75}	1.32 {4.64}	1.29 {4.52}	1.25 {4.39}		
71110DU	0	1.29 {4.52}	1.24 {4.37}	1.21 {4.25}	1.46 {5.15}	1.43 {5.02}	1.38 {4.85}	1.73 {6.09}	1.69 {5.94}	1.64 {5.77}		
	-10	1.25 {4.39}	1.21 {4.27}	1.18 {4.15}	1.43 {5.02}	1.38 {4.87}	1.35 {4.75}	1.68 {5.89}	1.64 {5.77}	1.59 {5.59}		
	-20	1.21 {4.27}	1.18 {4.15}	1.15 {4.05}	1.38 {4.85}	1.34 {4.72}	1.31 {4.59}	1.63 {5.72}	1.58 {5.57}	1.53 {5.39}		
	-30	1.18 {4.15}	1.14 {4.02}	1.11 {3.92}	1.34 {4.72}	1.30 {4.57}	1.26 {4.44}	1.57 {5.52}	1.53 {5.37}	1.48 {5.22}		
71140DU	0	1.14 {4.02}	1.11 {3.90}	1.08 {3.80}	1.32 {4.64}	1.26 {4.42}	1.22 {4.30}	1.51 {5.32}	1.47 {5.17}	1.43 {5.02}		
	-10	1.14 {4.02}	1.11 {3.90}	1.08 {3.80}	1.32 {4.64}	1.26 {4.42}	1.22 {4.30}	1.51 {5.32}	1.47 {5.17}	1.43 {5.02}		
	-20	1.14 {4.02}	1.11 {3.90}	1.08 {3.80}	1.32 {4.64}	1.26 {4.42}	1.22 {4.30}	1.51 {5.32}	1.47 {5.17}	1.43 {5.02}		
	-30	1.14 {4.02}	1.11 {3.90}	1.08 {3.80}	1.32 {4.64}	1.26 {4.42}	1.22 {4.30}	1.51 {5.32}	1.47 {5.17}	1.43 {5.02}		
71160DU	0	1.56 {5.49}	1.51 {5.32}	1.48 {5.20}	1.78 {6.27}	1.73 {6.10}	1.68 {5.92}	2.10 {7.38}	2.06 {7.24}	2.00 {7.02}		
	-10	1.52 {5.34}	1.48 {5.20}	1.44 {5.05}	1.73 {6.09}	1.69 {5.94}	1.64 {5.77}	2.04 {7.17}	2.00 {7.02}	1.94 {6.82}		
	-20	1.48 {5.20}	1.44 {5.05}	1.40 {4.92}	1.68 {5.92}	1.63 {5.74}	1.59 {5.59}	1.98 {6.97}	1.93 {6.77}	1.87 {6.59}		
	-30	1.44 {5.05}	1.39 {4.90}	1.36 {4.77}	1.63 {5.74}	1.58 {5.57}	1.54 {5.42}	1.92 {6.74}	1.86 {6.54}	1.81 {6.37}		
12220DU	0	1.83 {6.44}	1.77 {6.24}	1.73 {6.07}	2.08 {7.31}	2.04 {7.17}	1.97 {6.94}	2.46 {8.66}	2.42 {8.52}	2.34 {8.24}		
	-10	1.78 {6.27}	1.73 {6.09}	1.68 {5.91}	2.04 {7.17}	1.98 {6.97}	1.93 {6.77}	2.40 {8.45}	2.34 {8.24}	2.28 {8.02}		
	-20	1.73 {6.09}	1.68 {5.92}	1.64 {5.77}	1.97 {6.94}	1.92 {6.74}	1.87 {6.57}	2.32 {8.17}	2.26 {7.95}	2.20 {7.74}		
	-30	1.68 {5.92}	1.63 {5.74}	1.59 {5.59}	1.92 {6.74}	1.86 {6.54}	1.81 {6.37}	2.24 {7.88}	2.18 {7.67}	2.12 {7.46}		
12270DU	0	2.55 {8.95}	2.44 {8.59}	2.36 {8.31}	2.87 {10.1}	2.79 {9.80}	2.73 {9.59}	3.41 {12.0}	3.33 {11.7}	3.21 {11.3}		
	-10	2.46 {8.66}	2.40 {8.45}	2.32 {8.17}	2.79 {9.80}	2.73 {9.59}	2.64 {9.30}	3.31 {11.6}	3.21 {11.3}	3.11 {10.9}		
	-20	2.40 {8.45}	2.32 {8.17}	2.26 {7.95}	2.73 {9.59}	2.62 {9.23}	2.59 {9.09}	3.19 {11.2}	3.11 {10.9}	3.03 {10.7}		
	-30	2.32 {8.17}	2.26 {7.95}	2.20 {7.74}	2.62 {9.23}	2.57 {9.02}	2.48 {8.73}	3.11 {10.9}	3.01 {10.6}	2.93 {10.3}		
12330DU	0	3.11 {10.9}	2.99 {10.5}	2.91 {10.2}	3.51 {12.4}	3.43 {12.1}	3.33 {11.7}	4.16 {14.6}	4.06 {14.3}	3.94 {13.9}		
	-10	3.01 {10.6}	2.93 {10.3}	2.85 {10.0}	3.43 {12.1}	3.33 {11.7}	3.23 {11.4}	4.04 {14.2}	3.94 {13.9}	3.84 {13.5}		
	-20	2.93 {10.3}	2.85 {10.0}	2.77 {9.73}	3.33 {11.7}	3.21 {11.3}	3.15 {11.1}	3.92 {13.8}	3.80 {13.4}	3.69 {13.0}		
	-30	2.85 {10.0}	2.75 {9.66}	2.68 {9.44}	3.21 {11.3}	3.13 {11.0}	3.05 {10.7}	3.78 {13.3}	3.65 {12.9}	3.57 {12.6}		
12420DU	0	3.74 {13.1}	3.61 {12.7}	3.51 {12.4}	4.26 {15.0}	4.14 {14.6}	4.04 {14.2}	5.03 {17.7}	4.91 {17.3}	4.77 {16.8}		
	-10	3.63 {12.8}	3.51 {12.4}	3.43 {12.1}	4.14 {14.6}	4.04 {14.2}	3.92 {13.8}	4.87 {17.1}	4.77 {16.8}	4.62 {16.3}		
	-20	3.51 {12.4}	3.43 {12.1}	3.33 {11.7}	4.04 {14.2}	3.90 {13.7}	3.80 {13.4}	4.72 {16.6}	4.58 {16.1}	4.46 {15.7}		
	-30	3.43 {12.1}	3.33 {11.7}	3.23 {11.4}	3.90 {13.7}	3.78 {13.3}	3.69 {13.0}	4.56 {16.1}	4.44 {15.6}	4.32 {15.2}		
12500DU	0	4.20 {14.8}	4.06 {14.3}	3.94 {13.9}	4.79 {16.8}	4.64 {16.3}	4.50 {15.8}	5.65 {19.9}	5.51 {19.4}	5.35 {18.8}		
	-10	4.08 {14.3}	3.98 {14.0}	3.86 {13.6}	4.64 {16.3}	4.52 {15.9}	4.38 {15.4}	5.49 {19.3}	5.35 {18.8}	5.19 {18.3}		
	-20	3.98 {14.0}	3.86 {13.6}	3.76 {13.2}	4.50 {15.8}	4.38 {15.4}	4.28 {15.1}	5.33 {18.7}	5.17 {18.2}	5.03 {17.7}		
	-30	3.86 {13.6}	3.74 {13.1}	3.63 {12.8}	4.38 {15.4}	4.26 {15.0}	4.14 {14.6}	5.15 {18.1}	5.01 {17.6}	4.87 {17.1}		
12500DU	0	4.42 {15.6}	4.28 {15.1}	4.18 {14.7}	5.03 {17.7}	4.91 {17.3}	4.77 {16.8}	5.96 {21.0}	5.82 {20.5}	5.63 {19.8}		
	-10	4.30 {15.1}	4.18 {14.7}	4.06 {14.3}	4.91 {17.3}	4.77 {16.8}	4.62 {16.3}	5.78 {20.3}	5.63 {19.8}	5.47 {19.2}		
	-20	4.18 {14.7}	4.06 {14.3}	3.94 {13.9}	4.77 {16.8}	4.79 {16.8}	4.50 {15.8}	5.61 {19.7}	5.45 {19.2}	5.29 {18.6}		
	-30	4.06 {14.3}	3.94 {13.9}	3.86 {13.6}	4.62 {16.3}	4.48 {15.8}	4.36 {15.3}	5.39 {19.0}	5.27 {18.5}	5.13 {18.0}		
12500DU	0	3.94 {13.9}	3.84 {13.5}	3.71 {13.1}	4.46 {15.7}	4.32 {15.2}	4.20 {14.8}	5.21 {18.3}	5.07 {17.8}	4.91 {17.3}		

Catalog No.		evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}								
			Inlet pressure (MPa)								
			1.32 (Equivalent to 30°C)			1.70 (Equivalent to 40°C)			2.22 (Equivalent to 50°C)		
Type	Model	Hot gas temp. (°C)									
		60	80	100	60	80	100	60	80	100	
CTX-	34006BC1 34006DC1	0	0.15 {0.53}	0.15 {0.52}	0.14 {0.50}	0.18 {0.62}	0.17 {0.60}	0.17 {0.59}	0.20 {0.70}	0.19 {0.68}	0.19 {0.66}
		-10	0.15 {0.51}	0.14 {0.50}	0.14 {0.49}	0.17 {0.60}	0.17 {0.58}	0.16 {0.57}	0.19 {0.67}	0.18 {0.65}	0.18 {0.63}
		-20	0.14 {0.50}	0.14 {0.48}	0.13 {0.47}	0.16 {0.57}	0.16 {0.56}	0.15 {0.54}	0.18 {0.64}	0.18 {0.62}	0.17 {0.60}
		-30	0.14 {0.48}	0.13 {0.46}	0.13 {0.45}	0.16 {0.55}	0.15 {0.53}	0.15 {0.52}	0.17 {0.61}	0.17 {0.59}	0.16 {0.57}
	-40	0.13 {0.46}	0.13 {0.44}	0.12 {0.43}	0.15 {0.52}	0.14 {0.51}	0.14 {0.49}	0.16 {0.57}	0.16 {0.56}	0.15 {0.54}	
	34013BC1 34013DC1	0	0.30 {1.06}	0.29 {1.03}	0.29 {1.00}	0.35 {1.24}	0.34 {1.21}	0.33 {1.17}	0.40 {1.40}	0.39 {1.36}	0.38 {1.32}
		-10	0.29 {1.03}	0.28 {1.00}	0.28 {0.97}	0.34 {1.20}	0.33 {1.16}	0.32 {1.13}	0.38 {1.34}	0.37 {1.30}	0.36 {1.27}
		-20	0.28 {0.99}	0.27 {0.96}	0.27 {0.94}	0.33 {1.15}	0.32 {1.12}	0.31 {1.09}	0.36 {1.28}	0.35 {1.24}	0.34 {1.21}
		-30	0.27 {0.95}	0.26 {0.93}	0.26 {0.90}	0.31 {1.10}	0.30 {1.07}	0.30 {1.04}	0.35 {1.21}	0.34 {1.18}	0.33 {1.15}
	-40	0.26 {0.91}	0.25 {0.89}	0.25 {0.86}	0.30 {1.05}	0.29 {1.02}	0.28 {0.99}	0.33 {1.15}	0.32 {1.12}	0.31 {1.09}	
	34023BC1 34023DC1	0	0.51 {1.80}	0.50 {1.75}	0.48 {1.70}	0.60 {2.10}	0.58 {2.04}	0.56 {1.98}	0.67 {2.36}	0.65 {2.29}	0.63 {2.23}
		-10	0.49 {1.74}	0.48 {1.69}	0.47 {1.64}	0.58 {2.02}	0.56 {1.96}	0.54 {1.91}	0.64 {2.26}	0.63 {2.20}	0.61 {2.14}
		-20	0.48 {1.68}	0.46 {1.63}	0.45 {1.59}	0.55 {1.94}	0.54 {1.89}	0.52 {1.84}	0.61 {2.16}	0.60 {2.10}	0.58 {2.04}
		-30	0.46 {1.61}	0.45 {1.57}	0.43 {1.52}	0.53 {1.86}	0.51 {1.80}	0.50 {1.76}	0.58 {2.05}	0.57 {1.99}	0.55 {1.94}
	-40	0.44 {1.55}	0.43 {1.50}	0.42 {1.46}	0.50 {1.77}	0.49 {1.72}	0.48 {1.67}	0.55 {1.94}	0.54 {1.89}	0.52 {1.84}	
	34035BC1 34035DC1	0	0.72 {2.53}	0.70 {2.46}	0.68 {2.39}	0.84 {2.96}	0.82 {2.87}	0.79 {2.79}	0.95 {3.33}	0.92 {3.23}	0.89 {3.14}
		-10	0.70 {2.45}	0.68 {2.38}	0.66 {2.32}	0.81 {2.85}	0.79 {2.77}	0.77 {2.69}	0.91 {3.19}	0.88 {3.10}	0.86 {3.01}
		-20	0.67 {2.36}	0.65 {2.30}	0.64 {2.23}	0.78 {2.74}	0.76 {2.66}	0.74 {2.59}	0.87 {3.05}	0.84 {2.96}	0.82 {2.88}
		-30	0.65 {2.27}	0.63 {2.21}	0.61 {2.15}	0.74 {2.62}	0.72 {2.54}	0.70 {2.47}	0.82 {2.89}	0.80 {2.81}	0.78 {2.73}
	-40	0.62 {2.18}	0.60 {2.12}	0.59 {2.06}	0.71 {2.50}	0.69 {2.42}	0.67 {2.36}	0.78 {2.74}	0.76 {2.66}	0.74 {2.59}	
	34045BC1 34045DC1	0	0.89 {3.13}	0.86 {3.04}	0.84 {2.95}	1.04 {3.65}	1.01 {3.54}	0.98 {3.45}	1.17 {4.11}	1.13 {3.99}	1.10 {3.88}
		-10	0.86 {3.03}	0.84 {2.94}	0.81 {2.86}	1.00 {3.52}	0.97 {3.42}	0.95 {3.32}	1.12 {3.94}	1.09 {3.83}	1.06 {3.72}
		-20	0.83 {2.92}	0.81 {2.83}	0.78 {2.76}	0.96 {3.38}	0.93 {3.28}	0.91 {3.19}	1.07 {3.76}	1.04 {3.65}	1.01 {3.55}
		-30	0.80 {2.81}	0.77 {2.72}	0.75 {2.65}	0.92 {3.23}	0.89 {3.14}	0.87 {3.05}	1.02 {3.57}	0.99 {3.47}	0.96 {3.38}
	-40	0.76 {2.69}	0.74 {2.61}	0.72 {2.54}	0.88 {3.08}	0.85 {2.99}	0.83 {2.91}	0.96 {3.38}	0.93 {3.28}	0.91 {3.19}	
	57060DC1	0	1.13 {3.97}	1.10 {3.86}	1.07 {3.75}	1.32 {4.63}	1.28 {4.50}	1.25 {4.38}	1.48 {5.22}	1.44 {5.07}	1.40 {4.93}
		-10	1.09 {3.84}	1.06 {3.73}	1.03 {3.63}	1.27 {4.47}	1.23 {4.34}	1.20 {4.22}	1.42 {5.00}	1.38 {4.86}	1.34 {4.73}
		-20	1.05 {3.71}	1.02 {3.60}	1.00 {3.50}	1.22 {4.29}	1.19 {4.17}	1.15 {4.05}	1.36 {4.78}	1.32 {4.64}	1.28 {4.51}
		-30	1.01 {3.56}	0.98 {3.46}	0.96 {3.37}	1.17 {4.10}	1.13 {3.99}	1.10 {3.88}	1.29 {4.54}	1.25 {4.41}	1.22 {4.29}
	-40	0.97 {3.42}	0.94 {3.32}	0.92 {3.23}	1.11 {3.91}	1.08 {3.80}	1.05 {3.70}	1.22 {4.29}	1.18 {4.17}	1.15 {4.05}	
	57080DC1	0	1.45 {5.11}	1.41 {4.96}	1.37 {4.83}	1.70 {5.97}	1.65 {5.80}	1.60 {5.64}	1.91 {6.72}	1.85 {6.52}	1.80 {6.35}
		-10	1.41 {4.95}	1.37 {4.80}	1.33 {4.67}	1.64 {5.75}	1.59 {5.59}	1.55 {5.43}	1.83 {6.44}	1.78 {6.25}	1.73 {6.08}
		-20	1.36 {4.77}	1.32 {4.63}	1.28 {4.51}	1.57 {5.52}	1.53 {5.37}	1.48 {5.22}	1.75 {6.15}	1.70 {5.97}	1.65 {5.81}
		-30	1.30 {4.59}	1.27 {4.46}	1.23 {4.33}	1.50 {5.28}	1.46 {5.13}	1.42 {4.99}	1.66 {5.84}	1.61 {5.67}	1.57 {5.52}
	-40	1.25 {4.40}	1.21 {4.27}	1.18 {4.15}	1.43 {5.04}	1.39 {4.89}	1.35 {4.76}	1.57 {5.52}	1.53 {5.36}	1.48 {5.22}	
	71110DC1	0	1.73 {6.08}	1.68 {5.91}	1.63 {5.74}	2.02 {7.10}	1.96 {6.89}	1.91 {6.71}	2.27 {7.99}	2.21 {7.76}	2.15 {7.55}
		-10	1.67 {5.88}	1.63 {5.71}	1.58 {5.56}	1.95 {6.84}	1.89 {6.65}	1.84 {6.47}	2.18 {7.66}	2.12 {7.44}	2.06 {7.24}
		-20	1.61 {5.68}	1.57 {5.51}	1.53 {5.36}	1.87 {6.57}	1.82 {6.38}	1.77 {6.21}	2.08 {7.31}	2.02 {7.10}	1.97 {6.91}
		-30	1.55 {5.46}	1.51 {5.30}	1.47 {5.16}	1.79 {6.29}	1.74 {6.11}	1.69 {5.94}	1.98 {6.95}	1.92 {6.75}	1.87 {6.56}
	-40	1.49 {5.23}	1.44 {5.08}	1.41 {4.94}	1.70 {5.99}	1.65 {5.82}	1.61 {5.66}	1.87 {6.57}	1.81 {6.38}	1.77 {6.21}	
71140DC1	0	2.11 {7.41}	2.05 {7.20}	1.99 {7.00}	2.46 {8.65}	2.39 {8.40}	2.32 {8.17}	2.77 {9.73}	2.69 {9.45}	2.62 {9.20}	
	-10	2.04 {7.17}	1.98 {6.96}	1.93 {6.77}	2.37 {8.34}	2.30 {8.10}	2.24 {7.88}	2.65 {9.34}	2.58 {9.07}	2.51 {8.82}	
	-20	1.97 {6.92}	1.91 {6.72}	1.86 {6.53}	2.28 {8.01}	2.21 {7.78}	2.15 {7.57}	2.53 {8.91}	2.46 {8.65}	2.39 {8.42}	
	-30	1.89 {6.65}	1.84 {6.46}	1.79 {6.28}	2.18 {7.66}	2.12 {7.44}	2.06 {7.24}	2.41 {8.47}	2.34 {8.22}	2.27 {8.00}	
-40	1.81 {6.37}	1.76 {6.19}	1.71 {6.02}	2.08 {7.30}	2.02 {7.09}	1.96 {6.90}	2.28 {8.01}	2.21 {7.78}	2.15 {7.56}		
71160DC1	0	2.47 {8.67}	2.40 {8.43}	2.33 {8.20}	2.88 {10.1}	2.80 {9.84}	2.72 {9.57}	3.24 {11.4}	3.15 {11.1}	3.06 {10.8}	
	-10	2.39 {8.39}	2.32 {8.15}	2.26 {7.93}	2.78 {9.76}	2.70 {9.48}	2.62 {9.22}	3.11 {10.9}	3.02 {10.6}	2.94 {10.3}	
	-20	2.30 {8.10}	2.24 {7.87}	2.18 {7.65}	2.67 {9.38}	2.59 {9.11}	2.52 {8.86}	2.97 {10.4}	2.88 {10.1}	2.80 {9.86}	
	-30	2.21 {7.79}	2.15 {7.56}	2.09 {7.36}	2.55 {8.97}	2.48 {8.71}	2.41 {8.47}	2.82 {9.91}	2.74 {9.63}	2.66 {9.37}	
-40	2.12 {7.46}	2.06 {7.25}	2.01 {7.05}	2.43 {8.55}	2.36 {8.30}	2.30 {8.08}	2.67 {9.37}	2.59 {9.10}	2.52 {8.86}		
12220DC1	0	3.40 {11.9}	3.30 {11.6}	3.21 {11.3}	3.96 {13.9}	3.85 {13.5}	3.75 {13.2}	4.46 {15.7}	4.33 {15.2}	4.22 {14.8}	
	-10	3.29 {11.6}	3.19 {11.2}	3.11 {10.9}	3.82 {13.4}	3.71 {13.1}	3.61 {12.7}	4.28 {15.0}	4.16 {14.6}	4.04 {14.2}	
	-20	3.17 {11.1}	3.08 {10.8}	3.00 {10.5}	3.67 {12.9}	3.56 {12.5}	3.47 {12.2}	4.08 {14.4}	3.97 {14.0}	3.86 {13.6}	
	-30	3.05 {10.7}	2.96 {10.4}	2.88 {10.1}	3.51 {12.3}	3.41 {12.0}	3.32 {11.7}	3.88 {13.6}	3.77 {13.3}	3.67 {12.9}	
-40	2.92 {10.3}	2.84 {9.98}	2.76 {9.71}	3.35 {11.8}	3.25 {11.4}	3.16 {11.1}	3.67 {12.9}	3.56 {12.5}	3.47 {12.2}		
12270DC1	0	4.15 {14.6}	4.03 {14.2}	3.92 {13.8}	4.84 {17.0}	4.70 {16.5}	4.57 {16.1}	5.45 {19.2}	5.29 {18.6}	5.15 {18.1}	
	-10	4.01 {14.1}	3.90 {13.7}	3.79 {13.3}	4.67 {16.4}	4.53 {15.9}	4.41 {15.5}	5.23 {18.4}	5.08 {17.8}	4.94 {17.4}	
	-20	3.87 {13.6}	3.76 {13.2}	3.66 {12.9}	4.48 {15.8}	4.35 {15.3}	4.24 {14.9}	4.99 {17.5}	4.84 {17.0}	4.71 {16.6}	
	-30	3.72 {13.1}	3.62 {12.7}	3.52 {12.4}	4.29 {15.1}	4.16 {14.6}	4.05 {14.2}	4.74 {16.7}	4.60 {16.2}	4.48 {15.7}	
-40	3.57 {12.5}	3.47 {12.2}	3.37 {11.9}	4.09 {14.4}	3.97 {14.0}	3.86 {13.6}	4.48 {15.8}	4.35 {15.3}	4.23 {14.9}		
12230DC1	0	5.01 {17.6}	4.86 {17.1}	4.73 {16.6}	5.84 {20.5}	5.68 {20.0}	5.52 {19.4}	6.58 {23.1}	6.39 {22.5}	6.21 {21.8}	
	-10	4.84 {17.0}	4.70 {16.5}	4.58 {16.1}	5.63 {19.8}	5.47 {19.2}	5.32 {18.7}	6.31 {22.2}	6.13 {21.5}	5.96 {21.0}	
	-20	4.67 {16.4}	4.54 {16.0}	4.41 {15.5}	5.41 {19.0}	5.25 {18.5}	5.11 {18.0}	6.02 {21.2}	5.85 {20.6}	5.69 {20.0}	
	-30	4.49 {15.8}	4.36 {15.3}	4.24 {14.9}	5.17 {18.2}	5.03 {17.7}	4.89 {17.2}	5.72 {20.1}	5.55 {19.5}	5.40 {19.0}	
-40	4.31 {15.1}	4.18 {14.7}	4.07 {14.3}	4.93 {17.3}	4.79 {16.8}	4.66 {16.4}	5.41 {19.0}	5.25 {18.5}	5.11 {18.0}		
12420DC1	0	5.64 {19.8}	5.47 {19.2}	5.33 {18.7}	6.58 {23.1}	6.39 {22.5}	6.22 {21.9}	7.41 {26.0}	7.19 {25.3}	7.00 {24.6}	
	-10	5.45 {19.2}	5.30 {18.6}	5.15 {18.1}	6.34 {22.3}	6.16 {21.7}	5.99 {21.1}	7.10 {25.0}	6.90 {24.3}	6.71 {23.6}	
	-20	5.26 {18.5}	5.11 {18.0}	4.97 {17.5}	6.09 {21.4}	5.92 {20.8}	5.76 {20.2}	6.78 {23.8}	6.58 {23.2}	6.41 {22.5}	
	-30	5.06 {17.8}	4.91 {17.3}	4.78 {16.8}	5.83 {20.5}	5.66 {19.9}	5.51 {19.4}	6.44 {22.6}	6.26 {22.0}	6.09 {21.4}	
-40	4.85 {17.1}	4.71 {16.6}	4.58 {16.1}	5.55 {19.5}	5.39 {19.0}	5.25 {18.5}	6.09 {21.4}	5.92 {20.8}	5.75 {20.2}		
12500DC1	0	5.94 {20.9}	5.77 {20.3}	5.61 {19.7}	6.93 {24.4}	6.73 {23.7}	6.55 {23.0}	7.80 {27.4}	7.58 {26.6}	7.37 {25.9}	
	-10	5.75 {20.2}	5.58 {19.6}	5.43 {19.1}	6.68 {23.5}	6.49 {22.8}	6.31 {22.2}	7.48 {26.3}	7.27 {25.6}	7.07 {24.9}	
	-20	5.54 {19.5}	5.38 {18.9}	5.24 {18.4}	6.42 {22.6}	6.23 {21.9}	6.06 {21.3}	7.14 {25.1}	6.94 {24.4}	6.75 {23.7}	
	-30	5.33 {18.7}	5.18 {18.2}	5.04 {17.7}	6.14 {21.6}	5.96 {21.0}	5.80 {20.4}	6.79 {23.9}	6.59 {23.2}	6.41 {22.5}	
-40	5.11 {18.0}	4.96 {17.4}	4.83 {17.0}	5.85 {20.6}	5.68 {20.0}	5.53 {19.4}	6.42 {22.6}	6.23 {21.9}	6.06 {21.3}		

Type	Catalog No. Model	evaporating temp. (°C)	Capacity (U.S.R.T.) {kW}																																																																																																																																																																		
			Inlet pressure (MPa)																																																																																																																																																																		
			1.32 (Equivalent to 30°C)			1.70 (Equivalent to 40°C)			2.22 (Equivalent to 50°C)																																																																																																																																																												
			Hot gas temp. (°C)																																																																																																																																																																		
60			80			100			60			80			100																																																																																																																																																						
CTX-	34006BC1 34006DC1	0	0.15 {0.54}	0.15 {0.53}	0.15 {0.51}	0.18 {0.63}	0.17 {0.61}	0.17 {0.60}	0.20 {0.71}	0.20 {0.69}	0.19 {0.67}	34013BC1 34013DC1	0	0.31 {1.09}	0.30 {1.06}	0.29 {1.03}	0.36 {1.27}	0.35 {1.23}	0.34 {1.20}	0.40 {1.42}	0.39 {1.38}	0.38 {1.35}	34023BC1 34023DC1	0	0.52 {1.85}	0.51 {1.79}	0.50 {1.74}	0.61 {2.15}	0.59 {2.09}	0.58 {2.03}	0.69 {2.42}	0.67 {2.35}	0.65 {2.28}	34035BC1 34035DC1	0	0.74 {2.60}	0.72 {2.53}	0.70 {2.46}	0.86 {3.03}	0.84 {2.94}	0.81 {2.86}	0.97 {3.41}	0.94 {3.31}	0.92 {3.22}	34045BC1 34045DC1	0	0.91 {3.21}	0.89 {3.12}	0.86 {3.03}	1.06 {3.74}	1.03 {3.63}	1.01 {3.54}	1.20 {4.21}	1.16 {4.08}	1.13 {3.97}	57060DC1	0	1.16 {4.08}	1.13 {3.96}	1.10 {3.85}	1.35 {4.75}	1.31 {4.62}	1.28 {4.49}	1.52 {5.34}	1.48 {5.19}	1.44 {5.05}	57080DC1	0	1.49 {5.25}	1.45 {5.10}	1.41 {4.96}	1.74 {6.12}	1.69 {5.94}	1.64 {5.78}	1.96 {6.88}	1.90 {6.68}	1.85 {6.50}	71110DC1	0	1.78 {6.24}	1.72 {6.06}	1.68 {5.90}	2.07 {7.28}	2.01 {7.07}	1.96 {6.88}	2.33 {8.18}	2.26 {7.94}	2.20 {7.73}	71140DC1	0	2.16 {7.61}	2.10 {7.39}	2.04 {7.19}	2.52 {8.87}	2.45 {8.61}	2.38 {8.38}	2.83 {9.97}	2.75 {9.68}	2.68 {9.42}	71160DC1	0	2.53 {8.91}	2.46 {8.65}	2.39 {8.42}	2.95 {10.4}	2.87 {10.1}	2.79 {9.81}	3.32 {11.7}	3.22 {11.3}	3.14 {11.0}	12220DC1	0	3.49 {12.3}	3.39 {11.9}	3.30 {11.6}	4.07 {14.3}	3.95 {13.9}	3.84 {13.5}	4.57 {16.1}	4.44 {15.6}	4.32 {15.2}	12270DC1	0	4.26 {15.0}	4.14 {14.5}	4.02 {14.2}	4.96 {17.5}	4.82 {17.0}	4.69 {16.5}	5.58 {19.6}	5.42 {19.1}	5.27 {18.5}	12230DC1	0	5.14 {18.1}	4.99 {17.6}	4.86 {17.1}	5.99 {21.1}	5.82 {20.5}	5.66 {19.9}	6.73 {23.7}	6.54 {23.0}	6.36 {22.4}	12420DC1	0	5.79 {20.4}	5.62 {19.8}	5.47 {19.2}	6.75 {23.7}	6.55 {23.0}	6.37 {22.4}	7.58 {26.7}	7.37 {25.9}	7.16 {25.2}	12500DC1	0	6.10 {21.4}	5.92 {20.8}	5.76 {20.3}	7.11 {25.0}	6.90 {24.3}	6.72 {23.6}	7.99 {28.1}	7.76 {27.3}	7.55 {26.5}

# HEX Capacity table

R134a  
<-30~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	2333BM	10	0.22 {0.77}	0.29 {1.02}	0.33 {1.16}	0.36 {1.27}	0.36 {1.27}
		5	0.26 {0.91}	0.31 {1.09}	0.34 {1.20}	0.36 {1.27}	0.36 {1.27}
		0	0.28 {0.98}	0.33 {1.16}	0.35 {1.23}	0.37 {1.30}	0.36 {1.27}
		-5	0.30 {1.06}	0.34 {1.20}	0.36 {1.27}	0.37 {1.30}	0.36 {1.27}
		-10	0.32 {1.13}	0.35 {1.23}	0.37 {1.30}	0.37 {1.30}	0.36 {1.27}
		-20	0.34 {1.20}	0.36 {1.27}	0.37 {1.30}	0.37 {1.30}	0.35 {1.23}
	2335BM 2345BM	10	0.44 {1.55}	0.59 {2.07}	0.66 {2.32}	0.71 {2.50}	0.71 {2.50}
		5	0.51 {1.79}	0.63 {2.22}	0.69 {2.43}	0.72 {2.53}	0.72 {2.53}
		0	0.56 {1.97}	0.66 {2.32}	0.71 {2.50}	0.73 {2.57}	0.72 {2.53}
		-5	0.60 {2.11}	0.68 {2.39}	0.72 {2.53}	0.74 {2.60}	0.71 {2.50}
		-10	0.63 {2.22}	0.70 {2.46}	0.73 {2.57}	0.74 {2.60}	0.71 {2.50}
		-20	0.67 {2.36}	0.72 {2.53}	0.74 {2.60}	0.74 {2.60}	0.70 {2.46}
	2348BM	10	0.69 {2.43}	0.90 {3.17}	1.01 {3.55}	1.09 {3.83}	1.09 {3.83}
		5	0.78 {2.74}	0.96 {3.38}	1.05 {3.69}	1.12 {3.94}	1.09 {3.83}
		0	0.86 {3.02}	1.01 {3.55}	1.08 {3.80}	1.12 {3.94}	1.09 {3.83}
		-5	0.92 {3.24}	1.04 {3.66}	1.10 {3.87}	1.13 {3.97}	1.09 {3.83}
		-10	0.97 {3.41}	1.07 {3.76}	1.12 {3.94}	1.13 {3.97}	1.09 {3.83}
		-20	1.03 {3.62}	1.10 {3.87}	1.13 {3.97}	1.13 {3.97}	1.07 {3.76}
	2341BM	10	0.91 {3.20}	1.22 {4.29}	1.37 {4.82}	1.49 {5.24}	1.48 {5.21}
		5	1.06 {3.73}	1.31 {4.61}	1.43 {5.03}	1.51 {5.31}	1.49 {5.24}
		0	1.18 {4.15}	1.37 {4.82}	1.47 {5.17}	1.53 {5.38}	1.49 {5.24}
		-5	1.26 {4.43}	1.42 {4.99}	1.50 {5.28}	1.54 {5.42}	1.49 {5.24}
		-10	1.32 {4.64}	1.46 {5.13}	1.52 {5.35}	1.54 {5.42}	1.48 {5.21}
		-20	1.40 {4.92}	1.50 {5.28}	1.55 {5.45}	1.54 {5.42}	1.46 {5.13}
	2342BM	10	1.46 {5.13}	1.54 {5.42}	1.57 {5.52}	1.55 {5.45}	1.46 {5.13}
		5	1.57 {5.52}	2.12 {7.46}	2.38 {8.37}	2.57 {9.04}	2.57 {9.04}
		0	1.85 {6.51}	2.27 {7.98}	2.48 {8.72}	2.62 {9.21}	2.59 {9.11}
		-5	2.04 {7.17}	2.38 {8.37}	2.55 {8.97}	2.65 {9.32}	2.59 {9.11}
		-10	2.18 {7.67}	2.46 {8.65}	2.60 {9.14}	2.66 {9.35}	2.58 {9.07}
		-20	2.29 {8.05}	2.53 {8.90}	2.64 {9.28}	2.67 {9.39}	2.57 {9.04}
	2344BM 3454BM 4564BM	10	2.43 {8.55}	2.61 {9.18}	2.68 {9.43}	2.67 {9.39}	2.54 {8.93}
		5	2.53 {8.90}	2.67 {9.39}	2.72 {9.57}	2.68 {9.43}	2.53 {8.90}
		10	2.66 {9.35}	3.58 {12.6}	3.98 {14.0}	4.35 {15.3}	4.35 {15.3}
		5	3.13 {11.0}	3.84 {13.5}	4.18 {14.7}	4.44 {15.6}	4.38 {15.4}
		0	3.44 {12.1}	4.04 {14.2}	4.32 {15.2}	4.49 {15.8}	4.38 {15.4}
		-5	3.70 {13.0}	4.18 {14.7}	4.41 {15.5}	4.49 {15.8}	4.38 {15.4}
	4566BM	10	3.87 {13.6}	4.29 {15.1}	4.46 {15.7}	4.52 {15.9}	4.35 {15.3}
		5	4.12 {14.5}	4.41 {15.5}	4.55 {16.0}	4.52 {15.9}	4.29 {15.1}
		0	4.29 {15.1}	4.52 {15.9}	4.61 {16.2}	4.55 {16.0}	4.29 {15.1}
		-5	4.35 {15.3}	5.86 {20.6}	6.60 {23.2}	7.14 {25.1}	7.14 {25.1}
		5	5.12 {18.0}	6.29 {22.1}	6.85 {24.1}	7.25 {25.5}	7.17 {25.2}
		0	5.66 {19.9}	6.60 {23.2}	7.05 {24.8}	7.34 {25.8}	7.17 {25.2}
	4568BM	10	6.03 {21.2}	6.83 {24.0}	7.20 {25.3}	7.37 {25.9}	7.17 {25.2}
		5	6.34 {22.3}	7.00 {24.6}	7.31 {25.7}	7.39 {26.0}	7.11 {25.0}
		0	6.74 {23.7}	7.22 {25.4}	7.42 {26.1}	7.39 {26.0}	7.05 {24.8}
		-5	7.02 {24.7}	7.39 {26.0}	7.54 {26.5}	7.42 {26.1}	7.00 {24.6}
		10	5.80 {20.4}	7.82 {27.5}	8.79 {30.9}	9.53 {33.5}	9.53 {33.5}
		5	6.83 {24.0}	8.39 {29.5}	9.16 {32.2}	9.67 {34.0}	9.56 {33.6}
2006EX	0	7.54 {26.5}	8.79 {30.9}	9.41 {33.1}	9.78 {34.4}	9.56 {33.6}	
	-5	8.05 {28.3}	9.10 {32.0}	9.58 {33.7}	9.84 {34.6}	9.53 {33.5}	
	-10	8.45 {29.7}	9.33 {32.8}	9.75 {34.3}	9.87 {34.7}	9.50 {33.4}	
	-20	8.99 {31.6}	9.64 {33.9}	9.93 {34.9}	9.87 {34.7}	9.38 {33.0}	
	-30	9.33 {32.8}	9.87 {34.7}	10.1 {35.5}	9.90 {34.8}	9.33 {32.8}	
	10	14.0 {49.1}	18.8 {66.1}	21.1 {74.3}	22.8 {80.3}	22.8 {80.3}	
5	16.4 {57.6}	20.1 {70.8}	22.0 {77.3}	23.2 {81.7}	23.0 {80.7}		
0	18.1 {63.6}	21.1 {74.3}	22.6 {79.5}	23.5 {82.6}	23.0 {80.7}		
-5	19.4 {68.1}	21.9 {76.9}	23.1 {81.1}	23.6 {83.1}	22.9 {80.5}		
-10	20.3 {71.4}	22.4 {78.8}	23.4 {82.3}	23.7 {83.3}	22.8 {80.2}		
-20	21.6 {75.9}	23.2 {81.4}	23.8 {83.7}	23.7 {83.4}	22.6 {79.3}		
-30	22.4 {78.9}	23.7 {83.3}	24.0 {84.5}	-	-		



R134a  
<-30~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	3010EX	10	21.8 {76.8}	29.3 {103}	33.0 {116}	35.8 {126}	35.8 {126}
		5	25.6 {90.0}	31.6 {111}	34.4 {121}	36.4 {128}	35.8 {126}
		0	28.3 {99.4}	33.0 {116}	35.3 {124}	36.7 {129}	35.8 {126}
		-5	30.2 {106}	34.1 {120}	36.1 {127}	37.0 {130}	35.8 {126}
		-10	31.9 {112}	35.0 {123}	36.7 {129}	37.0 {130}	35.6 {125}
		-20	33.8 {119}	36.1 {127}	37.3 {131}	37.0 {130}	35.3 {124}
	5012EX	-30	35.0 {123}	37.0 {130}	37.5 {132}	-	-
		10	33.0 {116}	44.1 {155}	49.8 {175}	53.8 {189}	53.8 {189}
		5	38.4 {135}	47.2 {166}	51.8 {182}	54.6 {192}	54.0 {190}
		0	42.7 {150}	49.8 {175}	53.2 {187}	55.2 {194}	54.0 {190}
		-5	45.5 {160}	51.5 {181}	54.3 {191}	55.5 {195}	53.8 {189}
		-10	47.8 {168}	52.6 {185}	55.2 {194}	55.7 {196}	53.8 {189}
	7514EX	-20	50.9 {179}	54.6 {192}	56.0 {197}	55.7 {196}	52.9 {186}
		-30	52.9 {186}	55.7 {196}	56.6 {199}	-	-
		10	50.1 {176}	67.1 {236}	75.7 {266}	81.6 {287}	81.6 {287}
		5	58.6 {206}	72.0 {253}	78.5 {276}	83.0 {292}	82.2 {289}
		0	64.8 {228}	75.7 {266}	80.8 {284}	83.9 {295}	82.2 {289}
		-5	69.4 {244}	78.2 {275}	82.5 {290}	84.5 {297}	81.9 {288}
	10020EX	-10	72.5 {255}	80.2 {282}	83.6 {294}	84.8 {298}	81.6 {287}
		-20	77.4 {272}	82.8 {291}	85.0 {299}	84.8 {298}	80.8 {284}
		-30	80.2 {282}	84.8 {298}	85.9 {302}	-	-
		10	72.0 {253}	96.7 {340}	109 {383}	118 {414}	118 {414}
		5	84.5 {297}	104 {365}	113 {398}	120 {421}	118 {416}
		0	93.3 {328}	109 {383}	117 {410}	121 {426}	118 {416}
		-5	99.8 {351}	113 {396}	119 {418}	122 {428}	118 {415}
		-10	105 {368}	115 {406}	121 {424}	122 {429}	117 {413}
		-20	111 {391}	119 {420}	123 {432}	122 {430}	116 {409}
		-30	116 {407}	122 {430}	124 {436}	-	-

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	2333BU	10	0.24 {0.83}	0.30 {1.05}	0.32 {1.11}	0.29 {1.03}	0.23 {0.81}
		5	0.28 {0.98}	0.32 {1.13}	0.33 {1.15}	0.30 {1.04}	0.23 {0.80}
		0	0.31 {1.08}	0.34 {1.18}	0.34 {1.18}	0.30 {1.04}	0.22 {0.79}
		-5	0.33 {1.15}	0.35 {1.22}	0.34 {1.20}	0.30 {1.04}	0.22 {0.78}
		-10	0.34 {1.21}	0.36 {1.25}	0.34 {1.21}	0.29 {1.03}	0.21 {0.75}
		-20	0.36 {1.28}	0.36 {1.27}	0.34 {1.21}	0.28 {1.00}	0.20 {0.70}
		-30	0.37 {1.30}	0.36 {1.27}	0.34 {1.19}	0.27 {0.96}	0.18 {0.65}
	-40	0.37 {1.31}	0.36 {1.26}	0.33 {1.17}	0.26 {0.91}	0.16 {0.58}	
	2335BU 2345BU	10	0.47 {1.66}	0.60 {2.10}	0.63 {2.21}	0.58 {2.05}	0.46 {1.61}
		5	0.55 {1.95}	0.64 {2.25}	0.65 {2.29}	0.59 {2.07}	0.46 {1.60}
		0	0.61 {2.15}	0.67 {2.36}	0.67 {2.35}	0.59 {2.08}	0.45 {1.58}
		-5	0.65 {2.30}	0.69 {2.43}	0.68 {2.39}	0.59 {2.07}	0.44 {1.54}
		-10	0.69 {2.41}	0.71 {2.48}	0.69 {2.41}	0.58 {2.05}	0.43 {1.50}
		-20	0.72 {2.54}	0.72 {2.53}	0.69 {2.41}	0.57 {1.99}	0.40 {1.40}
		-30	0.74 {2.60}	0.72 {2.53}	0.67 {2.37}	0.54 {1.91}	0.37 {1.29}
	-40	0.75 {2.62}	0.71 {2.51}	0.66 {2.32}	0.52 {1.82}	0.33 {1.16}	
	2348BU	10	0.73 {2.56}	0.92 {3.24}	0.97 {3.41}	0.90 {3.16}	0.71 {2.49}
		5	0.85 {3.00}	0.99 {3.47}	1.01 {3.54}	0.91 {3.20}	0.70 {2.47}
		0	0.94 {3.32}	1.04 {3.64}	1.03 {3.63}	0.91 {3.21}	0.69 {2.43}
		-5	1.01 {3.55}	1.07 {3.76}	1.05 {3.69}	0.91 {3.20}	0.68 {2.38}
		-10	1.06 {3.72}	1.09 {3.84}	1.06 {3.72}	0.90 {3.17}	0.66 {2.32}
		-20	1.11 {3.92}	1.11 {3.91}	1.06 {3.71}	0.87 {3.07}	0.61 {2.16}
		-30	1.14 {4.01}	1.11 {3.91}	1.04 {3.66}	0.84 {2.94}	0.57 {1.99}
	-40	1.15 {4.04}	1.10 {3.88}	1.02 {3.58}	0.80 {2.81}	0.51 {1.80}	
	2341BU	10	0.97 {3.41}	1.23 {4.32}	1.29 {4.55}	1.20 {4.22}	0.94 {3.32}
		5	1.14 {4.00}	1.32 {4.63}	1.34 {4.72}	1.21 {4.26}	0.94 {3.30}
		0	1.26 {4.43}	1.38 {4.86}	1.38 {4.84}	1.22 {4.28}	0.92 {3.25}
		-5	1.35 {4.73}	1.42 {5.01}	1.40 {4.92}	1.21 {4.26}	0.90 {3.18}
		-10	1.41 {4.96}	1.45 {5.11}	1.41 {4.96}	1.20 {4.23}	0.88 {3.09}
		-20	1.49 {5.23}	1.48 {5.21}	1.41 {4.95}	1.16 {4.09}	0.82 {2.88}
		-30	1.52 {5.35}	1.48 {5.22}	1.39 {4.88}	1.12 {3.93}	0.75 {2.65}
	-40	1.53 {5.39}	1.47 {5.18}	1.36 {4.78}	1.06 {3.74}	0.68 {2.40}	
	2342BU	10	1.73 {6.10}	2.20 {7.72}	2.31 {8.12}	2.14 {7.54}	1.69 {5.94}
		5	2.03 {7.15}	2.35 {8.26}	2.40 {8.44}	2.17 {7.62}	1.68 {5.89}
		0	2.25 {7.91}	2.46 {8.66}	2.46 {8.65}	2.17 {7.64}	1.65 {5.80}
		-5	2.41 {8.46}	2.55 {8.95}	2.50 {8.79}	2.17 {7.62}	1.62 {5.68}
		-10	2.52 {8.86}	2.60 {9.14}	2.52 {8.86}	2.15 {7.55}	1.57 {5.53}
		-20	2.66 {9.34}	2.65 {9.31}	2.52 {8.85}	2.08 {7.31}	1.46 {5.15}
		-30	2.72 {9.55}	2.65 {9.32}	2.48 {8.72}	2.00 {7.02}	1.35 {4.74}
	-40	2.74 {9.63}	2.63 {9.25}	2.43 {8.54}	1.90 {6.69}	1.22 {4.28}	
	2344BU 3454BU 4564BU	10	2.93 {10.3}	3.70 {13.0}	3.90 {13.7}	3.61 {12.7}	2.84 {10.0}
		5	3.41 {12.0}	3.95 {13.9}	4.04 {14.2}	3.64 {12.8}	2.82 {9.91}
		0	3.78 {13.3}	4.15 {14.6}	4.15 {14.6}	3.67 {12.9}	2.78 {9.76}
		-5	4.04 {14.2}	4.29 {15.1}	4.21 {14.8}	3.64 {12.8}	2.72 {9.56}
		-10	4.24 {14.9}	4.38 {15.4}	4.24 {14.9}	3.61 {12.7}	2.65 {9.31}
		-20	4.46 {15.7}	4.46 {15.7}	4.24 {14.9}	3.50 {12.3}	2.47 {8.68}
		-30	4.58 {16.1}	4.46 {15.7}	4.18 {14.7}	3.36 {11.8}	2.27 {7.97}
	-40	4.61 {16.2}	4.44 {15.6}	4.10 {14.4}	3.21 {11.3}	2.05 {7.21}	
4566BU	10	4.15 {14.6}	5.26 {18.5}	5.55 {19.5}	5.15 {18.1}	4.07 {14.3}	
	5	4.89 {17.2}	5.63 {19.8}	5.77 {20.3}	5.20 {18.3}	4.01 {14.1}	
	0	5.40 {19.0}	5.92 {20.8}	5.92 {20.8}	5.20 {18.3}	3.95 {13.9}	
	-5	5.77 {20.3}	6.11 {21.5}	6.00 {21.1}	5.20 {18.3}	3.87 {13.6}	
	-10	6.06 {21.3}	6.23 {21.9}	6.06 {21.3}	5.15 {18.1}	3.78 {13.3}	
	-20	6.37 {22.4}	6.37 {22.4}	6.03 {21.2}	5.01 {17.6}	3.53 {12.4}	
	-30	6.51 {22.9}	6.37 {22.4}	5.94 {20.9}	4.78 {16.8}	3.24 {11.4}	
-40	6.57 {23.1}	6.31 {22.2}	5.83 {20.5}	4.58 {16.1}	2.93 {10.3}		
4568BU	10	5.83 {20.5}	7.37 {25.9}	7.76 {27.3}	7.20 {25.3}	5.66 {19.9}	
	5	6.83 {24.0}	7.88 {27.7}	8.05 {28.3}	7.28 {25.6}	5.63 {19.8}	
	0	7.54 {26.5}	8.28 {29.1}	8.25 {29.0}	7.28 {25.6}	5.55 {19.5}	
	-5	8.08 {28.4}	8.53 {30.0}	8.39 {29.5}	7.28 {25.6}	5.43 {19.1}	
	-10	8.45 {29.7}	8.73 {30.7}	8.45 {29.7}	7.20 {25.3}	5.29 {18.6}	
	-20	8.90 {31.3}	8.87 {31.2}	8.45 {29.7}	6.97 {24.5}	4.92 {17.3}	
	-30	9.13 {32.1}	8.90 {31.3}	8.33 {29.3}	6.68 {23.5}	4.52 {15.9}	
-40	9.19 {32.3}	8.82 {31.0}	8.16 {28.7}	6.37 {22.4}	4.10 {14.4}		

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	2333BU	10	0.24 {0.83}	0.30 {1.05}	0.32 {1.11}	0.29 {1.03}	0.23 {0.81}
		5	0.28 {0.98}	0.32 {1.13}	0.33 {1.15}	0.30 {1.04}	0.23 {0.80}
		0	0.31 {1.08}	0.34 {1.18}	0.34 {1.18}	0.30 {1.04}	0.22 {0.79}
		-5	0.33 {1.15}	0.35 {1.22}	0.34 {1.20}	0.30 {1.04}	0.22 {0.78}
		-10	0.34 {1.21}	0.36 {1.25}	0.34 {1.21}	0.29 {1.03}	0.21 {0.75}
		-20	0.36 {1.28}	0.36 {1.27}	0.34 {1.21}	0.28 {1.00}	0.20 {0.70}
		-30	0.37 {1.30}	0.36 {1.27}	0.34 {1.19}	0.27 {0.96}	0.18 {0.65}
		-40	0.37 {1.31}	0.36 {1.26}	0.33 {1.17}	0.26 {0.91}	0.16 {0.58}
		-50	0.38 {1.33}	0.36 {1.26}	0.33 {1.15}	0.25 {0.88}	0.15 {0.53}
	-60	0.39 {1.36}	0.36 {1.28}	0.33 {1.16}	0.24 {0.86}	0.13 {0.47}	
	-70	0.42 {1.46}	0.39 {1.37}	0.35 {1.24}	0.25 {0.89}	0.12 {0.42}	
	2335BU 2345BU	10	0.47 {1.66}	0.60 {2.10}	0.63 {2.21}	0.58 {2.05}	0.46 {1.61}
		5	0.55 {1.95}	0.64 {2.25}	0.65 {2.29}	0.59 {2.07}	0.46 {1.60}
		0	0.61 {2.15}	0.67 {2.36}	0.67 {2.35}	0.59 {2.08}	0.45 {1.58}
		-5	0.65 {2.30}	0.69 {2.43}	0.68 {2.39}	0.59 {2.07}	0.44 {1.54}
		-10	0.69 {2.41}	0.71 {2.48}	0.69 {2.41}	0.58 {2.05}	0.43 {1.50}
		-20	0.72 {2.54}	0.72 {2.53}	0.69 {2.41}	0.57 {1.99}	0.40 {1.40}
		-30	0.74 {2.60}	0.72 {2.53}	0.67 {2.37}	0.54 {1.91}	0.37 {1.29}
		-40	0.75 {2.62}	0.71 {2.51}	0.66 {2.32}	0.52 {1.82}	0.33 {1.16}
		-50	0.75 {2.64}	0.71 {2.51}	0.65 {2.29}	0.50 {1.75}	0.30 {1.05}
	-60	0.77 {2.71}	0.73 {2.55}	0.66 {2.31}	0.49 {1.71}	0.27 {0.94}	
	-70	0.82 {2.90}	0.78 {2.73}	0.70 {2.46}	0.50 {1.76}	0.24 {0.84}	
	2348BU	10	0.73 {2.56}	0.92 {3.24}	0.97 {3.41}	0.90 {3.16}	0.71 {2.49}
		5	0.85 {3.00}	0.99 {3.47}	1.01 {3.54}	0.91 {3.20}	0.70 {2.47}
		0	0.94 {3.32}	1.04 {3.64}	1.03 {3.63}	0.91 {3.21}	0.69 {2.43}
		-5	1.01 {3.55}	1.07 {3.76}	1.05 {3.69}	0.91 {3.20}	0.68 {2.38}
		-10	1.06 {3.72}	1.09 {3.84}	1.06 {3.72}	0.90 {3.17}	0.66 {2.32}
		-20	1.11 {3.92}	1.11 {3.91}	1.06 {3.71}	0.87 {3.07}	0.61 {2.16}
		-30	1.14 {4.01}	1.11 {3.91}	1.04 {3.66}	0.84 {2.94}	0.57 {1.99}
		-40	1.15 {4.04}	1.10 {3.88}	1.02 {3.58}	0.80 {2.81}	0.51 {1.80}
		-50	1.16 {4.07}	1.10 {3.87}	1.01 {3.54}	0.77 {2.69}	0.46 {1.61}
	-60	1.19 {4.18}	1.12 {3.94}	1.02 {3.57}	0.75 {2.64}	0.41 {1.45}	
	-70	1.19 {4.19}	1.20 {4.22}	1.08 {3.80}	0.77 {2.72}	0.37 {1.30}	
	2341BU	10	0.97 {3.41}	1.23 {4.32}	1.29 {4.55}	1.20 {4.22}	0.94 {3.32}
		5	1.14 {4.00}	1.32 {4.63}	1.34 {4.72}	1.21 {4.26}	0.94 {3.30}
		0	1.26 {4.43}	1.38 {4.86}	1.38 {4.84}	1.22 {4.28}	0.92 {3.25}
		-5	1.35 {4.73}	1.42 {5.01}	1.40 {4.92}	1.21 {4.26}	0.90 {3.18}
		-10	1.41 {4.96}	1.45 {5.11}	1.41 {4.96}	1.20 {4.23}	0.88 {3.09}
		-20	1.49 {5.23}	1.48 {5.21}	1.41 {4.95}	1.16 {4.09}	0.82 {2.88}
		-30	1.52 {5.35}	1.48 {5.22}	1.39 {4.88}	1.12 {3.93}	0.75 {2.65}
		-40	1.53 {5.39}	1.47 {5.18}	1.36 {4.78}	1.06 {3.74}	0.68 {2.40}
		-50	1.54 {5.43}	1.47 {5.16}	1.34 {4.72}	1.02 {3.59}	0.61 {2.15}
-60	1.58 {5.57}	1.49 {5.25}	1.35 {4.76}	1.00 {3.52}	0.55 {1.93}		
-70	1.70 {5.98}	1.60 {5.63}	1.44 {5.07}	1.03 {3.63}	0.49 {1.73}		
2342BU	10	1.73 {6.10}	2.20 {7.72}	2.31 {8.12}	2.14 {7.54}	1.69 {5.94}	
	5	2.03 {7.15}	2.35 {8.26}	2.40 {8.44}	2.17 {7.62}	1.68 {5.89}	
	0	2.25 {7.91}	2.46 {8.66}	2.46 {8.65}	2.17 {7.64}	1.65 {5.80}	
	-5	2.41 {8.46}	2.55 {8.95}	2.50 {8.79}	2.17 {7.62}	1.62 {5.68}	
	-10	2.52 {8.86}	2.60 {9.14}	2.52 {8.86}	2.15 {7.55}	1.57 {5.53}	
	-20	2.66 {9.34}	2.65 {9.31}	2.52 {8.85}	2.08 {7.31}	1.46 {5.15}	
	-30	2.72 {9.55}	2.65 {9.32}	2.48 {8.72}	2.00 {7.02}	1.35 {4.74}	
	-40	2.74 {9.63}	2.63 {9.25}	2.43 {8.54}	1.90 {6.69}	1.22 {4.28}	
	-50	2.76 {9.71}	2.62 {9.22}	2.40 {8.43}	1.83 {6.42}	1.09 {3.85}	
-60	2.83 {9.95}	2.67 {9.39}	2.42 {8.51}	1.79 {6.30}	0.98 {3.45}		
-70	3.04 {10.7}	2.87 {10.1}	2.57 {9.05}	1.84 {6.48}	0.88 {3.09}		
2344BU 3454BU 4564BU	10	2.93 {10.3}	3.70 {13.0}	3.90 {13.7}	3.61 {12.7}	2.84 {10.0}	
	5	3.41 {12.0}	3.95 {13.9}	4.04 {14.2}	3.64 {12.8}	2.82 {9.91}	
	0	3.78 {13.3}	4.15 {14.6}	4.15 {14.6}	3.67 {12.9}	2.78 {9.76}	
	-5	4.04 {14.2}	4.29 {15.1}	4.21 {14.8}	3.64 {12.8}	2.72 {9.56}	
	-10	4.24 {14.9}	4.38 {15.4}	4.24 {14.9}	3.61 {12.7}	2.65 {9.31}	
	-20	4.46 {15.7}	4.46 {15.7}	4.24 {14.9}	3.50 {12.3}	2.47 {8.68}	
	-30	4.58 {16.1}	4.46 {15.7}	4.18 {14.7}	3.36 {11.8}	2.27 {7.97}	
	-40	4.61 {16.2}	4.44 {15.6}	4.10 {14.4}	3.21 {11.3}	2.05 {7.21}	
	-50	4.64 {16.3}	4.41 {15.5}	4.04 {14.2}	3.07 {10.8}	1.84 {6.48}	
-60	4.78 {16.8}	4.49 {15.8}	4.07 {14.3}	3.01 {10.6}	1.65 {5.81}		
-70	5.12 {18.0}	4.81 {16.9}	4.32 {15.2}	3.10 {10.9}	1.48 {5.21}		

R404A

Z Type &lt;-70~10℃&gt;

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	4566BU	10	4.15 {14.6}	5.26 {18.5}	5.55 {19.5}	5.15 {18.1}	4.07 {14.3}
		5	4.89 {17.2}	5.63 {19.8}	5.77 {20.3}	5.20 {18.3}	4.01 {14.1}
		0	5.40 {19.0}	5.92 {20.8}	5.92 {20.8}	5.20 {18.3}	3.95 {13.9}
		-5	5.77 {20.3}	6.11 {21.5}	6.00 {21.1}	5.20 {18.3}	3.87 {13.6}
		-10	6.06 {21.3}	6.23 {21.9}	6.06 {21.3}	5.15 {18.1}	3.78 {13.3}
		-20	6.37 {22.4}	6.37 {22.4}	6.03 {21.2}	5.01 {17.6}	3.53 {12.4}
		-30	6.51 {22.9}	6.37 {22.4}	5.94 {20.9}	4.78 {16.8}	3.24 {11.4}
		-40	6.57 {23.1}	6.31 {22.2}	5.83 {20.5}	4.58 {16.1}	2.93 {10.3}
		-50	6.63 {23.3}	6.29 {22.1}	5.74 {20.2}	4.38 {15.4}	2.62 {9.23}
		-60	6.80 {23.9}	6.40 {22.5}	5.80 {20.4}	4.29 {15.1}	2.36 {8.30}
	-70	7.28 {25.6}	6.85 {24.1}	6.17 {21.7}	4.44 {15.6}	2.11 {7.43}	
	4568BU	10	5.83 {20.5}	7.37 {25.9}	7.76 {27.3}	7.20 {25.3}	5.66 {19.9}
		5	6.83 {24.0}	7.88 {27.7}	8.05 {28.3}	7.28 {25.6}	5.63 {19.8}
		0	7.54 {26.5}	8.28 {29.1}	8.25 {29.0}	7.28 {25.6}	5.55 {19.5}
		-5	8.08 {28.4}	8.53 {30.0}	8.39 {29.5}	7.28 {25.6}	5.43 {19.1}
		-10	8.45 {29.7}	8.73 {30.7}	8.45 {29.7}	7.20 {25.3}	5.29 {18.6}
		-20	8.90 {31.3}	8.87 {31.2}	8.45 {29.7}	6.97 {24.5}	4.92 {17.3}
		-30	9.13 {32.1}	8.90 {31.3}	8.33 {29.3}	6.68 {23.5}	4.52 {15.9}
		-40	9.19 {32.3}	8.82 {31.0}	8.16 {28.7}	6.37 {22.4}	4.10 {14.4}
		-50	9.27 {32.6}	8.79 {30.9}	8.05 {28.3}	6.11 {21.5}	3.67 {12.9}
		-60	9.50 {33.4}	8.96 {31.5}	8.11 {28.5}	6.00 {21.1}	3.13 {11.0}
		-70	10.2 {35.9}	9.58 {33.7}	8.65 {30.4}	6.20 {21.8}	2.96 {10.4}

R404A

&lt;-30~10℃&gt;

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	2006EX	10	13.0 {45.8}	16.5 {58.0}	17.4 {61.1}	16.1 {56.6}	12.7 {44.6}
		5	15.3 {53.8}	17.7 {62.1}	18.0 {63.4}	16.3 {57.3}	12.6 {44.3}
		0	16.9 {59.5}	18.5 {65.1}	18.5 {65.1}	16.3 {57.4}	12.4 {43.6}
		-5	18.1 {63.6}	19.1 {67.2}	18.8 {66.1}	16.3 {57.3}	12.1 {42.7}
		-10	18.9 {66.6}	19.5 {68.7}	18.9 {66.6}	16.1 {56.7}	11.8 {41.6}
		-20	20.0 {70.2}	19.9 {70.0}	18.9 {66.5}	15.6 {55.0}	11.0 {38.7}
		-30	20.4 {71.8}	19.9 {70.0}	18.6 {65.5}	15.0 {52.7}	10.1 {35.6}
	3010EX	10	20.4 {71.7}	25.8 {90.7}	27.2 {95.5}	25.2 {88.6}	19.9 {69.8}
		5	23.9 {84.1}	27.6 {97.1}	28.2 {99.2}	25.5 {89.5}	19.7 {69.2}
		0	26.4 {92.9}	29.0 {102}	29.0 {102}	25.5 {89.8}	19.4 {68.2}
		-5	28.3 {99.4}	29.9 {105}	29.3 {103}	25.5 {89.5}	19.0 {66.7}
		-10	29.6 {104}	30.4 {107}	29.6 {104}	25.2 {88.7}	18.5 {65.0}
		-20	31.3 {110}	31.0 {109}	29.6 {104}	24.5 {86.0}	17.2 {60.6}
	5012EX	10	31.9 {112}	31.3 {110}	29.0 {102}	23.4 {82.4}	15.8 {55.7}
		5	30.7 {108}	38.7 {136}	41.0 {144}	37.8 {133}	29.9 {105}
		0	35.8 {126}	41.5 {146}	42.4 {149}	38.4 {135}	29.6 {104}
		-5	39.8 {140}	43.5 {153}	43.5 {153}	38.4 {135}	29.3 {103}
		-10	42.7 {150}	44.9 {158}	44.1 {155}	38.4 {135}	28.4 {100}
	7514EX	-10	44.7 {157}	46.1 {162}	44.7 {157}	37.8 {133}	27.8 {97.7}
		-20	46.9 {165}	46.9 {165}	44.4 {156}	36.7 {129}	25.9 {91.1}
		-30	48.1 {169}	46.9 {165}	43.8 {154}	35.3 {124}	23.8 {83.7}
		10	46.6 {164}	59.2 {208}	62.0 {218}	57.7 {203}	45.5 {160}
		5	54.6 {192}	63.1 {222}	64.6 {227}	58.3 {205}	44.9 {158}
		0	60.6 {213}	66.3 {233}	66.3 {233}	58.3 {205}	44.4 {156}
		-5	64.6 {227}	68.5 {241}	67.1 {236}	58.3 {205}	43.5 {153}
	10020EX	-10	67.7 {238}	70.0 {246}	67.7 {238}	57.7 {203}	42.4 {149}
		-20	71.4 {251}	71.1 {250}	67.7 {238}	56.0 {197}	39.5 {139}
		-30	73.1 {257}	71.4 {251}	66.6 {234}	53.8 {189}	36.1 {127}
		10	67.1 {236}	85.0 {299}	89.6 {315}	83.0 {292}	65.4 {230}
		5	78.8 {277}	91.0 {320}	93.0 {327}	83.9 {295}	64.8 {228}
		0	87.0 {306}	95.6 {336}	95.3 {335}	84.2 {296}	64.0 {225}
		-5	93.3 {328}	98.7 {347}	97.0 {341}	83.9 {295}	62.6 {220}
	10020EX	-10	97.6 {343}	101 {354}	97.6 {343}	83.3 {293}	60.9 {214}
		-20	103 {362}	103 {361}	97.6 {343}	80.5 {283}	56.9 {200}
		-30	105 {370}	103 {361}	96.1 {338}	77.4 {272}	52.3 {184}

R407C  
 <-40~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	2333BP	10	0.33 {1.15}	0.43 {1.50}	0.47 {1.64}	0.48 {1.69}	0.47 {1.65}
		5	0.38 {1.33}	0.46 {1.60}	0.49 {1.71}	0.50 {1.76}	0.47 {1.64}
		0	0.42 {1.47}	0.49 {1.71}	0.51 {1.78}	0.51 {1.78}	0.47 {1.67}
		-5	0.45 {1.59}	0.49 {1.73}	0.51 {1.81}	0.50 {1.77}	0.47 {1.66}
		-10	0.48 {1.69}	0.51 {1.80}	0.52 {1.83}	0.51 {1.80}	0.48 {1.68}
		-20	0.51 {1.79}	0.53 {1.86}	0.54 {1.89}	0.52 {1.82}	0.47 {1.66}
		-30	0.53 {1.86}	0.55 {1.93}	0.54 {1.89}	0.52 {1.84}	0.48 {1.68}
	-40	0.55 {1.94}	0.56 {1.97}	0.55 {1.93}	0.53 {1.87}	0.48 {1.70}	
	2335BP 2345BP	10	0.61 {2.14}	0.81 {2.84}	0.89 {3.12}	0.92 {3.25}	0.89 {3.14}
		5	0.71 {2.51}	0.87 {3.05}	0.92 {3.25}	0.94 {3.31}	0.90 {3.16}
		0	0.80 {2.80}	0.91 {3.19}	0.95 {3.35}	0.96 {3.36}	0.90 {3.17}
		-5	0.86 {3.02}	0.95 {3.33}	0.98 {3.44}	0.97 {3.42}	0.91 {3.19}
		-10	0.91 {3.20}	0.98 {3.43}	1.00 {3.50}	0.98 {3.43}	0.90 {3.18}
		-20	0.97 {3.40}	1.01 {3.55}	1.02 {3.59}	0.98 {3.44}	0.90 {3.15}
		-30	1.01 {3.54}	1.04 {3.65}	1.04 {3.64}	1.00 {3.51}	0.91 {3.21}
	-40	1.04 {3.66}	1.06 {3.73}	1.05 {3.68}	1.01 {3.55}	0.92 {3.23}	
	2348BP	10	0.90 {3.17}	1.18 {4.15}	1.31 {4.59}	1.36 {4.77}	1.31 {4.59}
		5	1.06 {3.73}	1.27 {4.47}	1.36 {4.79}	1.39 {4.89}	1.32 {4.63}
		0	1.17 {4.13}	1.34 {4.72}	1.41 {4.95}	1.41 {4.97}	1.33 {4.68}
		-5	1.27 {4.46}	1.40 {4.92}	1.44 {5.07}	1.42 {5.01}	1.33 {4.69}
		-10	1.34 {4.71}	1.44 {5.05}	1.47 {5.16}	1.43 {5.03}	1.33 {4.69}
		-20	1.42 {5.01}	1.49 {5.24}	1.50 {5.27}	1.44 {5.06}	1.32 {4.65}
		-30	1.48 {5.22}	1.53 {5.37}	1.52 {5.36}	1.47 {5.17}	1.35 {4.73}
	-40	1.53 {5.37}	1.57 {5.52}	1.55 {5.44}	1.49 {5.23}	1.35 {4.76}	
	2341BP	10	1.23 {4.31}	1.60 {5.64}	1.77 {6.23}	1.85 {6.49}	1.78 {6.25}
		5	1.44 {5.06}	1.73 {6.07}	1.85 {6.50}	1.89 {6.64}	1.79 {6.31}
		0	1.60 {5.61}	1.83 {6.42}	1.91 {6.73}	1.91 {6.72}	1.81 {6.35}
		-5	1.72 {6.05}	1.89 {6.66}	1.96 {6.88}	1.93 {6.79}	1.81 {6.35}
		-10	1.81 {6.36}	1.95 {6.85}	1.99 {7.00}	1.94 {6.83}	1.81 {6.35}
		-20	1.93 {6.80}	2.02 {7.10}	2.04 {7.16}	1.96 {6.88}	1.79 {6.28}
		-30	2.01 {7.08}	2.07 {7.29}	2.06 {7.25}	1.99 {7.01}	1.82 {6.41}
	-40	2.08 {7.31}	2.12 {7.45}	2.10 {7.40}	2.02 {7.10}	1.84 {6.46}	
	2342BP	10	2.38 {8.36}	3.16 {11.1}	3.44 {12.1}	3.61 {12.7}	3.47 {12.2}
		5	2.80 {9.86}	3.38 {11.9}	3.61 {12.7}	3.67 {12.9}	3.50 {12.3}
		0	3.13 {11.0}	3.58 {12.6}	3.73 {13.1}	3.73 {13.1}	3.53 {12.4}
		-5	3.33 {11.7}	3.67 {12.9}	3.81 {13.4}	3.78 {13.3}	3.53 {12.4}
		-10	3.53 {12.4}	3.81 {13.4}	3.90 {13.7}	3.78 {13.3}	3.53 {12.4}
		-20	3.75 {13.2}	3.95 {13.9}	3.95 {13.9}	3.78 {13.3}	3.50 {12.3}
		-30	3.92 {13.8}	4.04 {14.2}	4.01 {14.1}	3.90 {13.7}	3.55 {12.5}
	-40	4.04 {14.2}	4.15 {14.6}	4.12 {14.5}	3.92 {13.8}	3.58 {12.6}	
	2344BP 3454BP 4564BP	10	3.84 {13.5}	5.06 {17.8}	5.60 {19.7}	5.80 {20.4}	5.60 {19.7}
		5	4.55 {16.0}	5.43 {19.1}	5.83 {20.5}	5.94 {20.9}	5.66 {19.9}
		0	5.06 {17.8}	5.74 {20.2}	6.03 {21.2}	6.03 {21.2}	5.69 {20.0}
		-5	5.43 {19.1}	5.97 {21.0}	6.17 {21.7}	6.11 {21.5}	5.69 {20.0}
		-10	5.72 {20.1}	6.17 {21.7}	6.29 {22.1}	6.14 {21.6}	5.69 {20.0}
		-20	6.09 {21.4}	6.37 {22.4}	6.43 {22.6}	6.17 {21.7}	5.66 {19.9}
		-30	6.34 {22.3}	6.54 {23.0}	6.48 {22.8}	6.29 {22.1}	5.74 {20.2}
	-40	6.57 {23.1}	6.68 {23.5}	6.65 {23.4}	6.37 {22.4}	5.80 {20.4}	
4566BP	10	6.17 {21.7}	8.13 {28.6}	8.93 {31.4}	9.33 {32.8}	8.99 {31.6}	
	5	7.25 {25.5}	8.73 {30.7}	9.36 {32.9}	9.53 {33.5}	9.07 {31.9}	
	0	8.08 {28.4}	9.21 {32.4}	9.64 {33.9}	9.67 {34.0}	9.13 {32.1}	
	-5	8.67 {30.5}	9.56 {33.6}	9.90 {34.8}	9.78 {34.4}	9.13 {32.1}	
	-10	9.13 {32.1}	9.87 {34.7}	10.1 {35.4}	9.84 {34.6}	9.10 {32.0}	
	-20	9.75 {34.3}	10.2 {35.9}	10.3 {36.2}	9.87 {34.7}	9.04 {31.8}	
	-30	10.2 {35.7}	10.5 {36.8}	10.4 {36.7}	10.1 {35.4}	9.21 {32.4}	
-40	10.5 {36.9}	10.7 {37.6}	10.7 {37.5}	10.2 {35.9}	9.27 {32.6}		
4568BP	10	8.25 {29.0}	10.9 {38.2}	11.9 {41.8}	12.5 {43.8}	12.0 {42.3}	
	5	9.70 {34.1}	11.7 {41.0}	12.5 {43.8}	12.7 {44.7}	12.1 {42.7}	
	0	10.8 {38.0}	12.3 {43.4}	12.9 {45.5}	12.9 {45.5}	12.2 {42.8}	
	-5	11.6 {40.9}	12.9 {45.2}	13.2 {46.4}	13.0 {45.7}	12.2 {43.0}	
	-10	12.2 {43.0}	13.2 {46.5}	13.5 {47.4}	13.1 {46.2}	12.1 {42.7}	
	-20	13.0 {45.7}	13.7 {48.0}	13.7 {48.0}	13.1 {46.1}	12.1 {42.6}	
	-30	13.6 {47.7}	14.0 {49.3}	13.9 {49.0}	13.5 {47.3}	12.3 {43.3}	
-40	14.0 {49.3}	14.3 {50.4}	14.2 {49.8}	13.6 {47.9}	12.4 {43.6}		

R407C  
<-30~10℃>

Catalog No.		evaporating temp. (℃)	Capacity (U.S.R.T.) {kW}				
Type	Model		Condensing temp. (℃)				
			20	30	38	50	60
HEX-	2006EX	10	18.6 {65.4}	24.6 {86.5}	26.7 {93.8}	28.7 {101}	27.7 {97.4}
		5	21.9 {77.1}	26.5 {93.2}	28.0 {98.3}	29.3 {103}	28.0 {98.5}
		0	24.4 {85.8}	28.0 {98.4}	29.0 {102}	29.9 {105}	28.2 {99.2}
		-5	26.3 {92.3}	29.0 {102}	29.6 {104}	30.2 {106}	28.4 {100}
		-10	27.7 {97.3}	30.2 {106}	30.2 {106}	30.4 {107}	28.4 {100}
		-20	29.6 {104}	31.3 {110}	31.0 {109}	30.7 {108}	28.2 {99.3}
	3010EX	-30	31.0 {109}	32.1 {113}	31.6 {111}	30.7 {108}	28.2 {99.1}
		10	29.0 {102}	38.4 {135}	41.8 {147}	44.7 {157}	43.2 {152}
		5	34.4 {121}	41.5 {146}	43.8 {154}	45.8 {161}	43.8 {154}
		0	38.1 {134}	43.8 {154}	45.2 {159}	46.6 {164}	44.1 {155}
		-5	41.0 {144}	45.5 {160}	46.4 {163}	47.2 {166}	44.4 {156}
		-10	43.2 {152}	46.9 {165}	47.2 {166}	47.5 {167}	44.4 {156}
	5012EX	-20	46.4 {163}	48.9 {172}	48.4 {170}	47.8 {168}	44.1 {155}
		-30	48.4 {170}	50.1 {176}	49.2 {173}	48.1 {169}	44.1 {155}
		10	43.8 {154}	57.7 {203}	62.9 {221}	67.4 {237}	65.1 {229}
		5	51.5 {181}	62.3 {219}	65.7 {231}	68.8 {242}	66.0 {232}
		0	57.5 {202}	66.0 {232}	68.0 {239}	70.0 {246}	66.3 {233}
		-5	61.7 {217}	68.5 {241}	69.7 {245}	70.8 {249}	66.6 {234}
	7514EX	-10	65.1 {229}	70.5 {248}	71.1 {250}	71.4 {251}	66.6 {234}
		-20	69.7 {245}	73.4 {258}	72.8 {256}	72.0 {253}	66.6 {234}
		-30	72.8 {256}	75.4 {265}	74.2 {261}	72.5 {255}	66.3 {233}
		10	66.6 {234}	87.9 {309}	95.6 {336}	102 {360}	99.0 {348}
		5	78.5 {276}	94.7 {333}	100 {352}	105 {368}	100 {352}
		0	87.3 {307}	100 {352}	104 {364}	107 {375}	101 {355}
	10020EX	-5	93.9 {330}	104 {366}	106 {373}	108 {379}	101 {356}
		-10	99.0 {348}	107 {377}	108 {380}	109 {382}	102 {357}
		-20	106 {373}	112 {393}	111 {390}	109 {385}	101 {355}
		-30	111 {389}	115 {403}	113 {396}	110 {388}	101 {355}
		10	95.8 {337}	127 {446}	138 {484}	148 {519}	143 {502}
		5	113 {398}	137 {481}	144 {507}	151 {531}	144 {508}
	0	126 {442}	144 {507}	149 {524}	154 {540}	146 {512}	
	-5	135 {476}	150 {528}	153 {538}	155 {546}	146 {513}	
	-10	142 {501}	155 {544}	156 {548}	157 {551}	146 {514}	
	-20	153 {537}	161 {566}	160 {561}	158 {555}	146 {512}	
	-30	159 {560}	165 {581}	162 {571}	159 {559}	145 {511}	